


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check the asset impairement module in fixed asset module	1	0	1	0	28.079 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check the asset impairement	Check the impairement of asset (sale)	43	12	1	30	28.071 s
	module in fixed asset module						

DETAILED SECTION -- 4 --

## (F)- To check the asset impairement module in fixed asset module

FAILED	DURATION - 28.079 s	Scenarios		Steps	
	•	Total - 1		Total - 43	
/ 11:59:13.843 A	M // 11:59:41.922 AM /	Pass - 0	1	Pass - 12	43
		Fail - 1.		Fail - 1	
		Skip - 0		Skip - 30	

## (S)- Check the impairement of asset (sale)



#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	12.798 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.595 s
	screenshot		
	■ © ***********************************		
2	And click on fixed asset main module	PASSED	0.448 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		

AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And click on search icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And get the active reference number in asset Sale module  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And click on search icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 And get the active reference number in asset Sale module  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.302 s  0.322 s  0.327 s  0.164 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 And click on search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  5 And get the active reference number in asset Sale module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And get the active reference number in asset Sale module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.302 s  0.153 s  PASSED  0.322 s  0.327 s  0.164 s		Total   Tota		
screenshot  And click on search icon  And plick on search icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.178 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  0.467 s	3	And goto asset sale module and choose the edit icon	PASSED	0.354 s
And click on search icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  ATER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  ATER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.178 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.302 s
4 And click on search icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.178 s  PASSED 0.467 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  5 And get the active reference number in asset Sale module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.327 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  ACTION CONTROL OF STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.178 s  PASSED  0.467 s		Marie   0   0   0   0   0   0   0   0   0		
screenshot  5 And get the active reference number in asset Sale module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And click on view button near by asset impairement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And click on view button near by asset impairement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.178 s  0.467 s	4	And click on search icon	PASSED	0.153 s
5 And get the active reference number in asset Sale module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And click on view button near by asset impairement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.178 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.467 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  6 And click on view button near by asset impairement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.164 s  PASSED  0.178 s  PASSED  0.467 s		Value   Valu		
Screenshot  6 And click on view button near by asset impairement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.178 s  0.467 s	5	And get the active reference number in asset Sale module	PASSED	0.327 s
6 And click on view button near by asset impairement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.178 s  0.467 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
6 And click on view button near by asset impairement module  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.178 s  0.467 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.467 s		Second Property of the Control of		
	6	And click on view button near by asset impairement module	PASSED	0.178 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.467 s
Succional		screenshot		


#	Step / Hook Details	Status	Duration
	Part		
7	And click on Add Icon	PASSED	0.285 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.291 s
	screenshot		
	** O CONTINUENTIAL PARTY AND THE PARTY AND T		
8	Then Check System shuld display the input fields	PASSED	0.117 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.140 s
	screenshot		
	Continue		
9	And select asset reference number	PASSED	0.704 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
	*** O TOTAL CONTROL OF THE TOT		
10	And choose the asset Item no	PASSED	0.189 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot	1	

#	Step / Hook Details	Status	Duration
	** ** ** ** ** ** ** ** ** ** ** ** **		
11	And choose the transcation type as impairment	PASSED	0.448 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		
	** O CONTINUE TO C		
12	And check the book value of asset	PASSED	0.288 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
	** The state of th		
13	Then click on Save Button	FAILED	4.347 s
	java.lang.AssertionError: Save button not able to click at org.junit.Assert.fail(Assert.java:88) at stepdefinitions.FIXEDASSET_AssetImpairement.click_on_save_button(FIXEDASSET_AssetImpairement.java:950) at ?.click on Save Button(file:///C:/Users/inindc00076/git/AzentioAutomationFrameworkMasterNew/AzentioAutomationFramework/src/test/java/features/FIXEDASSET_AssetImpairement.feature:332) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot	7	
	***		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
14	Then click on notification button	SKIPPED	0.000 s
15	Then choose first record in the notification record	SKIPPED	0.001 s
16	And click on Submit button	SKIPPED	0.000 s
17	Then enter remark in confirmation alert	SKIPPED	0.000 s
18	Then click on submit button in alert	SKIPPED	0.000 s
19	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
20	Then logout from maker	SKIPPED	0.000 s
21	And login with reviewer credentials	SKIPPED	0.000 s
22	Then click on notification button	SKIPPED	0.000 s
23	And select our record in notification records using reference ID	SKIPPED	0.000 s
24	Then Approve the record from reviewer	SKIPPED	0.000 s
25	And enter the remark in alert	SKIPPED	0.000 s
26	Then click on submit in alert	SKIPPED	0.000 s
27	Then verify the approval status of the record	SKIPPED	0.000 s
28	And logout from reviewer	SKIPPED	0.000 s
29	Then login as a checker	SKIPPED	0.000 s
30	And click on security management menu in checker	SKIPPED	0.001 s
31	Then click on action button under security management menu	SKIPPED	0.000 s
32	And select our record and clime using reference ID	SKIPPED	0.000 s
33	Then click on Notification button	SKIPPED	0.000 s
34	Then select our record in notification records by the help of reference ID	SKIPPED	0.000 s
35	And click on approve button in checker stage	SKIPPED	0.000 s
36	Then give alert remark	SKIPPED	0.001 s
37	Then click on submit button on alert	SKIPPED	0.000 s
38	And verify the record got approved from checker	SKIPPED	0.000 s
39	Then logout from checker	SKIPPED	0.000 s
40	And login with Maker ID	SKIPPED	0.000 s
41	And click on fixed asset main module	SKIPPED	0.000 s
42	And click on view button near by asset impairement module	SKIPPED	0.000 s
43	Then check the approved record is displayed in appeared in maker list view stage	SKIPPED	0.001 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




**EXPANDED SECTION** 




EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --

