Cucumber Report

| Start : Feb 27, 8:28:20.201 AM	End : Feb 27, 8:28:41.940 AM	Duration : 21.739 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Receivable Appropriation functionality	1	0	1	0	21.739 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	*Checking the Acount Receivable Appropriation functionality*	*Below amount must be correctly calculated & displayed post receipt appropriation.*	*7*	*6*	*1*	*0*	*21.736 s*

(F)- Checking the Acount Receivable Appropriation functionality

FAILED	DURATION - 21.739 s	Scenarios		Steps	
		Total - 1		Total - 7	
/ 8:28:20.201 AM // 8:28:41.940 AM /		Pass - 0	1	Pass - 6	7
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Below amount must be correctly calculated & displayed post receipt appropriation.

FAILED	DURATION - 21.736 s		Steps	
/ 8:28:20.204 AM // 8:28:41.940 AM /			Total - 7	
Checking the Acount Receivable Appropriation functionality			Pass - 6	7
			Fail - 1	
@MultiAuth @KUBS_AR/AP_UAT_010_005_TC_04			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	9.349 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
2	Then Click on Direction icon	PASSED	2.320 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Account Recivable button	PASSED	0.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		
4	Then Click on Account Recivable Appropriation eye button	PASSED	0.224 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.294 s
	screenshot		
5	Then Click to add record in Account Recivable	PASSED	0.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	screenshot		
6	Then Check receipt is available for Appropriation	PASSED	5.693 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.114 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then enter App Amount check the calculation for Outstanding amount for Receivable	FAILED	0.152 s

	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence
	    at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source)
	    at stepdefinitions.AccountReceivable_Appropriation.
	enter_app_amount_check_the_calculation_for_outstanding_amount_for_receivable(AccountReceivable_Appropriation.java:68)
	    at ?.enter App Amount check the calculation for Outstanding amount for Receivable(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/AccountReceivable_Appropriation.feature:34)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot		

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Below amount must be correctly calculated & displayed post receipt appropriation.	
(F) Checking the Acount Receivable Appropriation functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Below amount must be correctly calculated & displayed post receipt appropriation.	
(F) Checking the Acount Receivable Appropriation functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Below amount must be correctly calculated & displayed post receipt appropriation.	
(F) Checking the Acount Receivable Appropriation functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Below amount must be correctly calculated & displayed post receipt appropriation.	
(F) Checking the Acount Receivable Appropriation functionality	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Below amount must be correctly
calculated & displayed post receipt
appropriation.

(F) Checking the Acount Receivable
Appropriation functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Below amount must be correctly
calculated & displayed post receipt
appropriation.

(F) Checking the Acount Receivable
Appropriation functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Below amount must be correctly calculated & displayed post receipt appropriation.

(F) Checking the Acount Receivable Appropriation functionality