

# Cucumber Report

31 Jan 2023, 11:15:39 AM

Start : Jan 31, 10:07:35.553 AM

End : Jan 31, 11:15:32.290 AM

Duration : 67 m 56.737 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 5  
FAILED - 1  
SKIPPED - 4







| # | Feature Name                                 | T | P | F | S | Duration      |
|---|--|---|---|---|---|---------------|
| 1 | <u>To verify the reports for fixed asset</u> | 1 | 0 | 1 | 0 | 67 m 56.737 s |







| # | Feature Name                                 | Scenario Name                    | T  | P | F | S | Duration      |
|---|--|----------------------------------|----|---|---|---|---------------|
| 1 | <u>To verify the reports for fixed asset</u> | <u>Check Asset return Report</u> | 10 | 5 | 1 | 4 | 67 m 56.708 s |




**(F)- To verify the reports for fixed asset**

|  |                                 |  |   |   |   |
|--|---------------------------------|--|---|---|---|
| <b>FAILED</b>                          | <b>DURATION - 67 m 56.737 s</b> | Scenarios<br>Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 |  | Steps<br>Total - 10<br>Pass - 5<br>Fail - 1<br>Skip - 4 |  |
| / 10:07:35.553 AM // 11:15:32.290 AM / |                                 |  |   |   |   |

**(S)- Check Asset return Report**

|  |                                 |  |   |   |
|--|---------------------------------|--|---|---|
| <b>FAILED</b>                          | <b>DURATION - 67 m 56.708 s</b> |  | Steps<br>Total - 10<br>Pass - 5<br>Fail - 1<br>Skip - 4 |  |
| / 10:07:35.582 AM // 11:15:32.290 AM / |                                 |  |   |   |
| To verify the reports for fixed asset  |                                 |  |   |   |
| @KUBS_FAT_UAT_013_016_Return           |                                 |  |   |   |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
| 1 | Given Maker Navigate to UAT URL login   | PASSED | 26.117 s |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.875 s  |
|   | screenshot  |        |          |
|   |  |        |          |
| 2 | Then Click on Report button   | PASSED | 0.640 s  |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)    | PASSED | 0.353 s  |
|   | screenshot  |        |          |
|   |  |        |          |

| # | Step / Hook Details   | Status | Duration      |
|---|---|--------|---------------|
| 3 | Then Click on Transaction Reports tab   | PASSED | 1.777 s       |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.284 s       |
|   | screenshot  |        |               |
|   |    |        |               |
| 4 | Then Click on return Report edit button   | PASSED | 0.280 s       |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.422 s       |
|   | screenshot  |        |               |
|   |    |        |               |
| 5 | Then choose the data set for asset return report  | PASSED | 0.011 s       |
|   | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  | PASSED | 0.356 s       |
|   | screenshot  |        |               |
|   |   |        |               |
| 6 | Then Fill details for return report   | FAILED | 66 m 41.120 s |
|   | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [9bd83699ae8476163e9cf736744e75b7, findElement {using=xpath, value=//ion-row[1]/ion-col[1]/app-kub-lov[1]/span[1]/ng-select[1]/div[1]/div[1]/div[2]/input[1]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\chrome-win-108.0.5359.126\chrome-win-108.0.5359.126}, goog:chromeOptions: {debuggerAddress: localhost:61520}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61520/devtools, se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9bd83699ae8476163e9cf736744e75b7 | FAILED | 66 m 41.120 s |
|   | at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  |        |               |
|   | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  |        |               |

| # | Step / Hook Details   | Status | Duration |
|---|---|--------|----------|
|   | <pre> at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4225) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:673) at java.base/java.lang.String.valueOf(String.java:4225) at java.base/java.lang.StringBuilder.append(StringBuilder.java:173) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at helper.WaitHelper.waitForElement(WaitHelper.java:81) at stepdefinitions.FixedAsset_Reports.fill_details_for_return_report(FixedAsset_Reports.java:284) at ?.Fill details for return report(file:///C:/Users/ININDC00073/git/KamalaPriya_ExcelUpdated_KUBS/ AzentioAutomationFramework_ExcelKUBS_Kamalapriya2/src/test/java/features/FixedAssetReports.feature:35) * Not displayable characters are replaced by '?'. </pre> |        |          |
|   | <p><b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b></p> <pre> org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org.openqa.selenium.chrome. ChromeDriver Command: [9bd83699ae8476163e9cf736744e75b7, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:61520}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61520/devtoo..., se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9bd83699ae8476163e9cf736744e75b7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) </pre>   | FAILED | 0.052 s  |

| #  | Step / Hook Details  | Status  | Duration |
|----|--|---------|----------|
|    | <pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) </pre>   |         |          |
| 7  | And Get the system data  | SKIPPED | 0.001 s  |
| 8  | Then Select return date in calendar  | SKIPPED | 0.000 s  |
| 9  | Then Click on the View button  | SKIPPED | 0.000 s  |
| 10 | Then close the report  | SKIPPED | 0.001 s  |
|    | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)   | FAILED  | 32.413 s |
|    | <pre> org.openqa.selenium.WebDriverException: disconnected: unable to connect to renderer (failed to check if window was closed: disconnected: unable to connect to renderer) (Session info: chrome=108.0.5359.126) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.60', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '19.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [9bd83699ae8476163e9cf736744e75b7, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.126, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\ININDC~1\AppData\Local\Temp\chrome-win-108.0.5359.71\userDataDir}, goog:chromeOptions: {debuggerAddress: localhost:61520}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61520/devtools, se:cdpVersion: 108.0.5359.126, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 9bd83699ae8476163e9cf736744e75b7 at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) </pre> |         |          |

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check Asset return Report


(F) To verify the reports for fixed asset



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check Asset return Report

(F) To verify the reports for fixed asset





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check Asset return Report

(F) To verify the reports for fixed asset

The screenshot displays the AZENTIO ONEBanking application interface. The top navigation bar includes the date '03-Dec-2022', language 'English', software version 'Azentio Software', user '(AZENTMAIN)', and a profile icon for 'ANANT'. A search bar labeled 'Finance' is present. A left-hand sidebar menu lists various reports: Reports, Financial reporting, Enquiry, Petty cash, Master reports, Transaction reports, Asset replacement report, Asset impairment loss booking report, Asset return report, Assets re-valuation report, Asset allocation report, Asset de-allocation report, and Asset Amendment Report. The 'Assets re-valuation report' is currently selected. The main content area is empty.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check Asset return Report

(F) To verify the reports for fixed asset

This screenshot shows the 'Assets Re-valuation Report' page in the AZENTIO ONEBanking application. The top navigation bar is identical to the previous screenshot. The left sidebar menu is also visible, with 'Assets re-valuation report' highlighted. The main content area displays the report title 'Assets Re-valuation Report' and a sub-header '\*Re-valuation of Assets As On'. Below this, there is a date selection field with a calendar icon. A 'VIEW' link is located in the top right corner of the main content area.

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check Asset return Report

(F) To verify the reports for fixed asset

The screenshot displays the AZENTIO ONEBanking web application. The top navigation bar includes the date '03-Dec-2022', language 'English', user 'Azentio Software', and role '(AZENTMAIN)'. A sidebar menu on the left lists various reports, with 'Assets re-valuation report' highlighted. The main content area is titled 'Assets Re-valuation Report' and features a sub-header '\*Re-valuation of Assets As On' followed by a date selection icon. A 'VIEW' link is located in the top right corner of the report area. At the bottom of the sidebar, there are notifications for '22 Appro...' and '11 Mess...'.