

Cucumber Report

8 Feb 2023, 1:04:11 PM

Start : Feb 08, 12:29:02.323 PM

End : Feb 08, 1:04:08.432 PM

Duration : 35 m 6.109 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 6


FAILED - 1

SKIPPED - 11







#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	35 m 6.109 s







#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Check GRN cancellation is not allowed if Bill has been approved against that GRN	18	6	1	11	35 m 6.095 s





(F)- AR/AP Module

FAILED	DURATION - 35 m 6.109 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 18 Pass - 6 Fail - 1 Skip - 11	
/ 12:29:02.323 PM // 1:04:08.432 PM /					

(S)- Check GRN cancellation is not allowed if Bill has been approved against that GRN

<div>FAILED</div> <div>DURATION - 35 m 6.095 s</div>		<div></div>	<div>Steps</div> <div>Total - 18</div> <div>Pass - 6</div> <div>Fail - 1</div> <div>Skip - 11</div>	<div></div>
<div>/ 12:29:02.336 PM // 1:04:08.431 PM /</div>				
<div>AR/AP Module</div>				
<div>@AR/AP @KUBS_AR_AP_UAT_003_003_TC_06</div>				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	35.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.677 s
	screenshot		
			
2	And user should navigate to accounts payable menu	PASSED	3.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then Open Invoice Bill Booking Eye icon	PASSED	6.692 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.265 s
	screenshot 		
4	And Click On Search Icon	PASSED	1.026 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.324 s
	screenshot 		
5	And Update the data set id for GRN cancellation is not allowed if Bill has been approved	PASSED	0.026 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.322 s
	screenshot 		
6	And Enter the Invoice Bill Booking status	PASSED	2.190 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot 		
7	Then Click on Table Row First Eye Icon in ARAP	FAILED	33 m 25.134 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=109.0.5414.74) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cbc910b896480dafbaf93d872a2dccc, findElement {using=xpath, value=//datatable-row-wrapper[1]/datatable-body-		

#	Step / Hook Details	Status	Duration
	<p>row/div/datatable-body-cell[1]/ion-button[1]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:57579}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57579/devtoo..., se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cbc910b896480dafbafb93d872a2dccd</p> <p>at jdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.toString(Unknown Source) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.ExpectedConditions\$23.toString(ExpectedConditions.java:673) at java.base/java.lang.String.valueOf(String.java:4215) at java.base/java.lang.StringBuilder.append(StringBuilder.java:169) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:229) at helper.WaitHelper.waitForElement(WaitHelper.java:81) at stepdefinitions.ARAP_AccountsPayableReport.click_on_table_row_first_eye_icon_in_arap(ARAP_AccountsPayableReport.java:141) at ?.Click on Table Row First Eye Icon in ARAP(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/AzentioAutomationFramework_ARAP_Excel/src/test/java/features/ArAp3.feature:325) * Not displayable characters are replaced by '?'. </p>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <p>org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=109.0.5414.74) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cbc910b896480dafbafb93d872a2dccd, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:57579}, javascriptEnabled: true,</p>	FAILED	0.392 s

#	Step / Hook Details	Status	Duration
	<p>networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57579/devtoo..., se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cbc910b896480dafbafb93d872a2dccc</p> <p>atjdk.internal.reflect.GeneratedConstructorAccessor40.newInstance(Unknown Source)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)</p> <p>at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)</p>		
8	And Store the Business partner Value	SKIPPED	0.000 s
9	Then Click on AP Invoice Against PO Tab	SKIPPED	0.000 s
10	And Get the Required Number	SKIPPED	0.000 s
11	And Click On Main module Accounts payable	SKIPPED	0.000 s
12	Then Open the Adjustment ARAP module	SKIPPED	0.005 s
13	And Click on Adjustment ARAP Eye Icon	SKIPPED	0.000 s
14	And Click Add icon button	SKIPPED	0.001 s
15	Then Give The Business Partner	SKIPPED	0.001 s
16	And Give The Adjustment Type	SKIPPED	0.000 s
17	Then Enter the Adjustment Item Type	SKIPPED	0.000 s
18	And Enter the Adjustment Ref No and Validate	SKIPPED	0.009 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	33.926 s
	<p>org.openqa.selenium.WebDriverException: disconnected: unable to connect to renderer (failed to check if window was closed: disconnected: unable to connect to renderer) (Session info: chrome=109.0.5414.74) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [cbc910b896480dafbafb93d872a2dccc, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:57579}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57579/devtoo..., se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,</p>		

#	Step / Hook Details	Status	Duration
	webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: cbc910b896480dafbafb93d872a2dccd at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check GRN cancellation is not
allowed if Bill has been approved against
that GRN


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check GRN cancellation is not
allowed if Bill has been approved against
that GRN


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check GRN cancellation is not
allowed if Bill has been approved against
that GRN


(F) AR/AP Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check GRN cancellation is not
allowed if Bill has been approved against
that GRN

(F) AR/AP Module



(F) AR/AP Module

AZENTIO™
 ONEBanking

11-Dec-2022 English ▾ Azentio Software ▾ (AZENTMAIN) ANANT

Finance ▾

- General ledger transaction
- Budget
- Accounts payable
 - Vendor contracts
 - Vendor purchase orders
 - Goods received note (GRN)
 - Invoice booking**

22 Appro...
11 Mess...

← Invoice Booking View ✕

Actions	Branch Code - Name <small>Search Branch Cod</small>	Invoice Number <small>Search Invoice Num</small>	Invoice Type <small>Search Invoice Type</small>	Business Partner <small>Search Business Pa</small>	Auto Generate Invoice <small>Search Auto Genera</small>	Create B...
	AZENTMAIN - Azentio I	INV-102-22023	Invoice Against PO	Shasheekant		1002435
	AZENTMAIN - Azentio I	INV-101-22023	Invoice Against PO	Shasheekant		1002435
	AZENTMAIN - Azentio I	INV-100-22023	Invoice Against PO	Shasheekant		1002435
	AZENTMAIN - Azentio I	INV-99-22023	Invoice Against PO	Bonton Agency		1002435
	AZENTMAIN - Azentio I	INV-98-22023	Invoice Against PO	Bonton Agency		1002435
	AZENTMAIN - Azentio I	INV-97-22023	Invoice Against PO	Shasheekant		1002435
	AZENTMAIN - Azentio I	INV-96-22023	Invoice Against PO	Shasheekant		1002435
	AZENTMAIN - Azentio I	INV-95-12023	Invoice Against PO	Bonton Agency		1002435
	AZENTMAIN - Azentio I	INV-94-12023	Invoice Against PO	Shasheekant		1002435

102 total

1 2 3 4 5

(F) AR/AP Module

11-Dec-2022
English ▾
Azentio Software ▾
(AZENTMAIN)

 ANANT

Finance ▾

- > General ledger transaction
- > Budget
- > Accounts payable
 - Vendor contracts
 - Vendor purchase orders
 - Goods received note (GRN)
 - Invoice booking

22 Appro...
11 Mess...

← Invoice Booking View ✕

Actions	Branch Code - Name <small>Search Branch Code</small>	Invoice Number INV-100-22023	Invoice Type Invoice Against PO	Business Partner <small>Search Business Pa</small>	Auto Generate Invoice <small>Search Auto Genera</small>	Create By <small>Search Cr</small>
No data to display						
0 total <div style="width: 100%; height: 10px; background: linear-gradient(to right, #ccc, #eee);"></div>						