
Duration: 23.901 s Start: Feb 07, 1:56:41.017 pm End: Feb 07, 1:57:04.918 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 8 SKIPPED - 0 SKIPPED - 0 SKIPPED - 16 25 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 80 20 20 80 80 90 90 10 32 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check unwanted inventory stock can be return to the Branch	1	0	1	0	23.901 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check unwanted inventory stock can be	Check inventory stock confirmation	25	8	1	16	23.897 s
	return to the Branch						

DETAILED SECTION -- 4 --

(F)- Check unwanted inventory stock can be return to the Branch

FAILED	DURATION - 23.901 s	Scenarios		Steps	
		Total - 1		Total - 25	
/ 1:56:41.017 pr	m // 1:57:04.918 pm /	Pass - 0	1	Pass - 8	25
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 16	

(S)- Check inventory stock confirmation



#	Step / Hook Details	Status	Duration
1	Given Launch the Azentio maker url	PASSED	12.216 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
	The contraction of the contract of the contrac		
2	Then Inventory Second direction icon	PASSED	0.317 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		

#	Step / Hook Details	Status	Duration

3	And Inventory Management Module	PASSED	0.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
	© Comment		
4	Then Click on Inventory stock confirmation eye icon	PASSED	0.201 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.304 s
5	And Sub module Inventory stock confirmation click Add icon	PASSED	0.296 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
6	Then Enter Request Referance Number	PASSED	0.435 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.145 s
	screenshot		
	· · · · · · · · · · · · · · · · · · ·		


#	Step / Hook Details	Status	Duration
	© The state of th		
7	And Enter Item code Number	PASSED	0.245 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.177 s
	screenshot		
	BOUNDAMENT BOUNDAMENT BOUNDAME OF THE PROPERTY		
8	Then Accept the status in checkbox	PASSED	0.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.165 s
	Screenshot **********************************		
9	And click the save icon for StockConfirm	FAILED	1.207 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" color="primary" disabled="" ng-reflect-color="primary" ng-reflect-disabled="true"></ion-button> is not clickable at point (1413, 88). Other element would receive the click: <div class="ng-tns-c135-0 ng-star-inserted ng-trigger ng-trigger-flylnOut ngx-toastr toast-error" style="opacity: 1;" toast-component=""></div> (Session info: chrome=97.0.4692.99) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [1738b5e946a29ace95593f92f41208bd, clickElement {id=e79fffe7-ed1e-494b-b600-8fdf07f1d222}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.99, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:57760}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:57760/devtoo, se:cdpVersion: 97.0.4692.99, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (1738b5e946a29ace95593f92f41208bd)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-buttons[1]] Session ID: 1738b5e946a29ace95593f92f41208bd		

#	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.httpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:43) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:43) at java.base/jdx-lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.INVENTORY_StockReturnBranch.click_the_save_icon_for_stockconfirm(INVENTORY_StockReturnBranch.java:424) at ?.click the save icon for StockConfirm(file://l/Sters/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/ features/INVENTORY_InventoryManagement.feature:43) * Not displayable characters are replaced by '?'. AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot **PTER_3TEF - Stephen Intons. Hooks Class. add Screenshot(io. cdcdinber.java. Scenario) **Screenshot** **PTER_3TEF - Stephen Intons. Hooks Class. add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. Add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. Add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. Add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. Add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. Add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. Add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. Add Screenshot(io. cdcdinber.java. Scenario) **PTER_3TEF - Stephen Intons. Hooks Class. Add Screenshot(io	PASSED	0.100 \$
10	And goto maker Notification icon	SKIPPED	0.001 s
11	Then Click Submit button to Inventory Record	SKIPPED	0.001 s
12	And Give Remark and submit to reviewer	SKIPPED	0.000 s
13	Given Login As Reviewer	SKIPPED	0.000 s
14	And Goto Reviewer Notification	SKIPPED	0.000 s
15	Then open the submitted Record from maker	SKIPPED	0.001 s
16	And Approve the Record in Reviewer	SKIPPED	0.000 s
17	Then Enter The Remark and submit in Reviewer	SKIPPED	0.000 s


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
18	Given Login As Checker	SKIPPED	0.000 s
19	Then Click Security management module	SKIPPED	0.000 s
20	And Click Sub module open Pool Edit icon	SKIPPED	0.005 s
21	And Claim the submitted Record	SKIPPED	0.001 s
22	Then Goto Checker Notification	SKIPPED	0.000 s
23	And Open the Record Approve from Reviewer	SKIPPED	0.001 s
24	And Approve the Record in Checker End	SKIPPED	0.001 s
25	Then Enter the Remark and submit the record in checker	SKIPPED	0.000 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

