
**Duration: 1 m 11.899 s** Start: Feb 07, 12:56:54.024 PM End: Feb 07, 12:58:05.923 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 5 SKIPPED - 0 SKIPPED - 0 SKIPPED - 6 12 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 41 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 11.899 s

SCENARIOS SUMMARY




#	# Feature Name	Scenario Name	T	P	F	S	Duration
1	1 AR/AP Module	Check creating GRN against cancelled PO is not allowed	12	5	1	6	1 m 11.837 s

DETAILED SECTION -- 4 --

## (F)- AR/AP Module

FAILED	DURATION - 1 m 11.899 s	Scenarios		Steps	
		Total - 1		Total - 12	
/ 12:56:54.024	PM // 12:58:05.923 PM /	Pass - 0	1	Pass - 5	12
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

## (S)- Check creating GRN against cancelled PO is not allowed



#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	44.544 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.404 s
	screenshot		
	### ### ### ##########################		
2	And user should navigate to accounts payable menu	PASSED	5.023 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.258 s
	screenshot		
	Water Digital Autochines Address C C C Autochines Address C C C C Autochines Address C C C C C C C C C C C C C C C C C C		


#	Step / Hook Details	Status	Duration
3	Then Click on purchase order Eye Icon	PASSED	1.447 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.066 s
	screenshot		
	A		
4	Then click on search	PASSED	1.967 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.681 s
	screenshot		
	*** ASEATION***  ********************************		
5	And user update the data set ID for GRN against cancelled PO	PASSED	0.005 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.471 s
	screenshot		
	ACENTO  ***DESTRUCTO**  ***PROPERTY OF THE PROPERTY OF THE PRO		
6	And search for cancelled po	FAILED	2.012 s
	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//input[@placeholder='Search PO Status']"} (Session info: chrome=109.0.5414.74) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.122', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org. openqa.selenium.chrome.ChromeDriver Command: [de8e9a1f3cda23a586f5688afc7f52f7, findElement {using=xpath, value=//input[@placeholder='Search PO Status']]} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 109.0.5414.74, chrome: {chromedriverVersion: 108.0.5359.22 (ec46c90f5938, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:54342}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54342/devtoo, se:cdpVersion: 109.0.5414.74, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: de8e9a1f3cda23a586f5688afc7f52f7 at jdk.internal.reflect.GeneratedConstructorAccessor37.newInstance(Unknown Source) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy46.getWrappedElement(Unknown Source)		
	at org.openqa.selenium.remote.internal.WebElementToJsonConverter.apply(WebElementToJsonConverter.java:51)		
	at java.base/java.util.stream.ReferencePipeline\$3\$1.accept(ReferencePipeline.java:197)		
	at java.base/java.util.Spliterators\$ArraySpliterator.forEachRemaining(Spliterators.java:992)		
	at java.base/java.util.stream.AbstractPipeline.copyInto(AbstractPipeline.java:509)		
	at java.base/java.util.stream.AbstractPipeline.wrapAndCopyInto(AbstractPipeline.java:499)		
	at java.base/java.util.stream.ReduceOps\$ReduceOp.evaluateSequential(ReduceOps.java:921)		
	at java.base/java.util.stream.AbstractPipeline.evaluate(AbstractPipeline.java:234)		
	at java.base/java.util.stream.ReferencePipeline.collect(ReferencePipeline.java:682)		
	at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:478)		
	at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27)		
	at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:49)		
	at stepdefinitions.AccountsPayable_GRN.search_for_cancelled_po(AccountsPayable_GRN.java:571)		
	at ?.search for cancelled po(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/		
	AzentioAutomationFramework_ARAP_Excel/src/test/java/features/ArAp3.feature:173)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.331 s
	screenshot		
	AZENTO  whome depth is a contract to the contract of the contr		
	X   C    Mark   Send-Get Perform Filter Fi		
	Constraint  Accordance  CO CO CONSTRAINT  Accordance  CO C		
	Section 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
	Section 1 to 1		
7	Then Click on Good Recived Note GRN Eye buutton	SKIPPED	0.000 s
8	Then Click on Good Recived Note GRN Add button	SKIPPED	0.000 s
9	And check GRN can be created for that perticular po	SKIPPED	0.000 s


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
10	And click notification button	SKIPPED	0.000 s
11	Then choose first record in the notification record	SKIPPED	0.001 s
12	Then go to Item details and enter po number	SKIPPED	0.000 s

EXPANDED SECTION -- 8 --



EXPANDED SECTION --- 9 --



EXPANDED SECTION --- 10 --

