Cucumber Report

Feb 22, 2022, 11:19:50 PM

Start : Feb 22, 11:19:02.826 PM

End : Feb 22, 11:19:48.968 PM

Duration : 46.142 s

| Features	Scenarios	Steps
PASSED - 0	PASSED - 0	PASSED - 17
FAILED - 1	FAILED - 1	FAILED - 1
SKIPPED - 0	SKIPPED - 0	SKIPPED - 8

1

1

26

40 50 60
30 Pass % 70
20 80
10 90
0 %
0 100

40 50 60
30 Pass % 70
20 80
10 90
0 %
0 100

40 50 60
30 Pass % 70
20 80
10 90
65 %
0 100

#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Payable GRN functionality	1	0	1	0	46.142 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Payable GRN functionality	GRN should be created successfully and displayed in approved queue with Active Status.	26	17	1	8	46.139 s

(F)- Checking the Acount Payable GRN functionality

FAILED	DURATION - 46.142 s	Scenarios		Steps	
		Total - 1		Total - 26	
/ 11:19:02.826 PM // 11:19:48.968 PM /		Pass - 0	1	Pass - 17	26
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 8	

(S)- GRN should be created successfully and displayed in approved queue with Active Status.

| FAILED	DURATION - 46.139 s		Steps	
			Total - 26	
/ 11:19:02.829 PM // 11:19:48.968 PM /			Pass - 17	26
Checking the Acount Payable GRN functionality			Fail - 1	
@MultiAuth @TC_003			Skip - 8	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	8.976 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.155 s
	screenshot		
2	Then Click on Direction icon	PASSED	2.316 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click on Account Payable	PASSED	0.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
4	Then Click on GRN Eye button	PASSED	0.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.361 s
	screenshot		
5	Then Click on purchase order Add button	PASSED	0.240 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
6	Then Fill the form for GRN	PASSED	1.234 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Account Payable Save button	PASSED	0.090 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		
8	Then Click on Account Payable Notification	PASSED	0.248 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot		
9	Then Select the record from Notification	PASSED	0.328 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.206 s
	screenshot		
10	Then Click on item Details tab	PASSED	2.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Select PO Number	PASSED	2.440 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.087 s
	screenshot		
12	Then Add qty received qty approved	PASSED	2.353 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.084 s
	screenshot		
13	Then Click on item Details Save button	PASSED	0.084 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot		
14	Then Click on Account Payable Notification	PASSED	0.207 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.175 s
	screenshot		

| #	Step / Hook Details	Status	Duration
15	Then Select the record from Notification	PASSED	0.300 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot		
16	And Submit the record with Remark	PASSED	10.590 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.088 s
	screenshot		
17	Then log in to the reviewer account	PASSED	5.308 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.090 s
	screenshot		
18	Then click on the Notification select the record and Approve	FAILED	3.138 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button _ngcontent-hpq-c290="" class="subButton ios button button-solid button-disabled ion-activatable ion-focusable hydrated" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (723, 538). Other element would receive the click: <ion-backdrop class="sc-ion-modal-ios ios backdrop-no-tappable hydrated" tabindex="-1" style=""></ion-backdrop> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0',		

#	Step / Hook Details	Status	Duration
	java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c9a61cafadc65219efb5c7e044ae78fb, clickElement {id=041ec29a-3053-4d6c-8088-efb1167bda27}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:65102}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65102/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (c9a61cafadc65219efb5c7e044ae78fb)] -> xpath: //ion-button[contains(text(),'Submit')]] Session ID: c9a61cafadc65219efb5c7e044ae78fb at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.InventoryMaintenance.click_on_the_notification_select_the_record_and_approve(InventoryMaintenance.java:325) at ?.click on the Notification select the record and Approve(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/features/AccountPayable_Grn.feature:24) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.093 s
	screenshot 		
19	Then log in to the Checker Account	SKIPPED	0.000 s
20	And then checker claim the record	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
21	Then click on the checker Notification	SKIPPED	0.001 s
22	And select the record and Approve by checker	SKIPPED	0.000 s
23	Given Maker Navigate to UAT URL login	SKIPPED	0.000 s
24	Then Click on Direction icon	SKIPPED	0.000 s
25	Then Click on Account Payable	SKIPPED	0.000 s
26	Then Click on GRN Eye button	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

☰ 🌐 Kastle Universal Banking (Beta)	19-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 >_ 👤 ANANT
Finance ▾	Welcome, anant
Configuration 🖥 📋 ⦿	
Finance ○	

22 Appro... ✕ 11 Messa... ✕   ⊞ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

☰ 🌐 Kastle Universal Banking (Beta)	19-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 >_ 👤 ANANT
Finance ▾	Welcome, anant
🛠 ⇄ 📋	
⊙ General ledger transaction	
⊙ Budget	
⊙ Accounts payable	
⊙ Adjustments (AR and AP)	
⊙ Accounts receivable	
⊙ Fixed assets	
⊙ Inventory management	
⊙ Petty cash	
⊙ Bank recon	

22 Appro... ✕ 11 Messa... ✕   ⊞ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Acount Payable GRN
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) GRN should be created successfully
and displayed in approved queue with
Active Status.

(F) Checking the Acount Payable GRN
functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) GRN should be created successfully and displayed in approved queue with Active Status.

(F) Checking the Acount Payable GRN functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) GRN should be created successfully and displayed in approved queue with Active Status.	
(F) Checking the Acount Payable GRN functionality	