


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|--------------|---|---|---|---|--------------|
| 1 | AR/AP Module | 1 | 0 | 1 | 0 | 4 m 49.521 s |

SCENARIOS SUMMARY




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|--------------|---|----|---|---|----|--------------|
| 1 | AR/AP Module | Create Bill against PO & GRN for above vendor | 21 | 4 | 1 | 16 | 4 m 49.516 s |

DETAILED SECTION -- 4 --

(F)- AR/AP Module

| FAILED | DURATION - 4 m 49.521 s | Scenarios | | Steps | |
|----------------|---------------------------|-----------|---|------------|----|
| | | Total - 1 | | Total - 21 | |
| / 12:53:51.982 | 1 AM // 12:58:41.502 AM / | Pass - 0 | 1 | Pass - 4 | 21 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 16 | |

(S)- Create Bill against PO & GRN for above vendor



| # | Step / Hook Details | Status | Duration |
|---|--|--------|----------|
| 1 | Given User should go to the kubs url and login as a maker user | PASSED | 36.944 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.260 s |
| | screenshot | | |
| | | | |
| 2 | And user should navigate to accounts payable menu | PASSED | 0.905 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.409 s |
| | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|---|--|--------|-------------|
| | ** | | |
| 3 | When click on eye button of invoice booking | PASSED | 1.121 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.241 s |
| | screenshot | | |
| | © constructions with the construction of the | | |
| 4 | And click on add button for invoice booking | PASSED | 1.173 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 1.070 s |
| | Screenshot ********************************** | | |
| 5 | And Fill the required fields for invoice booking | FAILED | 3 m 8.495 s |
| | org.openqa.selenium.NoSuchElementException: Unable to find element with locator By.xpath: //owl-date-time-calendar/div/button[2] For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: driver.version: RemoteWebDriver at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165) at org.openqa.selenium.remote.ElementLocation.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.ACCOUNTSPAYABLE_InvoiceBooking. fill_the_required_fields_for_invoice_booking(ACCOUNTSPAYABLE_InvoiceBooking.java:307) at ?.Fill the required fields for invoice booking(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/ArAp_InvoiceBooking.feature:10) | | |

| # | Step / Hook Details | Status | Duration |
|----|--|-----------|----------|
| | Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | FAILED | 0.077 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2a5f6a6dfe718e6b3b72e14dc07e9633, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:55951}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55951/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2a5f6a6dfe718e6b3b72e14dc07e9633 | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) | | |
| | at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) | | |
| 6 | Then Save and submit the invoice billing | SKIPPED | 0.001 s |
| 7 | And User should go to the kubs url and login as a reviewer user | SKIPPED | 0.000 s |
| 8 | Then Click on notification button in reviewer | SKIPPED | 0.000 s |
| 9 | And approve the record by the reviewer user | SKIPPED | 0.000 s |
| 10 | Given User should go to the kubs url and login as a checker user | SKIPPED | 0.001 s |
| 11 | And Click on security management in checker | SKIPPED | 0.000 s |
| 12 | Then Click on open pool in checker | SKIPPED | 0.001 s |
| 13 | And Click on claim button in checker | SKIPPED | 0.000 s |
| 14 | And capture claimed status | SKIPPED | 0.000 s |
| 15 | Then click on notification in checker | SKIPPED | 0.000 s |
| 16 | Then checker should approved the invoice billing | SKIPPED | 0.001 s |
| 17 | Given User should go to the kubs url and login as a maker user | SKIPPED | 0.000 s |
| T, | Given oser should go to the kubs un and loght as a maker user | OKII I'LD | 0.000 3 |

DETAILED SECTION -- 7 --

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 18 | And user should navigate to accounts payable menu | SKIPPED | 0.001 s |
| 19 | When click on eye button of invoice booking | SKIPPED | 0.000 s |
| 20 | Then Get the invoice status | SKIPPED | 0.000 s |
| 21 | And maker should logout | SKIPPED | 0.000 s |
| | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) | FAILED | 1.906 s |
| | org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session into: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2a5f6a6dfe718e6b3b72e14dc07e9633, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome; {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: CiUsersININDC-11AppDataL}, goog:chromeOptions: {debuggerAddress: localhost:55951}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:55951/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 2a5f6a6dfe718e6b3b72e14dc07e9633 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:144) at org.openqa.seleni | | |

EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --

