Cucumber Report

Start : Mar 18, 3:25:47.693 pm	End : Mar 18, 3:26:06.922 pm	Duration : 19.229 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 6 FAILED - 1 SKIPPED - 0

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	1	0	1	0	19.229 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	Check the created already and trying to create same accounting book	7	6	1	0	19.222 s

(F)- Check the Functionality of the GL2 Module

FAILED	*DURATION - 19.229 s*	Scenarios		Steps	
/ 3:25:47.693 pm // 3:26:06.922 pm /		Total - 1		Total - 7	
		Pass - 0	**1**	Pass - 6	**7**
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Check the created already and trying to create same accounting book

FAILED	*DURATION - 19.222 s*		Steps	
/ 3:25:47.700 pm // 3:26:06.922 pm /			Total - 7	
Check the Functionality of the GL2 Module			Pass - 6	**7**
			Fail - 1	
@KUBS_GL_UAT_002_002			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	12.032 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		
2	And Click on Accounting Setup module	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	Then Click sub module Accounting book definition	PASSED	0.178 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.427 s
4	And Click on Add icon	PASSED	0.208 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.316 s
5	Then Choose the Template Type of Custom Template	PASSED	0.265 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.140 s
6	And Enter Another Book Name	PASSED	0.190 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.163 s

#	Step / Hook Details	Status	Duration
7	**Then Validate the Message we get**	FAILED	0.088 s

	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a61f4901955376dc758e1f40783180e1, executeScript {script=return document.querySelector('ion-toast').shadowRoot. querySelector('div[class=toast-message]'), args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:51307}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:51307/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a61f4901955376dc758e1f40783180e1
	
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481)
	    at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21)
	    at stepdefinitions.GL2_Accounting_Book_Definition.validate_the_message_we_get(GL2_Accounting_Book_Definition.java:165)
	    at ?.Validate the Message we get(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ GL2_Accounting_Setup.feature:72)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		

#	Step / Hook Details	Status	Duration

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created already and trying
to create same accounting book

(F) Check the Functionality of the GL2
Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created already and trying
to create same accounting book

(F) Check the Functionality of the GL2
Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the created already and trying to create same accounting book

(F) Check the Functionality of the GL2 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the created already and trying to create same accounting book

(F) Check the Functionality of the GL2 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the created already and trying to create same accounting book

(F) Check the Functionality of the GL2 Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the created already and trying to create same accounting book

(F) Check the Functionality of the GL2 Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check the created already and trying
to create same accounting book

(F) Check the Functionality of the GL2
Module

≡ 🌐 Kastle Universal Banking (Beta)   31-Oct-2022   English ▾   Azentio Software ▾   (AZENTMAIN) 🔔 ▶️ 👤 ANANT

Finance

🔧   📇   📋

← Accounting Template   💾

⊙ Business partner setup

⊙ General ledger configurat...

⊙ Accounting setup

▶ Accounting book definition	✏️ 👁
▶ Account Category	✏️ 👁
▶ Chart of accounts definition	✏️ 👁
▶ Accounting scheme definition	✏️ 👁
▶ Accounting scheme event mapping	✏️ 👁
▶ Financial statements configuration	✏️ 👁

Template Type   * Book Name   📋   *Effective Date
CUSTOM_TEMPLATE   ✕ ▾   Testing02   18-Mar-2022   📅

* Book Type   * Remarks
                                    ▾

22 Appro... ✕   11 Messa... ✕   ⠿   ▶
                                              Home   Preference