Cucumber Report

| Start : Jan 14, 1:54:07.020 AM	End : Jan 14, 1:54:42.639 AM	Duration : 35.619 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 12 FAILED - 1 SKIPPED - 1

#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	0	1	0	35.619 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	To verify checker is able to Approve the Supplementory Budgets record	14	12	1	1	35.616 s

(F)- Checking the Supplementary Budget functionality

FAILED	DURATION - 35.619 s	Scenarios		Steps	
		Total - 1		Total - 14	
/ 1:54:07.020 AM // 1:54:42.639 AM /		Pass - 0	1	Pass - 12	14
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- To verify checker is able to Approve the Supplementory Budgets record

FAILED	DURATION - 35.616 s		Steps	
			Total - 14	
/ 1:54:07.023 AM // 1:54:42.639 AM /			Pass - 12	14
Checking the Supplementary Budget functionality			Fail - 1	
@SupplementaryBudget_BP_SB_06_03			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials	PASSED	9.366 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.247 s
	screenshot		
2	And maker should navigate to the budget module	PASSED	0.332 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.144 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And maker click on budget field	PASSED	0.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		
4	When maker click on budget supplementary eye icon	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot		
5	And click on add button on budget supplementary view page	PASSED	2.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.179 s
	screenshot		
6	Then fill the input fields	PASSED	1.011 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	Then fill apportion amount and save the record	PASSED	2.429 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.090 s
	screenshot		
8	Then validate maker can save request for the Annually budget	PASSED	5.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		
9	Given Navigate to URL and login to Checker1	PASSED	5.095 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.092 s
	screenshot		
10	When Click on the Security management	PASSED	0.067 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.108 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Click on open pool & click clam button	PASSED	1.760 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot 		
12	Then Click on the Notification	PASSED	4.244 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
	screenshot 		
13	Then Click on action Button	FAILED	0.075 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//span[contains(text(),'513')]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell//ion-button"} (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4424111d2d6e76e22e66d00a8a194d62, findElement {using=xpath, value=//span[contains(text(),'513')]/ancestor::datatable-body-cell/preceding-sibling::datatable-body-cell//ion-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:63564}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:63564/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4424111d2d6e76e22e66d00a8a194d62
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.BUDGET_SupplementaryBudget.click_on_action_button(BUDGET_SupplementaryBudget.java:995) at ?.Click on action Button(file:///C:/Users/inindc00089/eclipse-workspace/AzentioAutomationFramework2/src/test/java/features/BUDGET_SupplementaryBudget.feature:182) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.156 s
14	And Verify the record is generated by opening the record	SKIPPED	0.000 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker is able to Approve the Supplementory Budgets record

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker is able to Approve the Supplementory Budgets record

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify checker is able to Approve the Supplementory Budgets record (F) Checking the Supplementary Budget functionality	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify checker is able to Approve the Supplementory Budgets record (F) Checking the Supplementary Budget functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker is able to Approve the Supplementory Budgets record

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker is able to Approve the Supplementory Budgets record

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker is able to Approve the Supplementory Budgets record

(F) Checking the Supplementary Budget functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker is able to Approve the Supplementory Budgets record

(F) Checking the Supplementary Budget functionality

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	

Kastle Universal Banking   21-Oct-2021 English   Azentio Software   (A   ✓ Claimed SuccessFully ✕

Configuration

🔧   ⇄   📋

Security management

▶ Open pool   📝   👁

← Open Pool

Actions	ibxhdrid	referenceId	eventCode	stageCode	employeeName	eventDesc	workflowDesc
CLAIM	19871	510	BUDGET_SUPPLIMENT	CHECKER			Workflow mkr
CLAIM	19856	499	BUDGET_SUPPLIMENT	CHECKER			Workflow mkr
CLAIM	19854	498	BUDGET_SUPPLIMENT	CHECKER			Workflow mkr
CLAIM	19848	492	BUDGET_SUPPLIMENT	CHECKER			Workflow mkr
CLAIM	19769	446	BUDGET_SUPPLIMENT	CHECKER			Workflow mkr

6 total |◀ ◀ **1** 2 ▶ ▶|

22 Appro... ✕   11 Messa... ✕

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker is able to Approve the Supplementory Budgets record	
(F) Checking the Supplementary Budget functionality	

Kastle Universal Banking   21-Oct-2021 English   Azentio Software   (AZENT-MAIN) 🔔 💻 👤 CHECKER

Configuration

🔧   ⇄   📋

Security management

▶ Open pool   📝   👁

← Inbox

Actions	referenceId	eventCode	stageCode	roleCode	employeeName	eventDesc	workflowDesc
✏	513	BUDGET_SUPPLIMENT	CHECKER	CHECKER	1002437		Workflow mkr
✏	512	BUDGET_SUPPLIMENT	CHECKER	CHECKER	1002437		Workflow mkr
✏	511	BUDGET_SUPPLIMENT	CHECKER	CHECKER	1002437		Workflow mkr
✏	507	BUDGET_SUPPLIMENT	CHECKER	CHECKER	1002437		Workflow mkr
✏	472	BUDGET_SUPPLIMENT	CHECKER	CHECKER	1002437		Workflow mkr

199 total |◀ ◀ **1** 2 3 4 5 ▶ ▶|

22 Appro... ✕   11 Messa... ✕

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker is able to Approve the Supplementory Budgets record

(F) Checking the Supplementary Budget functionality