
**Duration: 22.982 s** Start: Feb 08, 12:31:40.104 pm End: Feb 08, 12:32:03.086 pm Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 10 SKIPPED - 0 SKIPPED - 0 SKIPPED - 13 24 40 50 60 40 50 60 40 50 60 Pass % 70 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check unwanted inventory stock can be return to the Branch	1	0	1	0	22.982 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check unwanted inventory stock can be	Check inventory stock confirmation	24	10	1	13	22.975 s
	return to the Branch						

DETAILED SECTION -- 4 --

## (F)- Check unwanted inventory stock can be return to the Branch

FAILED	DURATION - 22.982 s	Scenarios		Steps	
		Total - 1		Total - 24	
/ 12:31:40.10	4 pm // 12:32:03.086 pm /	Pass - 0	1	Pass - 10	24
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 13	

## **(S)-** Check inventory stock confirmation



i	#	Step / Hook Details	Status	Duration
1		Given Launch the Azentio maker url	PASSED	12.430 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.147 s
		screenshot		
		To the second se		
2		Then Inventory Second direction icon	PASSED	0.326 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
		screenshot		

The Contraction of the Contracti	
3 And Inventory Management Module PASSED	0.173 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED	0.181 s
screenshot	
■ ■ Montanian  © Manufacture  ■ Montanian  □ Montanian	
4 Then Click on Inventory stock confirmation eye icon PASSED	0.198 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot	0.322 s
5 And Sub module Inventory stock confirmation click Add icon PASSED	0.299 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED	0.221 s
6 Then Enter Request Referance Number PASSED	0.459 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED	0.137 s
screenshot	


7 And Enter Item code Number AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  8 Then Accept the status in checkbox AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 And goto maker Notification icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 And goto maker Notification icon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 Articles - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  10 Then Click Submit button to Inventory Record  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP -	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  8 Then Accept the status in checkbox  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And goto maker Notification icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And goto maker Notification icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  10 Then Click Submit button to Inventory Record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.198 s  0.295 s  0.291 s  0.243 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.243 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.204 s		Sample   S		
Screenshot  Then Accept the status in checkbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.095 s  PASSED 0.172 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.918 s	7	And Enter Item code Number	PASSED	0.420 s
8 Then Accept the status in checkbox  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  9 And goto maker Notification icon  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  4 AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.918 s  PASSED 0.333 s  10 Then Click Submit button to Inventory Record  PASSED 0.243 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED 0.243 s  PASSED 0.243 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
8 Then Accept the status in checkbox  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AAT dots maker Notification icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.333 s  Then Click Submit button to Inventory Record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.243 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.243 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.243 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  9 And goto maker Notification icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click Submit button to Inventory Record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.918 s  0.933 s  0.333 s		Compared   Compared		
Screenshot  9 And goto maker Notification icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click Submit button to Inventory Record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.243 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.243 s  0.204 s	8	Then Accept the status in checkbox	PASSED	0.095 s
9 And goto maker Notification icon  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Click Submit button to Inventory Record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.243 s  PASSED  0.204 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
9 And goto maker Notification icon  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  10 Then Click Submit button to Inventory Record  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.243 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.243 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  10 Then Click Submit button to Inventory Record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.333 s  0.243 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.243 s				
Screenshot  10 Then Click Submit button to Inventory Record  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.243 s  0.204 s	9	And goto maker Notification icon	PASSED	0.918 s
10 Then Click Submit button to Inventory Record PASSED 0.243 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.204 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.333 s
10 Then Click Submit button to Inventory Record  AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)  PASSED  0.243 s  0.204 s		screenshot	]	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.204 s		C   Mark   Mar		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.204 s	10	Then Click Submit button to Inventory Record	PASSED	0.243 s
screenshot			PASSED	0.204 s
<u> </u>		screenshot		

#	Step / Hook Details	Status	Duration
	PORT SQL		
11	And Give Remark and submit to reviewer	FAILED	1.917 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	features/INVENTORY_InventoryManagement.feature:46) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.123 s
	screenshot	]	
	The state of the s		
12	Given Login As Reviewer	SKIPPED	0.000 s
13	And Goto Reviewer Notification	SKIPPED	0.000 s
14	Then open the submitted Record from maker	SKIPPED	0.000 s
15	And Approve the Record in Reviewer	SKIPPED	0.000 s
16	Then Enter The Remark and submit in Reviewer	SKIPPED	0.000 s
17	Given Login As Checker	SKIPPED	0.001 s
18	Then Click Security management module	SKIPPED	0.000 s
19	And Click Sub module open Pool Edit icon	SKIPPED	0.000 s
20	And Claim the submitted Record	SKIPPED	0.000 s
21	Then Goto Checker Notification	SKIPPED	0.000 s
22	And Open the Record Approve from Reviewer	SKIPPED	0.000 s
23	And Approve the Record in Checker End	SKIPPED	0.000 s
24	Then Enter the Remark and submit the record in checker	SKIPPED	0.000 s


EXPANDED SECTION --- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --



EXPANDED SECTION -- 14 --

