Cucumber Report

Start : Apr 12, 8:12:05.927 PM	End : Apr 12, 8:12:29.785 PM	Duration : 23.858 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 8 FAILED - 0 SKIPPED - 0
1	1	8

#	Feature Name	T	P	F	S	Duration
1	Checking the General Ledger Report functionality	1	1	0	0	23.858 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the General Ledger Report functionality	System should display the balancesheet report	8	8	0	0	23.854 s

(F)- Checking the General Ledger Report functionality

PASSED	DURATION - 23.858 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 8:12:05.927 PM // 8:12:29.785 PM /		Pass - 1	1	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- System should display the balancesheet report

PASSED	DURATION - 23.854 s		Steps	
/ 8:12:05.931 PM // 8:12:29.785 PM /			Total - 8	
Checking the General Ledger Report functionality			Pass - 8	8
@KUBS_GL2_UAT_008_011 @MultiAuth			Fail - 0	
			Skip - 0	

| #	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	11.405 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
2	Then click on report segment button	PASSED	1.823 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.156 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then click on Financial reporting button	PASSED	0.185 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		
4	Then click on balancesheet report	PASSED	0.179 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.116 s
	screenshot		
5	Then fill the input fields of balancesheet report	PASSED	0.297 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		
6	Then Select Transaction from date Financial Transaction Report	PASSED	0.754 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And click view button of report	PASSED	0.141 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		
8	Then verify the Record available in the report	PASSED	5.271 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.094 s
	screenshot		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the
balancesheet report

(F) Checking the General Ledger Report
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the
balancesheet report

(F) Checking the General Ledger Report
functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should display the balancesheet report	
(F) Checking the General Ledger Report functionality	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) System should display the balancesheet report	
(F) Checking the General Ledger Report functionality	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the
balancesheet report

(F) Checking the General Ledger Report
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the
balancesheet report

(F) Checking the General Ledger Report
functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the balancesheet report

(F) Checking the General Ledger Report functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) System should display the balancesheet report

(F) Checking the General Ledger Report functionality