Cucumber Report

| Start : Jan 13, 10:18:31.028 AM	End : Jan 13, 10:19:02.933 AM	Duration : 31.905 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 20 FAILED - 1 SKIPPED - 12

Features: 1

Scenarios: 1

Steps: 33

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 60 %

#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	31.905 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	To verify checker can reject the budget code which is approved by reviewer	33	20	1	12	31.900 s

(F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 31.905 s	Scenarios		Steps	
/ 10:18:31.028 AM // 10:19:02.933 AM /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 33 Pass - 20 Fail - 1 Skip - 12	33

## (S)- To verify checker can reject the budget code which is approved by reviewer

FAILED	DURATION - 31.900 s		Steps	
/ 10:18:31.033 AM // 10:19:02.933 AM /			Total - 33	
To check BudgetDefinition moduel feature			Pass - 20 Fail - 1	33
@Multiauth_Checker_rejectBudgetCode			Skip - 12	

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.535 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
2	Then click on budget configuration Menu	PASSED	0.646 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.253 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click on budget definition sub menu and click on eye icon	PASSED	0.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.447 s
	screenshot		
4	And click on add icon	PASSED	0.226 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
5	Then enter budget code	PASSED	0.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot		
6	And enter budget type	PASSED	0.238 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And enter warning percentage	PASSED	0.102 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.134 s
8	And enter budget name	PASSED	0.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.197 s
9	Then give remark	PASSED	0.080 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.202 s
10	Then click on save button	PASSED	3.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.126 s

#	Step / Hook Details	Status	Duration
11	Then Click on notification icon	PASSED	0.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.349 s
	screenshot		
12	And select the first record	PASSED	0.214 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.320 s
	screenshot		
13	Then click on submit button	PASSED	0.727 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		
14	And enter remark in alert tab	PASSED	0.259 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.235 s
	screenshot		

| #	Step / Hook Details	Status	Duration
15	And click on submit	PASSED	0.066 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
16	When click on submit button save the reviewer id	PASSED	0.618 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
17	Given navigate to URL and login as a reviewer	PASSED	6.958 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.092 s
	screenshot		
18	Then click on notification icon	PASSED	0.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	When click on notification icon to check reviewer can get a record which is submited by maker	PASSED	0.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.131 s
	screenshot 		
20	And click on action button	PASSED	0.067 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot 		
21	Then verify the budget record is matched with maker submited record	FAILED	0.151 s

	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'value') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [0fba00bb1d451fc24053ebbb71c0e6f7, executeScript {script=return document.getElementsByClassName('native-input sc-ion-input-md')[1].value, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:62436}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62436/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 0fba00bb1d451fc24053ebbb71c0e6f7
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481) at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21) at stepdefinitions.KUBS_reviewer.verify_the_budget_record_is_matched_with_maker_submited_record(KUBS_reviewer.java:84) at ?.verify the budget record is matched with maker submited record(file:///C:/Users/inindc00076/git/AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:193) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.158 s
22	And approve the record in reviewer stage	SKIPPED	0.000 s
23	Then enter remark then submit	SKIPPED	0.000 s
24	Given navigate to URL and login as a checker	SKIPPED	0.000 s
25	Then click on security management menu	SKIPPED	0.001 s
26	And click on Action icon in security management	SKIPPED	0.000 s
27	Then clime the record	SKIPPED	0.000 s
28	And click on notification icon in checker stage	SKIPPED	0.001 s
29	When checker click on notification icon record might be showed in notification area	SKIPPED	0.000 s
30	And click on action button in checker stage	SKIPPED	0.000 s
31	Then validate the budget record	SKIPPED	0.000 s
32	Then reject the record	SKIPPED	0.000 s
33	And write negative remark and submit it	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify checker can reject the budget code which is approved by reviewer (F) To check BudgetDefinition moduel feature	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify checker can reject the budget code which is approved by reviewer (F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify checker can reject the budget code which is approved by reviewer	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

☰ 🌐 Kastle Universal Banking   21-Oct-2021 English ▾   ▾ (AZENT-MAIN) 🔔 ▣ 👤 SARVESH

No Module Mapped ▾

← Inbox

Actions	referenceId	eventCode	stageCode	roleCode	employeeName	eventDesc	workflowDesc
✎	453	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✎	440	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✎	409	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✎	408	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✎	401	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT

14 total |◁ ◁ **1** 2 3 ▷ ▷|

22 Appro... ⊗   11 Messa... ⊗

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

☰ 🌐 Kastle Universal Banking   21-Oct-2021 English ▾   ▾ (AZENT-MAIN) 🔔 ▣ 👤 SARVESH

No Module Mapped ▾

← Inbox

Actions	referenceId	eventCode	stageCode	roleCode	employeeName	eventDesc	workflowDesc
✎	453	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✎	440	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✎	409	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✎	408	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✎	401	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT

14 total |◁ ◁ **1** 2 3 ▷ ▷|

22 Appro... ⊗   11 Messa... ⊗

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify checker can reject the budget code which is approved by reviewer

(F) To check BudgetDefinition moduel feature

≡   🌐 Kastle Universal Banking   21-Oct-2021   English ▾   (AZENT-MAIN) 🔔 💻 👤 SARVESH

No Module Mapped

← Budget Definition   ⓘ ViewSummary   ✅ Approve   ↻ Return   ❌ Reject

* Budget Code	* Budget Type	* Warning Percentage
BUD00103	QUARTERLY	20

* Budget Name	Remark	Status
Test	Ok	ACTIVE

22 Appro... ⊗   11 Messa... ⊗

Home   Preference