Cucumber Report

4 Mar 2023, 7:37:05 AM

| Start : Mar 04, 7:35:56.924 AM | End : Mar 04, 7:37:03.693 AM | Duration : 1 m 6.769 s |

| Features | Scenarios | Steps |

| PASSED - 0
 FAILED - 1
 SKIPPED - 0 | PASSED - 0
 FAILED - 1
 SKIPPED - 0 | PASSED - 10
 FAILED - 1
 SKIPPED - 2 |

Features: 1

Scenarios: 1

Steps: 13

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 76 %

#	Feature Name	T	P	F	S	Duration
1	_Check the Functionality of Inventory_	1	0	1	0	1 m 6.769 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Confirm the inventory stock received from the vendor	13	10	1	2	1 m 6.757 s

## (F)- Check the Functionality of Inventory

FAILED	DURATION - 1 m 6.769 s	Scenarios	Steps
/ 7:35:56.924 AM // 7:37:03.693 AM /		Total - 1	Total - 13
		Pass - 0	Pass - 10
		Fail - 1	Fail - 1
		Skip - 0	Skip - 2

(S)- Confirm the inventory stock received from the vendor

FAILED	DURATION - 1 m 6.757 s		Steps
/ 7:35:56.936 AM // 7:37:03.693 AM /			Total - 13
Check the Functionality of Inventory			Pass - 10
@KUBS_INV_MGMT_UAT_001_006_TC_01 @MultiAuth			Fail - 1
			Skip - 2

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	45.389 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.327 s
	screenshot		
2	Then select data set ID for inventory stock received from vendor	PASSED	0.567 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.908 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Choose the second Tab Segment	PASSED	2.291 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.435 s
	screenshot		
4	Then Click on Accounts Payable	PASSED	0.128 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
	screenshot		
5	Then Click on Good Recived Note GRN Eye buutton	PASSED	0.458 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.638 s
	screenshot		
6	Then click on first eye button to get the grn number	PASSED	3.625 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.224 s
	screenshot		
7	Then Click on Inventory Management	PASSED	2.263 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.287 s
	screenshot		

#	Step / Hook Details	Status	Duration
8	Then Click on inventory stock receipt Eye Icon	PASSED	0.431 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.528 s
	screenshot		
9	Then Click on inventory stock Add button	PASSED	1.088 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.315 s
	screenshot		
10	Then Fill inventory stock Mandatory fields	PASSED	0.460 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.248 s
	screenshot		
11	Then Click on inventory stock Save button	FAILED	1.123 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element \<ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled=""\>...\</ion-button\> is not clickable at point (1255, 88). Other element would receive the click: \<ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated"\>...\</ion-buttons\> (Session info: chrome=110.0.5481.178) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.218', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [affad8346400ba351551d7690556fb41, clickElement {id=c2aa1e4f-1f4d-4f78-bd58-5441e7a39f22}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 110.0.5481.178, chrome: {chromedriverVersion: 110.0.5481.77		

#	Step / Hook Details	Status	Duration

	(65ed616c6e8e..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:50792}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50792/devtoo..., se:cdpVersion: 110.0.5481.178, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (affad8346400ba351551d7690556fb41)] -> xpath: (//ion-toolbar[1]/ion-buttons[2]/ion-button[1])[2]] Session ID: affad8346400ba351551d7690556fb41
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	  at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	  at stepdefinitions.InventoryManagement_InventoryStockReceivedFromVendor.click_on_inventory_stock_save_button(InventoryManagement_InventoryStockReceivedFromVendor.java:130)
	  at ?.Click on inventory stock Save button(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/InventoryManagement_UAT.feature:198)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.194 s
	screenshot 		
12	Then Click on inventory stock Notification	SKIPPED	0.000 s
13	And Select and Submit the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Confirm the inventory stock received from the vendor

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Confirm the inventory stock received from the vendor

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Confirm the inventory stock received from the vendor

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Confirm the inventory stock received from the vendor

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Confirm the inventory stock received from the vendor

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Confirm the inventory stock received from the vendor

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Confirm the inventory stock received from the vendor

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Confirm the inventory stock received from the vendor

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Confirm the inventory stock received from the vendor

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Confirm the inventory stock received from the vendor

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Confirm the inventory stock received from the vendor

(F) Check the Functionality of Inventory

AZENTIO
ONEBanking

07-Jan-2023   English   Azentio Software   (AZENTMAIN)   ANANT

Inventory request

Purchase requisition confirmation

Inventory stock receipt

Inventory stock issue

Inventory stock confirmation

Stock return from branch

Petty cash

Bank recon

22 Appro...   11 Mess...

← Inventory Stock Receipt

* GRN Number

GRN-Agency-8-102-332023

GRN-Agency-8-102-332023

PO Reference Number

Vendor Reference Number