# Cucumber Report

| Start : Mar 02, 8:48:34.005 PM | End : Mar 02, 8:49:24.573 PM | Duration : 50.568 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 4<br>FAILED - 1<br>SKIPPED - 6 |

Features: 1

Scenarios: 1

Steps: 11

Features Pass %: 0 %

Scenarios Pass %: 0 %

Steps Pass %: 36 %

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | _Check the Functionality of Inventory_ | 1 | 0 | 1 | 0 | 50.568 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Check the Functionality of Inventory | Check the accounting entries | 11 | 4 | 1 | 6 | 50.558 s |

## (F)- Check the Functionality of Inventory

| FAILED | DURATION - 50.568 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| | | Total - 1 | | Total - 11 | |
| / 8:48:34.005 PM // 8:49:24.573 PM / | | Pass - 0 | 1 | Pass - 4 | 11 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 6 | |

## (S)- Check the accounting entries

| FAILED | DURATION - 50.558 s | | Steps | |
|---|---|---|---|---|
| | | | Total - 11 | |
| / 8:48:34.015 PM // 8:49:24.573 PM / | | | Pass - 4 | 11 |
| Check the Functionality of Inventory | | | Fail - 1 | |
| @KUBS_INV_MGMT_UAT_001_006 | | | Skip - 6 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Navigate to URL and user should login as a maker | PASSED | 23.073 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.463 s |
| | screenshot | | |
| |  | | |
| 2 | Then click on report segment button | PASSED | 0.462 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.146 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
|  |  |  |  |
| 3 | And click on equiry menu | PASSED | 0.363 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.232 s |
|  | screenshot |  |  |
|  |  |  |  |
| 4 | Then click on edit icon near by fiancial transaction menu | PASSED | 0.474 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.478 s |
|  | screenshot |  |  |
|  |  |  |  |
| 5 | And choose branch code | FAILED | 0.072 s |
|  | java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence<br>   at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92)<br>   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>   at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>   at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>   at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>   at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br>   at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source)<br>   at stepdefinitions.InventoryManagament.choose_branch_code(InventoryManagament.java:692)<br>   at ?.choose branch code(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/InventoryManagement.feature:179)<br>* Not displayable characters are replaced by '?'. |  |  |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.137 s |
|  | screenshot |  |  |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 6 | And choose GI code | SKIPPED | 0.001 s |
| 7 | And click on transaction from date calender icon | SKIPPED | 0.001 s |
| 8 | Then choose the from date | SKIPPED | 0.001 s |
| 9 | And click on the transaction to date calender icon | SKIPPED | 0.000 s |
| 10 | Then choose the to date | SKIPPED | 0.000 s |
| 11 | And click on view button | SKIPPED | 0.001 s |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Check the accounting entries | |
| (F) Check the Functionality of Inventory | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Check the accounting entries | |
| (F) Check the Functionality of Inventory | |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the accounting entries

(F) Check the Functionality of Inventory



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check the accounting entries

(F) Check the Functionality of Inventory

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)



(S) Check the accounting entries

(F) Check the Functionality of Inventory