

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL1 Module	1	1	0	0	20.422 s

SCENARIOS SUMMARY -- 3 --



;	# Feature Name	Scenario Name	T	P	F	S	Duration
	Check the Functionality of the GL1	Check the created already and trying to create same	8	8	0	0	20.416 s
	Module	accounting book					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of the GL1 Module

PASSED	DURATION - 20.422 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 3:43:32.904 p	om // 3:43:53.326 pm /	Pass - 1	1	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check the created already and trying to create same accounting book

PASSED DURATION - 20.416 s		ΙГ									Steps		
/ 3:43:32.910 pm // 3:43:53.326 pm /	10	1	-								Total - 8		
Check the Functionality of the GL1 Module	5	-	-								Pass - 8	8	
					<u> </u>	1	1		<u> </u>	1	Skip - 0		
@KUBS_GL_UAT_002_002	0	-	1	2	3	4	5	6	7	8	окір о		


#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	13.801 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
	screenshot		
	No contractions to the contract of the contrac		
2	And Click on Accounting Setup module	PASSED	0.114 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.158 s
	screenshot		


The Click sub module Accounting book definition	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Fine Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.342 s 0.342 s 0.342 s 0.342 s 0.342 s 0.343 s 0.345 s 0.3				
screenshot 4 And Click on Add icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksC	3	-	PASSED	0.520 s
Ad Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.342 s
And Click on Add icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Enter Another Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.273 s 0.273 s 0.273 s		1		
screenshot Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Enter Another Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.196 s PASSED 0.149 s	4	And Click on Add icon	PASSED	0.296 s
Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Enter Another Book Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.196 s PASSED 0.196 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.273 s
5 Then Choose the Template Type of Custom Template AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And Enter Another Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.355 s 0.189 s 0.196 s 0.196 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Enter Another Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.189 s PASSED 0.196 s PASSED 0.196 s PASSED 0.196 s		Notice to the second se		
Screenshot 6 And Enter Another Book Name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.196 s 0.149 s	5	Then Choose the Template Type of Custom Template	PASSED	0.355 s
6 And Enter Another Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.196 s 0.149 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
6 And Enter Another Book Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.196 s 0.149 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.149 s		O		
	6	And Enter Another Book Name	PASSED	0.196 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
		screenshot]	


DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
7	Then Enter the Remark	PASSED	0.270 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.199 s
8	Then Validate the Message we get	PASSED	0.035 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.199 s
	The processor The processo		

EXPANDED SECTION --- 7 -







EXPANDED SECTION -- 10 --

