

# Cucumber Report

Feb 18, 2022, 6:32:02 AM

Start : Feb 18, 6:30:06.498 AM

End : Feb 18, 6:31:41.718 AM

Duration : 1 m 35.220 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 5  
FAILED - 1  
SKIPPED - 15







#	Feature Name	T	P	F	S	Duration
1	<u>FIXED ASSETS</u>	1	0	1	0	1 m 35.220 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>FIXED ASSETS</u>	<u>Check if the given asset is sold at higher price</u>	21	5	1	15	1 m 35.213 s





**(F)- FIXED ASSETS**


<b>FAILED</b>	<b>DURATION - 1 m 35.220 s</b>	Scenarios		Steps	
/ 6:30:06.498 AM // 6:31:41.718 AM /		Total - 1		Total - 21	
		Pass - 0		Pass - 5	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 15	

**(S)- Check if the given asset is sold at higher price**

<div>FAILED</div> <div>DURATION - 1 m 35.213 s</div>			Steps		
/ 6:30:06.505 AM // 6:31:41.718 AM /			Total - 21		
FIXED ASSETS			Pass - 5		
@KUBS_FAT_UAT_004_001			Fail - 1		
				Skip - 15	

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	28.976 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.208 s
	screenshot		
			
2	And user should navigate to fixed asset menu	PASSED	0.996 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.356 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	When click on eye button of asset sale	PASSED	0.958 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.713 s
	screenshot 		
4	And click on add button to create sale asset record	PASSED	0.480 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.737 s
	screenshot 		
5	And Fill the required fields to sale asset	PASSED	3.801 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.209 s
	screenshot 		
6	Then Save and submit the asset sale record	FAILED	2.042 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name:		


#	Step / Hook Details	Status	Duration
	<p>'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e3589edcf17a836589544306c90704c1, clickElement {id=3ac551d1-9d51-4487-9e40-4597f9259b44}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\chrome-win-1024x768\chrome-win-1024x768\chrome.exe}, goog:chromeOptions: {debuggerAddress: localhost:60104}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:60104/devtools/page/1/e3589edcf17a836589544306c90704c1, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (e3589edcf17a836589544306c90704c1)] -&gt; xpath: (/ion-buttons[2]/ion-button[1])[2]] Session ID: e3589edcf17a836589544306c90704c1</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)  at java.base/java.lang.reflect.Method.invoke(Method.java:568)  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)  at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source)  at stepdefinitions.FIXEDASSETS_AssetSale.save_and_submit_the_asset_sale_record(FIXEDASSETS_AssetSale.java:91)  at ?.Save and submit the asset sale record(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/FIXEDASSETS_AssetSale.feature:11)  * Not displayable characters are replaced by '?'. </p>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.237 s
	<p>screenshot</p> 		
7	And User should go to the kubs url and login as a reviewer user	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
8	Then Click on notification button in reviewer	SKIPPED	0.000 s
9	And approve the record by reviewer user	SKIPPED	0.000 s
10	Given User should go to the kubs url and login as a checker user	SKIPPED	0.000 s
11	And Click on security management in checker	SKIPPED	0.000 s
12	Then Click on open pool in checker	SKIPPED	0.000 s
13	And Click on claim button in checker	SKIPPED	0.001 s
14	And capture claimed status	SKIPPED	0.000 s
15	Then click on notification in checker	SKIPPED	0.000 s
16	Then checker should approved the asset sale	SKIPPED	0.001 s
17	Given User should go to the kubs url and login as a maker user	SKIPPED	0.000 s
18	And user should navigate to fixed asset menu	SKIPPED	0.000 s
19	When click on eye button of asset sale	SKIPPED	0.000 s
20	Then click on first eye button to get the profit earned	SKIPPED	0.001 s
21	And maker should logout	SKIPPED	0.000 s

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the given asset is sold at  
higher price


(F) FIXED ASSETS



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the given asset is sold at  
higher price

(F) FIXED ASSETS





(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

















(S) Check if the given asset is sold at  
higher price

(F) FIXED ASSETS

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Asset Sale View

Actions	Entity	Branch Code - Name	Asset Code	Asset Ref No	Asset Value	Asset Dep Value	Book Value
 	Azentio Software	BR0003 - East Zone	ELECTRONICS-LAP001	ELECTRONICS-LAP001	2000000	0	2000000
 	Azentio Software	BR0003 - East Zone	01-ASTSBCTGRY001-V	01-ASTSBCTGRY001-V	50000	0	50000
 	Azentio Software	BR0007 - Andheri Branc	ELECTRONICS-LAP001	ELECTRONICS-LAP001	200000	0	200000
 	Azentio Software	AZENTMAIN - Azentio N	01-ASTSBCTGRY001-V	01-ASTSBCTGRY001-V	50000	0	50000
 	Azentio Software	AZENTMAIN - Azentio N	01-001-adjustable table	01-001-adjustable table	12344321	0	50000
 	Azentio Software	AZENTMAIN - Azentio N	01-001-desk	01-001-desk_AZENTM/	555	0	555
 	Azentio Software	HO0001 - Corporate Brz	ELECTRONICS-LAP001	ELECTRONICS-LAP001	100000	0	100000
 	Azentio Software	BR0007 - Andheri Branc	MACHINARY-GENERAT	MACHINARY-GENERAT	10000000	0	20000

24 total

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the given asset is sold at  
higher price

(F) FIXED ASSETS

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Fixed Asset Sale

* Asset Reference Number	Asset code	Asset Description
* Item Number	Asset Value	Total Asset Value
Depreciation Amount	Book Value	Tax Rate
* Sale Value	Profit On Sale GL	Loss On Sale GL
* Actionable By	Username	* Remark

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the given asset is sold at  
higher price

(F) FIXED ASSETS

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Fixed Asset Sale

* Asset Reference Number	Asset code	Asset Description
* Item Number	Asset Value	Total Asset Value
Free		
No items found	Book Value	Tax Rate
* Sale Value	Profit On Sale GL	Loss On Sale GL
3,000,000.00 INR		
* Actionable By	Username	* Remark
anant	1002435	ok

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Check if the given asset is sold at  
higher price

(F) FIXED ASSETS

Kastle Universal Banking (Beta) 19-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Fixed Asset Sale

* Asset Reference Number	Asset code	Asset Description
* Item Number	Asset Value	Total Asset Value
Free		
No items found	Book Value	Tax Rate
* Sale Value	Profit On Sale GL	Loss On Sale GL
3,000,000.00 INR		
* Actionable By	Username	* Remark
anant	1002435	ok

22 Appro... 11 Messa...

Home Preference