Cucumber Report

9 Jan 2023, 9:43:02 PM

Start : Jan 09, 9:41:56.482 PM	End : Jan 09, 9:42:59.093 PM	Duration : 1 m 2.611 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 3









#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 2.611 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify status for the receipt is auto changed to Deposit	9	5	1	3	1 m 2.606 s

(F)- AR/AP Module

FAILED	DURATION - 1 m 2.611 s	Scenarios		Steps	
/ 9:41:56.482 PM // 9:42:59.093 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 9 Pass - 5 Fail - 1 Skip - 3	

(S)- Verify status for the receipt is auto changed to Deposit

FAILED	DURATION - 1 m 2.606 s		Steps	
/ 9:41:56.487 PM // 9:42:59.093 PM /			Total - 9 Pass - 5 Fail - 1 Skip - 3	
AR/AP Module				
@AR/AP @KUBS_AR_AP_UAT_010_002_TC_02_01				

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	49.778 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.701 s
	screenshot		
2	Then select data set ID for verify status of the receipt is auto changed to deposit	PASSED	0.230 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	And goto accouts Receivable module	PASSED	2.261 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.241 s
	screenshot		
	 +		
4	And goto accouts receipt module	PASSED	0.548 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.792 s
	screenshot		
	 +		
5	And click on Add Icon	PASSED	1.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.457 s
	screenshot		
	 +		
6	And fill the all receipt mendatory details	FAILED	0.434 s
	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source) at stepdefinitions.ARAP_ClearingReceiptViaChequeMode.fill_the_all_receipt_mendatory_details(ARAP_ClearingReceiptViaChequeMode.java:121) at ?.fill the all receipt mendatory details(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_2_Excel.feature:1056) * Not displayable characters are replaced by '?'.		

#	Step / Hook Details	Status	Duration
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.389 s
	screenshot		
			
7	And save the receipt record	SKIPPED	0.000 s
8	Then Click on Update Deposited Cheque Notification	SKIPPED	0.000 s
9	And Select and Submit the Update Deposited Cheque record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Verify status for the receipt is auto changed to Deposit	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Verify status for the receipt is auto changed to Deposit	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify status for the receipt is auto changed to Deposit	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify status for the receipt is auto changed to Deposit	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify status for the receipt is auto changed to Deposit	
(F) AR/AP Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify status for the receipt is auto changed to Deposit	
(F) AR/AP Module	