

Cucumber Report

Mar 25, 2022, 4:20:21 PM

Start : Mar 25, 4:20:02.308 PM

End : Mar 25, 4:20:19.489 PM

Duration : 17.181 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 16





#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	1	0	1	0	17.181 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Inventory</u>	<u>Create a request for inventory</u>	17	0	1	16	17.174 s

FAILED		DURATION - 17.181 s		Scenarios		Steps	
/ 4:20:02.308 PM // 4:20:19.489 PM /				Total - 1		Total - 17	
				Pass - 0		Pass - 0	
				Fail - 1		Fail - 1	
				Skip - 0		Skip - 16	

<div> <div> <div>FAILED</div> <div>DURATION - 17.174 s</div> </div> <div> <div>/ 4:20:02.315 PM // 4:20:19.489 PM /</div> <div>Check the Functionality of Inventory</div> <div>@KUBS_INV_MGMT_UAT_001_001 @multiauth</div> </div> </div>	<table border="1"> <caption>Test Results Data</caption> <thead> <tr> <th>Step</th> <th>Value</th> </tr> </thead> <tbody> <tr><td>1</td><td>0.01</td></tr> <tr><td>2</td><td>0.00</td></tr> <tr><td>3</td><td>0.00</td></tr> <tr><td>4</td><td>0.00</td></tr> <tr><td>5</td><td>0.00</td></tr> <tr><td>6</td><td>0.00</td></tr> <tr><td>7</td><td>0.00</td></tr> <tr><td>8</td><td>0.00</td></tr> <tr><td>9</td><td>0.00</td></tr> <tr><td>10</td><td>0.00</td></tr> <tr><td>11</td><td>0.00</td></tr> <tr><td>12</td><td>0.00</td></tr> <tr><td>13</td><td>0.00</td></tr> <tr><td>14</td><td>0.00</td></tr> <tr><td>15</td><td>0.00</td></tr> </tbody> </table>	Step	Value	1	0.01	2	0.00	3	0.00	4	0.00	5	0.00	6	0.00	7	0.00	8	0.00	9	0.00	10	0.00	11	0.00	12	0.00	13	0.00	14	0.00	15	0.00	<div> <div>Steps</div> <div>Total - 17</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 16</div> </div> <div> </div>
Step	Value																																	
1	0.01																																	
2	0.00																																	
3	0.00																																	
4	0.00																																	
5	0.00																																	
6	0.00																																	
7	0.00																																	
8	0.00																																	
9	0.00																																	
10	0.00																																	
11	0.00																																	
12	0.00																																	
13	0.00																																	
14	0.00																																	
15	0.00																																	

[illegible]

#	Step / Hook Details	Status	Duration
	<p>scope</p> <p>at dataProvider.JsonConfig.<init>(JsonConfig.java:431)</p> <p>at stepdefinitions.InventoryManagment.<init>(InventoryManagment.java:38)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:145)</p> <p>at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342)</p> <p>at org.picocontainer.injectors.AbstractInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270)</p> <p>at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364)</p> <p>at org.picocontainer.injectors.AbstractInjectionFactory\$LifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56)</p> <p>at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64)</p> <p>at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)</p> <p>at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)</p> <p>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:647)</p> <p>at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)</p> <p>at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)</p> <p>at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)</p> <p>at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)</p> <p>at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)</p> <p>at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)</p> <p>at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)</p> <p>at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)</p> <p>at io.cucumber.core.runner.TestStep.run(TestStep.java:64)</p> <p>at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)</p> <p>at io.cucumber.core.runner.TestCase.run(TestCase.java:104)</p> <p>at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)</p> <p>at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)</p> <p>at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)</p> <p>at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)</p> <p>at java.base/java.lang.reflect.Method.invoke(Method.java:568)</p> <p>at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)</p> <p>at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)</p> <p>at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)</p> <p>at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)</p> <p>at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)</p>		

#	Step / Hook Details	Status	Duration
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146) at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1511) at org.testng.TestRunner.privateRun(TestRunner.java:794) at org.testng.TestRunner.run(TestRunner.java:596) at org.testng.SuiteRunner.runTest(SuiteRunner.java:377) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332) at org.testng.SuiteRunner.run(SuiteRunner.java:276) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212) at org.testng.TestNG.runSuitesLocally(TestNG.java:1134) at org.testng.TestNG.runSuites(TestNG.java:1063) at org.testng.TestNG.run(TestNG.java:1031) at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115) at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.340 s
	screenshot		
	+		
2	Then Click on Finance	SKIPPED	0.000 s
3	Then Click on the Direction	SKIPPED	0.000 s
4	Then Click on Inventory Management	SKIPPED	0.000 s
5	And Click on the eye icon of Inventory Request	SKIPPED	0.000 s
6	Then Click on Add button	SKIPPED	0.000 s
7	And Fill all the mandatory fields	SKIPPED	0.000 s
8	Then Click on save button	SKIPPED	0.000 s
9	Then Click Notification button	SKIPPED	0.001 s
10	And Select record which we saved	SKIPPED	0.000 s
11	And Submit the record	SKIPPED	0.000 s
12	Then Open Reviewer account	SKIPPED	0.000 s
13	And Click on notification	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
14	Then Approve the record which we submitted from maker stage	SKIPPED	0.000 s
15	Then Go to Checker account	SKIPPED	0.000 s
16	And Clam the record	SKIPPED	0.000 s
17	Then Click on notification and approve the record	SKIPPED	0.001 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create a request for inventory

(F) Check the Functionality of Inventory