


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	to verify user can able to do transaction in petty cash module	1	1	0	0	1 m 54.185 s




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	to verify user can able to do transaction	Create Expense Code Limit	17	17	0	0	1 m 54.180 s
	in petty cash module						

## (F)- to verify user can able to do transaction in petty cash module

PASSED	DURATION - 1 m 54.185 s	Scenarios		Steps	
		Total - 1		Total - 17	
/ 2:42:05.367 PN	M // 2:43:59.552 PM /	Pass - 1	1	Pass - 17	17
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## **(S)- Create Expense Code Limit**



#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	29.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.784 s
	screenshot		
	Address and the second of the		
2	Then Click on Pettycash Configuration	PASSED	0.888 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.449 s
	screenshot		
	AND THE REPORT OF THE PROPERTY		

AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  4 Then Click on Add Icon in Petty cash AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And Get the data set id for expence code in petty cash in maker  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  5 And Get the data set id for expence code in petty cash in maker  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  6 And Enter Expense code value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	#	Step / Hook Details	Status	Duration
4 Then Click on Add Icon in Petty cash  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  5 And Get the data set id for expence code in petty cash in maker  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  Screenshot  FASSED  O.006 s  PASSED  O.219 s  PASSED  O.219 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.243 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.257 s  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario)  PASSED  O.265 s	3	And Click on Expense Code Limit	PASSED	0.451 s
4 Then Click on Add Icon in Petty cash AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot  5 And Get the data set id for expence code in petty cash in maker AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.ad		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.994 s
4 Then Click on Add Icon in Petty cash  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Get the data set id for expence code in petty cash in maker  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.219 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.257 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.265 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  And Get the data set id for expence code in petty cash in maker  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.257 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.263 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.265 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.276 s		+		
screenshot  And Get the data set id for expence code in petty cash in maker  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.257 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.243 s  Then Enter Expense Name Value  PASSED  0.365 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.276 s	4	Then Click on Add Icon in Petty cash	PASSED	0.913 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Arter_step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And Enter Expense code value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  Then Enter Expense Name Value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.257 s  PASSED  0.243 s  0.243 s  0.265 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.365 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.276 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.389 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And Enter Expense code value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 Then Enter Expense Name Value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.219 s  0.219 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  And Enter Expense code value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 Then Enter Expense Name Value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.219 s  0.219 s		ACMINO  FOR the same and the sa		
screenshot  And Enter Expense code value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  7 Then Enter Expense Name Value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  O.257 s  0.243 s  0.243 s  0.243 s	5	And Get the data set id for expence code in petty cash in maker	PASSED	0.006 s
6 And Enter Expense code value PASSED 0.257 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 Then Enter Expense Name Value  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.365 s  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED 0.365 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.219 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 Then Enter Expense Name Value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.243 s  PASSED  0.26 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  7 Then Enter Expense Name Value  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.243 s  PASSED  0.26 s		AND SECOND SECON		
7 Then Enter Expense Name Value  AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.365 s  0.276 s	6	And Enter Expense code value	PASSED	0.257 s
7 Then Enter Expense Name Value AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.365 s 0.276 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.243 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.276 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.276 s		SANDER SA		
	7	Then Enter Expense Name Value	PASSED	0.365 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.276 s
		screenshot		


8 And Choose Expense GI  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then Enter Max Limit Value  PASSED  0.242 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  PASSED  0.242 s  0.315 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  9 Then Enter Max Limit Value  PASSED  0.214 s  PASSED  0.214 s
Screenshot  9 Then Enter Max Limit Value  PASSED 0.242 s
9 Then Enter Max Limit Value PASSED 0.242 s
AETED STED standafinitions HooksClass addScreenshot(in queumher java Scenario)
AFTEN_STEF - Stepheninitions. Hooks class. add Screenshot (in. cucumber. java. Scenario)
screenshot
Post type and the second of th
10 And Choose Currency value PASSED 0.324 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.284 s
screenshot
Fig. 12 per section of the control o
11 Then save Record in Petty cash 52.795 s
AFTER OTER standarding the block of the standard
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.334 s

#	Step / Hook Details	Status	Duration
	Second   S		
12	Then Goto The Notification Icon	PASSED	6.017 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.364 s
	screenshot		
	### Company of the co		
13	And Store the Referance Id and Open the Record in petty cash	PASSED	2.209 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
14	Then Click submit button and Enter Remark submit it	PASSED	1.192 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.417 s
	screenshot		
15	Then Get the reviewer id for expence code and store it in excel	PASSED	2.298 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.384 s
	screenshot		


DETAILED SECTION -- 8 --

#	Step / Hook Details	Status	Duration
	Figure 1. The state of the stat		
16	And Close the Alert	PASSED	2.448 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.251 s
	screenshot		
	AUTO PART MATERIAL PROPERTY OF THE P		
17	Then logout from maker	PASSED	1.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.916 s
	screenshot		
	Asserto:		


EXPANDED SECTION -- 9 --




EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




**EXPANDED SECTION** 



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

