Cucumber Report

| Start : Dec 06, 3:07:14.323 pm	End : Dec 06, 3:08:18.808 pm	Duration : 1 m 4.485 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 15

#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	1 m 4.485 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify Balance sheet post Bill is cancelled	16	0	1	15	1 m 4.479 s

(F)- AR/AP Module

FAILED	*DURATION - 1 m 4.485 s*	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	Steps Total - 16 Pass - 0 Fail - 1 Skip - 15
/ 3:07:14.323 pm // 3:08:18.808 pm /			

(S)- Verify Balance sheet post Bill is cancelled

FAILED	*DURATION - 1 m 4.479 s*		Steps Total - 16 Pass - 0 Fail - 1 Skip - 15
/ 3:07:14.329 pm // 3:08:18.808 pm /			
AR/AP Module			
@KUBS_AR/AP_UAT_003_004_TC_02 @AR/AP			

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	FAILED	38.243 s

	org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath","selector":"//p[contains(text(),'Otp')]"} (Session info: chrome=108.0.5359.71) For documentation on this error, please visit: https://selenium.dev/exceptions/#no_such_element Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa. selenium.chrome.ChromeDriver Command: [398063c942c8a87129c9bff795bd7cd3, findElement {using=xpath, value=//p[contains(text(),'Otp')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.71, chrome: {chromedriverVersion: 107.0.5304.62 (1eec40d3a576..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:54998}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54998/devtoo..., se:cdpVersion: 108.0.5359.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 398063c942c8a87129c9bff795bd7cd3
	    at jdk.internal.reflect.GeneratedConstructorAccessor36.newInstance(Unknown Source)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.$Proxy46.getText(Unknown Source) at stepdefinitions.KUBS_Login.loginToAzentioAppByMaker(KUBS_Login.java:44) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:49) at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/inindc00075/eclipse-workspace/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:136) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	2.220 s
2	When click the account payable main module	SKIPPED	0.000 s
3	And click the eye icon of invoice bill booking	SKIPPED	0.001 s
4	And click the search icon in list view	SKIPPED	0.000 s
5	And user update the Excelsheet Testdata for balancesheet	SKIPPED	0.001 s
6	And search invoice type as expense	SKIPPED	0.000 s
7	And click the first eye icon in the list view of cancelled invoice bill	SKIPPED	0.001 s
8	And get the invoice number from the bill viewed	SKIPPED	0.000 s
9	And get buisness partner name and Bill Status	SKIPPED	0.000 s
10	And click the notes option in top	SKIPPED	0.000 s
11	And click the financial reporting	SKIPPED	0.000 s
12	And click the balance sheet report	SKIPPED	0.000 s
13	Then Fill branch details for report	SKIPPED	0.000 s
14	And select the date	SKIPPED	0.015 s
15	And click the view icon	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
16	Then Verify Balance sheet should be updated correctly basis the legs impacted in accounting entries.	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)
(S) Verify Balance sheet post Bill is cancelled
(F) AR/AP Module

User ID

1002435

Password

•••••

OTP 354661

Your OTP will expired in : 33:18

Didn't get the code?   Resend

Sign In

Forgot password?
Don't have an account?

AZENTIO
ONEBanking