
Duration: 1 m 2.808 s Start: Feb 07, 2:56:02.245 AM End: Feb 07, 2:57:05.053 AM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 4 SKIPPED - 0 SKIPPED - 0 SKIPPED - 0 5 40 50 60 40 50 60 40 50 60 Pass % 70 Pass % 70 Pass % 70 20 20 20 80 80 90 90 10 80 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	1	0	1	0	1 m 2.808 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	ACCOUNTS PAYABLE	Create a contract	5	4	1	0	1 m 2.803 s

DETAILED SECTION -- 4 --

(F)- ACCOUNTS PAYABLE

FAILED	DURATION - 1 m 2.808 s	Scenarios		Steps	
		Total - 1		Total - 5	
/ 2:56:02.245 A	M // 2:57:05.053 AM /	Pass - 0	1	Pass - 4	5
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Create a contract




#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	26.381 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	2.231 s
	screenshot		
	© 100 Marie 100		
2	And user should navigate to accounts payable menu	PASSED	2.092 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.240 s
	screenshot		


#	Step / Hook Details	Status	Duration
	## 0 100 100		
3	When click on eye button of vendor contract	PASSED	0.665 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot +	PASSED	0.782 s
4	And click on add button to create contract	PASSED	1.131 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	1.762 s
5	org.openqa.selenium.InvalidSelectorException: invalid selector: Unable to locate an element with the xpath expression //span[contains(text(),'[[ChromeDriver: chrome on WINDOWS (8602fa7ec6ca602a6db9392dede30ac9)] -> xpath: //td/span[@class='owl-dt- calendar-cell-content owl-dt-calendar-cell-out' or ']owl-dt-calendar-cell-content']]')] because of the following error: SyntaxError: Failed to execute 'evaluate' on 'Document': The string '//span[contains(text(),'[[ChromeDriver: chrome on WINDOWS (8602fa7ec6ca602a6db9392dede30ac9)] -> xpath: //td/span[@class='owl-dt-calendar-cell-content owl-dt-calendar-cell-out' or ']owl-dt-calendar-cell-content']]')]' is not a valid XPath expression. (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/ #invalid_selector_exception Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'PG00X8KU', ip: '10.1.47.121', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [8602fa7ec6ca602a6db9392dede30ac9, findElement {using=xpath, value=//span[contains(text(),'[[ChromeDriver: chrome on WINDOWS (8602fa7ec6ca602a6db9392dede30ac9)] -> xpath: //td/span[@class='owl-dt-calendar-cell-content owl-dt-calendar-cell-out' or ']owl-dt-calendar-cell-content']]')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:62689}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62689/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:exte	FAILED	7.433 s

#	Step / Hook Details	Status	Duration
	8602fa7ec6ca602a6db9392dede30ac9		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method)		
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)		
	at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)		
	at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts.		
	fill_the_required_fields_to_create_contract(ACCOUNTSPAYABLE_VendorContracts.java:111)		
	at ?.Fill the required fields to create contract(file:///C:/Users/inindc00091/git/repository/Devesh_AzentioFramework/src/test/java/features/		
	ACCOUNTSPAYABLE_VendorContracts.feature:10)		
	* Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot	7	
	1		

EXPANDED SECTION -- 7



EXPANDED SECTION



EXPANDED SECTION -- 9 --

