Cucumber Report

| Start : Mar 10, 4:13:08.472 pm	End : Mar 10, 4:13:43.339 pm	Duration : 34.867 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 7 FAILED - 1 SKIPPED - 10

Features: 1

Scenarios: 1

Steps: 18

Pass %: 0 %

Pass %: 0 %

Pass %: 38 %

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	34.867 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	Verify accounting entries post receipt cancellation	18	7	1	10	34.862 s

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 34.867 s	Scenarios		Steps	
		Total - 1		Total - 18	
/ 4:13:08.472 pm // 4:13:43.339 pm /		Pass - 0	1	Pass - 7	18
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 10	

(S)- Verify accounting entries post receipt cancellation

FAILED	DURATION - 34.862 s		Steps	
			Total - 18	
/ 4:13:08.477 pm // 4:13:43.339 pm /			Pass - 7	18
Check the Functionality of AR/AP Module			Fail - 1	
@KUBS_AR_AP_UAT_011_001_TC_03			Skip - 10	

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		
2	Then Choose the second Tab Segment	PASSED	0.342 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And Click On Main module Accounts Receivable	PASSED	0.135 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.210 s
	screenshot		
4	Then Click on the Receipt Reverels Eye Icon	PASSED	0.339 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.282 s
	screenshot		
5	And Click On Search Icon	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.250 s
	screenshot		
6	Then Enter Receipt type as Wire	PASSED	0.184 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Click on Table Row First Eye Icon	PASSED	12.730 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.362 s
	screenshot 		
8	And Get The Txn Receipt Number	FAILED	0.022 s

	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of undefined (reading 'value') (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [83180f5a4fd7d1fb0d7873a0df98686f, executeScript {script=return document.getElementsByName('receiptNo')[1].value, args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:56405}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56405/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 83180f5a4fd7d1fb0d7873a0df98686f
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481)
	    at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21)
	    at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable. get_the_txn_receipt_number(ARAP_AccountsReceivable_AccountsPayable.java:2162)		

#	Step / Hook Details	Status	Duration
	at ?.Get The Txn Receipt Number(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ ARAP_AccountsReceivable_AccountsPayable.feature:766) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.160 s
9	Then Third Segment report Icon	SKIPPED	0.001 s
10	And Choose Enquiry Module	SKIPPED	0.000 s
11	Then Click Note iCon near by financial transction	SKIPPED	0.000 s
12	And choose branch code	SKIPPED	0.000 s
13	And click on transaction from date in calender	SKIPPED	0.001 s
14	Then Select from date in calender	SKIPPED	0.000 s
15	And click on transaction to date in calender icon	SKIPPED	0.000 s
16	Then Select To date in calender	SKIPPED	0.001 s
17	And Click View HyperLink	SKIPPED	0.000 s
18	Then Verify Accounting entries post receipt recording	SKIPPED	0.000 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify accounting entries post receipt cancellation	
(F) Check the Functionality of AR/AP Module	

Kastle Universal Banking (Beta)

24-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

- Business partner setup
- General ledger configuration
- Accounting setup
- Expense/AR & AP configurati...
- Budget configuration
- Fixed assets configuration
- Inventory maintenance
- Bank recon
- Petty cash configuration

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Verify accounting entries post receipt cancellation	
(F) Check the Functionality of AR/AP Module	

Kastle Universal Banking (Beta)

24-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

- General ledger transaction
- Budget
- Accounts payable
- Adjustments (AR and AP)
- Accounts receivable
- Fixed assets
- Inventory management
- Petty cash
- Bank recon

22 Appro...   11 Messa...

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post receipt cancellation

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify accounting entries post receipt cancellation

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt cancellation

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt cancellation

(F) Check the Functionality of AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt cancellation

(F) Check the Functionality of AR/AP Module

| | Kastle Universal Banking (Beta) | | | | 24-Oct-2022 English ⌄ | Azentio Software ⌄ | (AZENTMAIN) | ANANT |

← Receipts Reversals ✕

Actions	Branch Code - Name	Txn Number	Receipt Type	Receipt Number	Receipt Amount	Receipt Date	Payer
	Search Branch Co	Search Txn Numb	Search Receipt Ty	Search Receipt Nu	Search Receipt Ar	Search Receipt Da	Search Pay
👁 ✎	AZENTMAIN - Azentio M	RECAN_14_732022	Cheque	REC_92_732022	100	07-Mar-2022	ANANT
👁 ✎	AZENTMAIN - Azentio M	RECAN_13_732022	Wire	REC_93_732022	100	07-Mar-2022	ANANT
👁 ✎	AZENTMAIN - Azentio M	RECAN_12_2422022	Cheque	REC_10_21122021	7000	24-Feb-2022	Anant
👁 ✎	AZENTMAIN - Azentio M	RECAN_11_2422022	Cheque	REC_5_3122021	20000	24-Feb-2022	Rani
👁 ✎	AZENTMAIN - Azentio M	RECAN_10_2422022	Cheque	REC_34_2422022	100	24-Feb-2022	xzyxzy
👁 ✎	AZENTMAIN - Azentio M	RECAN_9_29122021	Wire	REC_23_29122021	3500	29-Dec-2021	Suraj
👁 ✎	AZENTMAIN - Azentio M	RECAN_8_29122021	Wire	REC_22_29122021	20000	29-Dec-2021	Raj
👁 ✎	AZENTMAIN - Azentio M	RECAN_7_29122021	Wire	REC_6_6122021	10000	29-Dec-2021	Shashee

15 total |< < **1** 2 > >|

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt cancellation

(F) Check the Functionality of AR/AP Module

| | Kastle Universal Banking (Beta) | | | | 24-Oct-2022 English ⌄ | Azentio Software ⌄ | (AZENTMAIN) | ANANT |

← Receipts Reversal

Entity Branch		Txn Number		* Receipt Reference Number	
Azentio Main Branch	✕ ⌄			REC_2_15112021	✕ ⌄

Receipt Amount	Txn Date	* Cancellation Remarks
12,000.00 INR	📅	okkkk

Txt Status

Home   Preference