


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	1	0	0	1 m 37.506 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	testing the fuctionalities of bank	Click on Process button on Bank Recon Process screen	20	20	0	0	1 m 37.502 s
	reconciliation module	post creating additional entries					

DETAILED SECTION -- 4 --

(F)- testing the fuctionalities of bank reconciliation module

PASSED	DURATION - 1 m 37.506 s	Scenarios		Steps	
		Total - 1		Total - 20	
/ 4:22:20.320	PM // 4:23:57.826 PM /	Pass - 1	1	Pass - 20	20
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Click on Process button on Bank Recon Process screen post creating additional entries

PASSED DURATION - 1 m 37.502 s	20	10	-	1			<u> </u>			_					-1-			Steps			
/ 4:22:20.324 PM // 4:23:57.826 PM /	15		-		ļ		-					-		-		-		Total - 20			
testing the fuctionalities of bank reconciliation	10		-				-					-		-		-		Pass - 20	П	20	
module	5	1	-		-	-	+-	-	-	-			-1 1	<u>+</u> -	- -		-	Skip - 0	N		7
@KUBS_TAX_UAT_004_001TC_001		- E-	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	Skip - 0			

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	22.847 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.807 s
	screenshot		
	10 - 10 - 10 - 10 - 10 - 10 - 10 - 10 -		
2	And user click bank recon module	PASSED	0.121 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot		

A file Step	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user click add icon in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.226 s pASSED 1.48 s		100 100		
screenshot And user click add icon in bank recon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AATER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.226 s PASSED 1.226 s	3	And user click eye icon in bank recon module	PASSED	0.815 s
And user click add icon in bank recon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And user select bank name in bank recon Module ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And user select bank name in bank recon Module ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AR		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	8.158 s
4 And user click add icon in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AND User select bank account Number in bank recon Module AND User select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.226 s PASSED 0.148 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.464 s 1.464 s		© 981000 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
screenshot And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user select bank account Number in bank recon Module And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.148 s	4	And user click add icon in bank recon	PASSED	0.504 s
And user select bank name in bank recon Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.226 s PASSED 0.148 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.464 s
5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.226 s PASSED 0.148 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.226 s PASSED 0.148 s		B CONTINUED TO SERVICE STATE OF THE PROPERTY O		
Screenshot 6 And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.148 s	5	And user select bank name in bank recon Module	PASSED	1.143 s
6 And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.148 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.230 s
6 And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.148 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.148 s		0 1 1 1 1 1 1 1 1		
	6	And user select bank account Number in bank recon Module	PASSED	1.226 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.148 s
		screenshot		


#	Step / Hook Details	Status	Duration
	** O STATE OF THE PARTY OF THE		
7	And user click bank recon from date and select the date	PASSED	2.305 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.279 s
	screenshot		
	*** O NOTATION OF THE PARTY OF		
8	And user click bank recon to date and select the date	PASSED	1.589 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot ### ################################	PASSED	0.320 s
9	And user click choose file and upload the bank statement	PASSED	0.277 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.244 s
	Screenshot ***The state of the state of th		
10	And user click save button in bank recon	PASSED	0.143 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.598 s
	screenshot		

#	Step / Hook Details	Status	Duration
	** O STATE OF THE PARTY OF THE		
11	And user click process button in bank recon	PASSED	3.772 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
	screenshot		
	The Control Agency Co		
12	And user click the unmatched data in bank recon process	PASSED	1.153 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Ten_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) *	PASSED	0.141 s
13	And user click matched data tab	PASSED	1.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.144 s
14	And user select bank reconcilation basis bank to book	PASSED	4.112 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.490 s
	screenshot		


And user unmatch the matched records in matched tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java. Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java. Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java. Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java. Scenario) PASSED 0.434 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java. Scenario) screenshot 4 PASSED 0.434 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber java. Scenario) screenshot	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 16 And user click the unmatched data in bank recon process AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 And user match the records in unmached tab fot textt file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.637 s 0.637 s		The Control of the Co		
screenshot 16 And user click the unmatched data in bank recon process AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.197 s 0.201 s 2.101 s 2	15	And user unmatch the matched records in matched tab	PASSED	0.384 s
16 And user click the unmatched data in bank recon process AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 17 And user match the records in unmached tab fot text file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s PASSED 0.191 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.637 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 And user match the records in unmached tab fot textt file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.201 s 0.201 s 0.201 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 17 And user match the records in unmached tab fot textt file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.201 s 0.201 s 0.201 s		The state of the s		
Screenshot 17 And user match the records in unmached tab fot textt file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s 0.191 s	16	And user click the unmatched data in bank recon process	PASSED	1.197 s
17 And user match the records in unmached tab fot textt file AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.434 s 0.191 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.201 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.191 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.191 s		WATER SQUARE TO AND		
	17	And user match the records in unmached tab fot textt file	PASSED	0.434 s
screenshot * * *******************************		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
0		screenshot		
Company Comp		The state of the s		
18 And user click matched data tab PASSED 1.139 s	18	And user click matched data tab	PASSED	1.139 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.143 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.143 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
19	Then user verify that Book entry will be matched with Bank entry and will be displayed in Matched Tab for text	PASSED	0.048 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
	The Continue of the Continue o		
20	Then user verify that Unmatched entry from Bank Side will not be displayed for text	PASSED	0.027 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.133 s
	Screenshot *** *** *** *** *** *** *** *** ***		


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --





EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --

