Cucumber Report

| Start : Mar 02, 11:27:50.360 PM	End : Mar 02, 11:28:59.532 PM	Duration : 1 m 9.172 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 10 FAILED - 1 SKIPPED - 7

| #	Feature Name	T	P	F	S	Duration
1	_Checking the Acount Receivable Updating deposited cheques functionality_	1	0	1	0	1 m 9.172 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Receivable Updating deposited cheques *	Bouncing of deposited cheques	18	10	1	7	1 m 9.169 s

(F)- Checking the Acount Receivable Updating deposited cheques functionality

FAILED	DURATION - 1 m 9.172 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Steps Total - 18 Pass - 10 Fail - 1 Skip - 7	18
/ 11:27:50.360 PM // 11:28:59.532 PM /					

(S)- Bouncing of deposited cheques

| FAILED	DURATION - 1 m 9.169 s		Steps	
/ 11:27:50.363 PM // 11:28:59.532 PM /			Total - 18	
Checking the Acount Receivable Updating deposited cheques functionality			Pass - 10	18
@MultiAuth @KUBS_AR/AP_UAT_010_003_TC_01			Fail - 1 Skip - 7	

#	Step / Hook Details	Status	Duration
1	Given Maker Navigate to UAT URL login	PASSED	8.905 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.309 s
	screenshot		
2	Then Click on Direction icon	PASSED	2.313 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click on Account Recivable button	PASSED	0.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		
4	Then Click on Update cheque status Note icon	PASSED	0.299 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		
5	Then Select the Record	PASSED	0.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.265 s
	screenshot		
6	Then Select Cheque Status Bounced	PASSED	0.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Add Bank Charges	PASSED	0.190 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
	screenshot		
8	Then Select the bounced reason	PASSED	0.343 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot		
9	Then Click on save button to save the Record for Account Recivable	PASSED	2.106 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.086 s
	screenshot		
10	Then Click on Account Payable Notification	PASSED	0.130 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		

| #	Step / Hook Details	Status	Duration
11	Then Select the record from Notification	FAILED	45.996 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4b98c69673d01fced3fd253a5126c51b, isElementDisplayed {id=0c3135d5-fa6f-4ada-9de6-39b3ae6be9cb}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L. ..}, goog:chromeOptions: {debuggerAddress: localhost:53242}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53242/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (4b98c69673d01fced3fd253a5126c51b)] -> xpath: //span[contains(text(),'59')]] Session ID: 4b98c69673d01fced3fd253a5126c51b
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.isDisplayed(RemoteWebElement.java:307)
	    at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)
	    at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)
	    at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)
	    at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)
	    at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:660)
	    at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656)
	    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)
	    at helper.WaitHelper.waitForElement(WaitHelper.java:79)
	    at stepdefinitions.AccountPayable_VendorPurchaseOrder.select_the_record_from_notification(AccountPayable_VendorPurchaseOrder. java:221)
	    at ?.Select the record from Notification(file:///C:/Users/inindc00089/git/repository/Priyanka_AzentioAutomationFramework/src/test/java/		

#	Step / Hook Details	Status	Duration
	features/AccountReceivable_UpdateDepositedCheque.feature:16) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	FAILED	4.012 s

	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4b98c69673d01fced3fd253a5126c51b, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53242}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53242/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4b98c69673d01fced3fd253a5126c51b
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)
	  at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)
	  at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)		

12	And Submit the Selected record	SKIPPED	0.000 s
13	Then log in to the reviewer account	SKIPPED	0.000 s
14	Then click on the Notification select the record and Approve	SKIPPED	0.000 s
15	Then log in to the Checker Account	SKIPPED	0.000 s
16	And then checker claim the record	SKIPPED	0.000 s
17	Then click on the checker Notification	SKIPPED	0.001 s
18	And select the record and Approve by checker	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.245 s
	org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP016372', ip: '10.1.47.119', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [4b98c69673d01fced3fd253a5126c51b, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53242},		

#	Step / Hook Details	Status	Duration

	javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53242/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 4b98c69673d01fced3fd253a5126c51b
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)
	  at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)
	  at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Acount Receivable
Updating deposited cheques functionality

| | Kastle Universal Banking (Beta) | | 19-Oct-2022 | English ▾ | Azentio Software ▾ | (AZENTMAIN) | ANANT |

Finance

| Configuration | | | ◉ |
| Finance | | | ○ |

Welcome, anant

22 Appro... ✕   11 Messa... ✕   Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Acount Receivable
Updating deposited cheques functionality

| | Kastle Universal Banking (Beta) | | 19-Oct-2022 | English ▾ | Azentio Software ▾ | (AZENTMAIN) | ANANT |

Finance

General ledger transaction

Budget

Accounts payable

Adjustments (AR and AP)

Accounts receivable

Fixed assets

Inventory management

Petty cash

Bank recon

Welcome, anant

22 Appro... ✕   11 Messa... ✕   Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Acount Receivable
Updating deposited cheques functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Acount Receivable
Updating deposited cheques functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Acount Receivable Updating deposited cheques functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Acount Receivable Updating deposited cheques functionality

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Acount Receivable Updating deposited cheques functionality

| Kastle Universal Banking (Beta) | 19-Oct-2022 | English | Azentio Software | (AZENTMAIN) | ANANT |

Update Deposited Cheque

Entity Branch
Azentio Main Branch

Deposit Slip Number
DEP-RR159951-20220303

Pay In Slip Date
03-Mar-2022

Cheque Number
RR159951

Amount
100.00 INR

Cheque Status
Bounced

Bank Charges *
50

Bounced Reason

Payer
ANANT

Status
ACTIVE

Remarks *
OK

Accounts receivable (Advances)
Receipts
Receipts reversals
Cheque deposit
Update cheque status
Appropriation
Appropriation reversals
Fixed assets
Inventory management
Petty cash
Bank recon

22 Appro... | 11 Messa...

Home | Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Acount Receivable Updating deposited cheques functionality

| Kastle Universal Banking (Beta) | 19-Oct-2022 | English | Azentio Software | (AZENTMAIN) | ANANT |

Update Deposited Cheque

Entity Branch
Azentio Main Branch

Deposit Slip Number
DEP-RR159951-20220303

Pay In Slip Date
03-Mar-2022

Cheque Number
RR159951

Amount
100.00 INR

Cheque Status
Bounced

Bank Charges *
50

Bounced Reason
Insufficient Balance

Payer
ANANT

Status
ACTIVE

Remarks *
OK

Accounts receivable (Advances)
Receipts
Receipts reversals
Cheque deposit
Update cheque status
Appropriation
Appropriation reversals
Fixed assets
Inventory management
Petty cash
Bank recon

22 Appro... | 11 Messa...

Home | Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Acount Receivable
Updating deposited cheques functionality

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Acount Receivable
Updating deposited cheques functionality