


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	testing the fuctionalities of bank reconciliation module	1	1	0	0	1 m 42.332 s



#	Feature Name	Scenario Name		P	F	S	Duration
1	testing the fuctionalities of bank	Check post re-processing bank statement, there is no	19	19	0	0	1 m 42.328 s
	reconciliation module	impact on manually matched entries.					

DETAILED SECTION

(F)- testing the fuctionalities of bank reconciliation module

PASSED	DURATION - 1 m 42.332 s	Scenarios		Steps	
		Total - 1		Total - 19	
/ 2:46:36.919 PM	1 // 2:48:19.251 PM /	Pass - 1	1	Pass - 19	19
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Check post re-processing bank statement, there is no impact on manually matched entries.

PASSED DURATION - 1 m 42.328 s					-				-									Steps			
/ 2:46:36.923 PM // 2:48:19.251 PM /	40	╂	-		-		-	-		- -				-	- -		-	Total - 19			
testing the fuctionalities of bank reconciliation	20	-	-	¦	- ¦				÷-	-								Pass - 19		19	
module	0		L	<u>.</u>		-	-		_		-	-	_		-		-	Skip - 0	N		
@KUBS_TAX_UAT_004_001TC_002			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given user log in to Azentio for bank recon	PASSED	56.023 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	6.569 s
	screenshot		
	The Otto Space - State Space -		
2	And user click bank recon module	PASSED	0.084 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		

After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) And user click eye icon in bank recon module And user click add icon in bank recon After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) And user select bank name in bank recon Module After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) After Step - stepdefinitions. Hooks Class. add Screenshot (io.cuc	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And user click add icon in bank recon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AND User select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.264 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s		10		
screenshot 4 And user click add icon in bank recon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Creenshot AGTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.304 s PASSED 0.464 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s	3	And user click eye icon in bank recon module	PASSED	0.478 s
And user click add icon in bank recon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.264 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.693 s
4 And user click add icon in bank recon AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot 5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) APASSED APAS		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) D. 1.264 s PASSED D. 1.264 s		1		
screenshot And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And user select bank account Number in bank recon Module And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.264 s PASSED 0.199 s	4	And user click add icon in bank recon	PASSED	0.304 s
5 And user select bank name in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.264 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s			PASSED	0.669 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.264 s PASSED 0.298 s		** O final international to the control of the cont	-	
Screenshot 6 And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s	5	And user select bank name in bank recon Module	PASSED	0.254 s
6 And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.298 s
6 And user select bank account Number in bank recon Module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.199 s		0 1 1 1 1 1 1 1 1 1		
	6	And user select bank account Number in bank recon Module	PASSED	1.264 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	** On the Control of		
7	And user click bank recon from date and select the date	PASSED	1.746 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.470 s
	screenshot		
	10 10 10 10 10 10 10 10		
8	And user click bank recon to date and select the date	PASSED	1.435 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		
	To the final formation of the final		
9	And user click choose file and upload the bank statement	PASSED	0.277 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.263 s
	screenshot		
	** ** ********************************		
10	And user click save button in bank recon	PASSED	0.125 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot		


If \$ Not The Spain Association of the Spain As	
And user click process button in bank recon PASSED 3.845	15 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.270	70 s
screenshot	
** ** ** ** ** ** ** ** ** ** ** ** **	
12 And user unmatch the matched record in bank recon text format 0.665	65 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.253	53 s
screenshot	
To Continue to the continue to	
13 And user click the unmatched data in bank recon process 0.204)4 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.688	88 s
screenshot	
14 And user match record in unmatched tab for text format 0.386	36 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.211	l1s
screenshot	

15 And user click bank recon temp view AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The step of the
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.394 s
screenshot * *** **
© continued to the co
O married No. No. <t< td=""></t<>
16 And user click first record in bank recon temp view 0.105 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.476 s
screenshot
Q
17 And user click process button again for reprocessing 0.175 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.313 s
screenshot
18 And user click matched data tab PASSED 0.177 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.237 s
screenshot


DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	To the second se		
19	And user verify that Check post re processing bank statement there is no impact on manually matched entries	PASSED	0.094 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
	screenshot		
	# Operation Part Pa		


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --




EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --




EXPANDED SECTION -- 14 --




EXPANDED SECTION -- 15 --




EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --



EXPANDED SECTION -- 19 --

