

FEATURES SUMMARY -- 2 --



#	#	Feature Name	T	P	F	S	Duration	
2	1	To check BudgetDefinition moduel feature	1	0	1	0	18.547 s	




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To verify maker can able to create budget code	16	9	1	6	18.542 s
	<u>feature</u>						

DETAILED SECTION -- 4 --

(F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 18.547 s	Scenarios		Steps	
		Total - 1		Total - 16	
/ 12:22:26.762 P	PM // 12:22:45.309 PM /	Pass - 0	1	Pass - 9	16
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	

(S)- To verify maker can able to create budget code




#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.187 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.435 s
	screenshot		
	© Continue Process (Continue Continue		
2	Then click on budget configuration Menu	PASSED	0.156 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.229 s
	screenshot		

#	Step / Hook Details	Status	Duration
© Control Foundation © Thermalism © Control Foundation © Control © Contro			
3 And c	click on budget definition sub menu and click on eye icon	PASSED	0.155 s
AFTE	ER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.450 s
screei	enshot		
4 And c	click on add icon	PASSED	0.163 s
SCIECI	Fig. 20 Supplement Section 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	PASSED	0.286 s
5 Then	n enter budget code	PASSED	0.157 s
	"Special lists	PASSED	0.147 s
6 And 6	enter budget type	PASSED	0.271 s
	ER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
scree	enshot	1	


#	Step / Hook Details	Status	Duration
	Printed type: Section 2 1 10 10 10 10 10 10 10 10 10 10 10 10 1		
7	And enter warning percentage	PASSED	0.089 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.202 s
	screenshot		
	Page 10 type: Unables: METHOD		
8	And enter budget name	PASSED	0.083 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	Screenshot **********************************		
9	Then give remark	PASSED	0.090 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Total Control	PASSED	0.133 s
10	Then click on save button	FAILED	2.100 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [514dc8f3ebf73bfa8b8fe9589a906b43, executeScript {script=return document.querySelector('ion-toast[id=ion-overlay-49]').shadowRoot.querySelector('div[class=toast-message]'), args=[]}] Capabilities {acceptInsecureCerts: false, browserName: chrome,		

#	Step / Hook Details	Status	Duration
#	browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:62775}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:62775/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 514dc8f3ebf73bfa8b8fe9589a906b43 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:139)	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.executeScript(RemoteWebDriver.java:481)		
	at helper.JavascriptHelper.executeScript(JavascriptHelper.java:21)		
	at stepdefinitions.BUDGET_BudgetCreation.click_on_save_button(BUDGET_BudgetCreation.java:214) at ?.click on save button(file:///C:/Users/inindc00076/git/AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/		
	KUBS_BudgetDefinition.feature:14)		
	* Not displayable characters are replaced by '?'.	DACCED	0.101 -
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.121 s
	screenshot		
	The control of the		
11	Then Click on notification icon	SKIPPED	0.000 s
12	And select the first record	SKIPPED	0.000 s
13	Then click on submit button	SKIPPED	0.000 s
14	And enter remark in alert tab	SKIPPED	0.001 s
15	And click on submit	SKIPPED	0.000 s
16	When click on submit button save the reviewer id	SKIPPED	0.000 s


EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --

