Cucumber Report

Start : Jan 09, 9:00:32.789 PM	End : Jan 09, 9:01:10.551 PM	Duration : 37.762 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 1 SKIPPED - 5

#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	0	1	0	37.762 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify status for the receipt is auto changed to Deposit	9	3	1	5	37.756 s

(F)- AR/AP Module

FAILED	DURATION - 37.762 s	Scenarios		Steps	
/ 9:00:32.789 PM // 9:01:10.551 PM /		Total - 1		Total - 9	
		Pass - 0	1	Pass - 3	9
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 5	

(S)- Verify status for the receipt is auto changed to Deposit

FAILED	DURATION - 37.756 s		Steps
/ 9:00:32.795 PM // 9:01:10.551 PM /			Total - 9
AR/AP Module			Pass - 3
@AR/AP			Fail - 1
@KUBS_AR_AP_UAT_010_002_TC_02_01			Skip - 5

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	27.507 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.955 s
	screenshot		
2	Then select data set ID for verify status of the receipt is auto changed to deposit	PASSED	0.191 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And goto accouts Receivable module	PASSED	2.368 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		
4	And goto accouts receipt module	FAILED	1.010 s

	java.lang.NullPointerException: Cannot invoke "org.openqa.selenium.JavascriptExecutor.executeScript(String, Object[])" because "exe" is null
	    at helper.JavascriptHelper.executeScript(JavascriptHelper.java:27)
	    at helper.JavascriptHelper.scrollIntoView(JavascriptHelper.java:49)
	    at stepdefinitions.ARAP_ClearingReceiptViaChequeMode.goto_accouts_receipt_module(ARAP_ClearingReceiptViaChequeMode.java:108)
	    at ?.goto accouts receipt module(file:///C:/Users/ININDC00091/git/AzentioAutomationFramework/DeveshFW_Excel/ARAP_AzentioAutomationFramework_Excel/src/test/java/features/ArAp_2_Excel.feature:1054)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
	screenshot		
5	And click on Add Icon	SKIPPED	0.001 s
6	And fill the all receipt mendatory details	SKIPPED	0.000 s
7	And save the receipt record	SKIPPED	0.001 s
8	Then Click on Update Deposited Cheque Notification	SKIPPED	0.001 s
9	And Select and Submit the Update Deposited Cheque record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify status for the receipt is auto changed to Deposit

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Verify status for the receipt is auto changed to Deposit

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Verify status for the receipt is auto changed to Deposit

(F) AR/AP Module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cumber.
java.Scenario)

(S) Verify status for the receipt is auto changed to Deposit

(F) AR/AP Module