# Cucumber Report

| Start : Mar 22, 2:52:34.420 pm | End : Mar 22, 2:53:27.807 pm | Duration : 53.387 s |
| --- | --- | --- |
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 14<br>FAILED - 1<br>SKIPPED - 16 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | Check The Azentio UAT Budget Request and Allocation functionaliy | 1 | 0 | 1 | 0 | 53.387 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | Check The Azentio UAT Budget Request and Allocation functionaliy | Modificatin of the budget before HO approval | 31 | 14 | 1 | 16 | 53.380 s |

## (F)- Check The Azentio UAT Budget Request and Allocation functionaliy

| FAILED | DURATION - 53.387 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 2:52:34.420 pm // 2:53:27.807 pm / | | Total - 1 Pass - 0 Fail - 1 Skip - 0 | 1 | Total - 31 Pass - 14 Fail - 1 Skip - 16 | 31 |

## (S)- Modificatin of the budget before HO approval

| FAILED | DURATION - 53.380 s | | Steps | |
|---|---|---|---|---|
| / 2:52:34.427 pm // 2:53:27.807 pm / | | | Total - 31 | |
| Check The Azentio UAT Budget Request and Allocation functionaliy | | | Pass - 14 Fail - 1 | 31 |
| @KUBS_UAT_KUBS_BP_UAT_003_001 | | | Skip - 16 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given Navigate to the Azentio Url | PASSED | 13.104 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.181 s |
| | screenshot | | |
| | | | |
| 2 | Then click the Two Direction Icon | PASSED | 0.342 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.182 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | And click to the Budget | PASSED | 1.127 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.119 s |
| | screenshot | | |
| |  | | |
| 4 | Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon | PASSED | 0.367 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.235 s |
| | screenshot | | |
| |  | | |
| 5 | And click on the Add icon in Request and Allocation | PASSED | 0.277 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.267 s |
| | screenshot | | |
| |  | | |
| 6 | Then Current Budget Code | PASSED | 0.327 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.181 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | And select the Budget Year | PASSED | 0.268 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.273 s |
| | screenshot | | |
| |  | | |
| 8 | Then click on the Branch | PASSED | 0.159 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.318 s |
| | screenshot | | |
| |  | | |
| 9 | And Select Branch checkbox | PASSED | 0.118 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.170 s |
| | screenshot | | |
| |  | | |
| 10 | Then click on the Branch ok button | PASSED | 0.231 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.257 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
|  |  |  |  |
| 11 | Then select one currency we need | PASSED | 0.195 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.161 s |
|  | screenshot<br> |  |  |
| 12 | And Budget Amount for Budget Type Show in Budget type field | PASSED | 0.554 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.168 s |
|  | screenshot<br> |  |  |
| 13 | And click on the save button | PASSED | 2.118 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.120 s |
|  | screenshot<br> |  |  |
| 14 | Then click on the Maker icon button | PASSED | 0.938 s |
|  | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.307 s |
|  | screenshot |  |  |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 15 | And Change the Amount Before Approval | FAILED | 13.648 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable   (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a44ee2a63ebc53a94d093fdd8badf0b7, findElement {using=xpath, value=//datatable-body-cell[2]/div/app-kub-currency[@id='1']/input}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:65147}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65147/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a44ee2a63ebc53a94d093fdd8badf0b7<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>    at org.openqa.selenium.remote.ElementLocation$ElementFinder$2.findElement(ElementLocation.java:162)<br>    at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)<br>    at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)<br>    at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)<br>    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)<br>    at jdk.proxy2/jdk.proxy2.$Proxy46.isDisplayed(Unknown Source)<br>    at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)<br>    at org.openqa.selenium.support.ui.ExpectedConditions.access$000(ExpectedConditions.java:40)<br>    at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:293)<br>    at org.openqa.selenium.support.ui.ExpectedConditions$10.apply(ExpectedConditions.java:290)<br>    at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:660)<br>    at org.openqa.selenium.support.ui.ExpectedConditions$23.apply(ExpectedConditions.java:656)<br>    at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | at helper.WaitHelper.waitForElement(WaitHelper.java:79)<br>at stepdefinitions.Budget_BudgetRequestandAllocation_UAT.<br>change_the_amount_before_approval(Budget_BudgetRequestandAllocation_UAT.java:918)<br>at ?.Change the Amount Before Approval(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/BUDGET_BudgetRequestandAllocation_UAT.feature:185)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | FAILED | 12.166 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable   (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a44ee2a63ebc53a94d093fdd8badf0b7, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:65147}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65147/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a44ee2a63ebc53a94d093fdd8badf0b7<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)<br>at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347)<br>at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) | | |
| 16 | And click on the save button | SKIPPED | 0.000 s |
| 17 | Then click on the Maker icon button | SKIPPED | 0.001 s |
| 18 | And click on the Record submit | SKIPPED | 0.000 s |
| 19 | Given Azentio Url login as Reviewer | SKIPPED | 0.000 s |
| 20 | Then Click on Reviewer Notification icon | SKIPPED | 0.000 s |
| 21 | And Click on to Reviewer Action button | SKIPPED | 0.002 s |
| 22 | Then Click on to Approve button in Reviewer | SKIPPED | 0.001 s |
| 23 | And Submit the record in reviewer | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 24 | Given Azentio Url login as checker page | SKIPPED | 0.000 s |
| 25 | Then click on the security management | SKIPPED | 0.000 s |
| 26 | And Click on the sub module open pool near Edit icon | SKIPPED | 0.000 s |
| 27 | Then Click the claim option icon | SKIPPED | 0.000 s |
| 28 | And Click on the checker notification icon | SKIPPED | 0.000 s |
| 29 | Then click the checker action icon | SKIPPED | 0.000 s |
| 30 | And Approve the Record in checker | SKIPPED | 0.001 s |
| 31 | Then Submit the Record in checker | SKIPPED | 0.000 s |
| | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) | FAILED | 0.265 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable   (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a44ee2a63ebc53a94d093fdd8badf0b7, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:65147}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65147/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: a44ee2a63ebc53a94d093fdd8badf0b7<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)<br>    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)<br>    at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)<br>    at stepdefinitions.HooksClass.TearDown(HooksClass.java:52) | | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Modificatin of the budget before HO approval | |
| (F) Check The Azentio UAT Budget Request and Allocation functionaliy | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Modificatin of the budget before HO approval | |
| (F) Check The Azentio UAT Budget Request and Allocation functionaliy | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modificatin of the budget before HO approval

(F) Check The Azentio UAT Budget Request and Allocation functionaliy



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Modificatin of the budget before HO approval

(F) Check The Azentio UAT Budget Request and Allocation functionaliy



| Actions | | Budget Code | Budget Name | Budget Year | Budget Type | Total Budget Amount | Status |
|---|---|---|---|---|---|---|---|
| 👁 | ✏ | BUD_01 | Monthly_Petrol | 2022-2023 | MONTHLY | 6000000 | Active |
| 👁 | ✏ | BUD002 | Stationary budget | 2022-2023 | QUARTERLY | 50002550 | Active |
| 👁 | ✏ | BUDG0055 | Capital Budgets | 2022-2023 | YEARLY | 500000 | Active |
| 👁 | ✏ | 123132 | ASDFG | 2022-2023 | HALFYEARLY | 100000000 | Active |
| 👁 | ✏ | BDG0029 | Advertisement | 2022-2023 | YEARLY | 1000000 | Active |
| 👁 | ✏ | EXP-NEW01 | EXPNEW01 | 2022-2023 | YEARLY | 20000 | Active |
| 👁 | ✏ | BUD003 | yearly stationary budget | 2022-2023 | YEARLY | 50000 | Active |
| 👁 | ✏ | BC0011 | Head Office And Branch R | 2023-2024 | YEARLY | 1000000 | Active |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Modificatin of the budget before HO approval

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) Modificatin of the budget before HO approval

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Modificatin of the budget before HO approval

(F) Check The Azentio UAT Budget Request and Allocation functionaliy



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Modificatin of the budget before HO approval

(F) Check The Azentio UAT Budget Request and Allocation functionaliy

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Modificatin of the budget before HO approval | |
| (F) Check The Azentio UAT Budget Request and Allocation functionaliy | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) Modificatin of the budget before HO approval | |
| (F) Check The Azentio UAT Budget Request and Allocation functionaliy | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)<br><br>(S) Modificatin of the budget before HO approval<br><br>(F) Check The Azentio UAT Budget Request and Allocation functionaliy |  |
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)<br><br>(S) Modificatin of the budget before HO approval<br><br>(F) Check The Azentio UAT Budget Request and Allocation functionaliy |  |

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Modificatin of the budget before HO approval

(F) Check The Azentio UAT Budget Request and Allocation functionaliy



(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Modificatin of the budget before HO approval

(F) Check The Azentio UAT Budget Request and Allocation functionaliy