


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Acount Receivable Updating deposited cheques functionality	1	0	1	0	2.649 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Acount Receivable	Bouncing of deposited cheques	8	0	1	7	2.645 s
	Updating deposited cheques *						

<sup>\*</sup> The feature name and/or scenario name has been cropped to fit in the available space.

DETAILED SECTION

## (F)- Checking the Acount Receivable Updating deposited cheques functionality

FAILED	DURATION - 2.649 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 10:29:17.358 A	M // 10:29:20.007 AM /	Pass - 0	1	Pass - 0	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

## **(S)-** Bouncing of deposited cheques

FAILED DURATION - 2.645 s	0.15	1			-						Steps		
/ 10:29:17.362 AM // 10:29:20.007 AM /	0.1		<u>.</u>	-!	i	. <u>.</u>		ļ			Total - 8		
Checking the Acount Receivable Updating deposited cheques functionality	.05	-					-				Pass - 0 Fail - 1	8	
@MultiAuth @KUBS_AR/AP_UAT_010_003_TC_01	0		1	2	3	4	5	6	7	8	Skip - 7		

Step / Hook Details	Status	Duration
Given Maker Navigate to UAT URL login	FAILED	0.014 s
Given Maker Navigate to UAT URL login  java.lang.RuntimeException: Json file not found at path: src/main/java/jsonData/AccountReceivable_UpdateDepositedCheque.json at dataProvider.JsonConfig.getUpdateDepositedChequeListData(JsonConfig.java:516) at dataProvider.JsonConfig. UpdateDepositedCheque.json at dataProvider.JsonConfig.java:153) at stepdefinitions.InventoryMaintenance. UpdateDepositedCheque.json at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.newInstance(AbstractInjector.java:342) at org.picocontainer.injectors.ConstructorInjector\$1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.AbstractInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91) at org.picocontainer.DefaultPicoContainer.getInstance(DefaultPicoContainer.java:699)	FAILED	0.014 s
	Given Maker Navigate to UAT URL login  java.lang.RuntimeException: Json file not found at path: src/main/java/jsonData/AccountReceivable_UpdateDepositedCheque.json at dataProvider.JsonConfig.getUpdateDepositedChequeListData(JsonConfig.java:516) at dataProvider.JsonConfig.sinit>(JsonConfig.java:153) at stepdefinitions.InventoryMaintenance. <init>(InventoryMaintenance.java:36) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.picocontainer.injectors.AbstractInjector.sunce(AbstractInjector.java:342) at org.picocontainer.injectors.ConstructorInjector\$ThreadLocalCyclicDependencyGuard.observe(AbstractInjector.java:270) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjector.petComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)</init>	Given Maker Navigate to UAT URL login  java.lang.RuntimeException: Json file not found at path: src/main/java/jsonData/AccountReceivable_UpdateDepositedCheque.json at dataProvider.JsonConfig.getUpdateDepositedChequeListData(JsonConfig.java:516) at dataProvider.JsonConfig.setUpdateDepositedChequeListData(JsonConfig.java:516) at dataProvider.JsonConfig.sinit>(JsonConfig.java:153) at stepdefinitions.InventoryMaintenance.sinit>(InventoryMaintenance.java:36) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Onstructor.java:480) at org.picocontainer.injectors.AbstractInjectors1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.ConstructorInjectors1.run(ConstructorInjector.java:342) at org.picocontainer.injectors.ConstructorInjector.getComponentInstance(ConstructorInjector.java:364) at org.picocontainer.injectors.AbstractInjectionFactorySLifecycleAdapter.getComponentInstance(AbstractInjectionFactory.java:56) at org.picocontainer.injectors.AbstractBehavior.getComponentInstance(AbstractBehavior.java:64) at org.picocontainer.behaviors.Stored.getComponentInstance(Stored.java:91)

#	Step / Hook Details	Status	Duration
	at org.picocontainer.DefaultPicoContainer.getComponent(DefaultPicoContainer.java:678)		
	at io.cucumber.picocontainer.PicoFactory.getInstance(PicoFactory.java:49)		
	at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47)		
	at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29)		
	at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66)		
	at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63)		
	at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10)		
	at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:92)		
	at io.cucumber.core.runner.TestStep.run(TestStep.java:64)		
	at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51)		
	at io.cucumber.core.runner.TestCase.run(TestCase.java:104)		
	at io.cucumber.core.runner.Runner.runPickle(Runner.java:71)		
	at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$0(TestNGCucumberRunner.java:116)		
	at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:117)		
	at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:113)		
	at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:31)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)		
	at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)		
	at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)		
	at java.base/java.lang.reflect.Method.invoke(Method.java:568)		
	at org.testng.internal.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:133)		
	at org.testng.internal.TestInvoker.invokeMethod(TestInvoker.java:598)		
	at org.testng.internal.TestInvoker.invokeTestMethod(TestInvoker.java:173)		
	at org.testng.internal.MethodRunner.runInSequence(MethodRunner.java:46)		
	at org.testng.internal.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:824)		
	at org.testng.internal.TestInvoker.invokeTestMethods(TestInvoker.java:146)		
	at org.testng.internal.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146)		
	at org.testng.internal.TestMethodWorker.run(TestMethodWorker.java:128)		
	at java.base/java.util.ArrayList.forEach(ArrayList.java:1511)		
	at org.testng.TestRunner.privateRun(TestRunner.java:794)		
	at org.testng.TestRunner.run(TestRunner.java:596)		
	at org.testng.SuiteRunner.runTest(SuiteRunner.java:377)		
	at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:371)		
	at org.testng.SuiteRunner.privateRun(SuiteRunner.java:332)		
	at org.testng.SuiteRunner.run(SuiteRunner.java:276)		
	at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:53)		
	at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:96)		
	at org.testng.TestNG.runSuitesSequentially(TestNG.java:1212)		
	at org.testng.TestNG.runSuitesLocally(TestNG.java:1134)		
	at org.testng.TestNG.runSuites(TestNG.java:1063)		
	at org.testng.TestNG.run(TestNG.java:1031)		
	at org.testng.remote.AbstractRemoteTestNG.run(AbstractRemoteTestNG.java:115)		

DETAILED SECTION -- 6 --

#	Step / Hook Details	Status	Duration
	at org.testng.remote.RemoteTestNG.initAndRun(RemoteTestNG.java:251) at org.testng.remote.RemoteTestNG.main(RemoteTestNG.java:77)		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.293 s
	screenshot		
	+		
2	Then Click on Direction icon	SKIPPED	0.001 s
3	Then Click on Account Recivable button	SKIPPED	0.000 s
4	Then Click on Update cheque status Note icon	SKIPPED	0.000 s
5	Then Select the Record	SKIPPED	0.000 s
6	Then Select Cheque Status Bounced	SKIPPED	0.000 s
7	Then Add Bank Charges	SKIPPED	0.000 s
8	Then Select the bounced reason	SKIPPED	0.000 s

EXPANDED SECTION -- 7 -

(Step) AFTER\_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Bouncing of deposited cheques

(F) Checking the Acount Receivable
Updating deposited cheques functionality