


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget functionality	1	0	1	0	20.450 s

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget	User should be able to raise supplementary request for	8	6	1	1	20.447 s
	functionality	Monthly budget					

DETAILED SECTION -- 4 --

(F)- Checking the Supplementary Budget functionality

FAILED	DURATION - 20.450 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 12:44:06.330 A	M // 12:44:26.780 AM /	Pass - 0	1	Pass - 6	8
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- User should be able to raise supplementary request for Monthly budget



#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials	PASSED	9.070 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.249 s
	screenshot		
	# * * * * * * * * * * * * * * * * * * *		
2	And maker should navigate to the budget module	PASSED	0.300 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.216 s
	screenshot		


3 And maker click on budget field PASSED 0.100 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 When maker click on budget supplementary eye icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.158 s O.108 s	#
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.135 s 0.135 s 0.135 s	
Screenshot 4 When maker click on budget supplementary eye icon AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io.cucumber.java. Scenario) screenshot PASSED 0.158 s PASSED 0.108 s	3
4 When maker click on budget supplementary eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.158 s PASSED 0.108 s	
4 When maker click on budget supplementary eye icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.158 s 0.108 s	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.108 s	
screenshot	4
# O C C C C C C C C C C C C C C C C C C	
5 And click on add button on budget supplementary view page 2.189 s	5
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.174 s	
screenshot	
6 Then fill required data PASSED 1.149 s	6
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.126 s	
screenshot	


#	Step / Hook Details	Status	Duration
7	Then fill apportion amount	FAILED	4.462 s
	org.openqa.selenium.JavascriptException: javascript error: Cannot read properties of null (reading 'shadowRoot') (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INIMU/ADP016372', jp: '10.1.47.119', os. name: Windows 10', os. arch': 'amd64', os.version: '10.0', java-version: '17.0.1' Driver info: nog.openqa.selenium.chrome.ChromeDriver Command: [83fa6dcbf6427425ede42c5353e5f2b0, executeScript [script=return document.querySelector("ion-toast").shadowRoot. querySelector("div(class="toast-message")").innerText, args=[]] Capabilities (acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45, (f6e4cbbbe4, userPatalDir: C:UvserSiNINDC=14ppDatalL}, goog:chromeOptions: {debuggerAddress: localhost.62640}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost.62640/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileinteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 83fa6dcbf6427425ede42c5353e5f2b0 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at org.openqa.selenium.remote.codec.w3c.w3CHttpResponseCodec.decode(w3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.eodec.w3c.w3CHttpResponseCodec.decode(w3CHttpResponseCodec.ja		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.081 s
	screenshot		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	## 10 Page Pag		
8	Then validate maker can save request for the monthly budget	SKIPPED	0.000 s

EXPANDED SECTION -- 8 --





EXPANDED SECTION -- 10 --

