Cucumber Report

Start : Feb 15, 2:52:23.609 pm	End : Feb 15, 2:52:41.091 pm	Duration : 17.482 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 3 FAILED - 1 SKIPPED - 32

#	Feature Name	T	P	F	S	Duration
1	Check the functionality of Asset Revaluation	1	0	1	0	17.482 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the functionality of Asset Revaluation	Alter the Value of an existing asset (de-allocation)	36	3	1	32	17.476 s

(F)- Check the functionality of Asset Revaluation

FAILED	DURATION - 17.482 s	Scenarios		Steps	
		Total - 1		Total - 36	
/ 2:52:23.609 pm // 2:52:41.091 pm /		Pass - 0	1	Pass - 3	36
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 32	

(S)- Alter the Value of an existing asset (de-allocation)

FAILED	DURATION - 17.476 s		Steps	
			Total - 36	
/ 2:52:23.615 pm // 2:52:41.091 pm /			Pass - 3	36
Check the functionality of Asset Revaluation			Fail - 1	
@KUBS_FAT_UAT_012_002			Skip - 32	

#	Step / Hook Details	Status	Duration
1	Given Navigate the Maker Url	PASSED	11.651 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
2	Then Choose Second Segmant Icon	PASSED	0.335 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		

| #	Step / Hook Details	Status	Duration
3	And fixed Asset Module	PASSED	0.110 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		
4	Then Asset deallocation submodule Eye Icon	FAILED	1.126 s

	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button routerlinkactive="active" color="medium" class="menuicons ion-color ion-color-medium md button button-small button-clear ion-activatable ion-focusable hydrated" ng-reflect-color="medium" tabindex="0" ng-reflect-router-link-active="active" ng-reflect-router-direction="root" ng-reflect-router-link="/tabs/list/datagrid-view/120" ng-reflect-query-params="[object Object]">...</ion-button> is not clickable at point (195, 730). Other element would receive the click: <ion-item _ngcontent-mne-c278="" style="height: 56px;" class="item md ion-focusable hydrated item-label">...</ion-item> (Session info: chrome=98.0.4758.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [92afbaa5be222b0c2e7cd16b5f3f5ea8, clickElement {id=044d520a-ffbd-40ce-b0e5-684951ecf14c}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 98.0.4758.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:59541}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:59541/devtoo..., se:cdpVersion: 98.0.4758.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (92afbaa5be222b0c2e7cd16b5f3f5ea8)] -> xpath: //ion-button[@ng-reflect-router-link='/tabs/list/datagrid-view/120']] Session ID: 92afbaa5be222b0c2e7cd16b5f3f5ea8
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.FIXEDASSET_AssetRevaluvation.asset_deallocation_submodule_eye_icon(FIXEDASSET_AssetRevaluvation.java:342) at ?.Asset deallocation submodule Eye Icon(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/FIXEDASSET_AssetRevaluation.feature:46) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.120 s
5	And Click Table first Eye Icon	SKIPPED	0.001 s
6	Then Get the Referance No of Deallocation	SKIPPED	0.000 s
7	Then Asset Revaluvation submodule Eye Icon	SKIPPED	0.000 s
8	And Add Icon button	SKIPPED	0.000 s
9	Then Give Asset Deallocation Referance Number	SKIPPED	0.000 s
10	And Select Asset Item Number	SKIPPED	0.000 s
11	Then Alter the Book Value	SKIPPED	0.001 s
12	Then save the Revaluation record	SKIPPED	0.000 s
13	And Go to Maker Notification	SKIPPED	0.001 s
14	Then Select the first Action icon	SKIPPED	0.000 s
15	And Submit Record in maker	SKIPPED	0.001 s
16	Then Give Remark and Submit it	SKIPPED	0.000 s
17	Given Launch Azentio Reviewer Url	SKIPPED	0.000 s
18	And Reviewer Notification icon	SKIPPED	0.000 s
19	Then submitted record from maker	SKIPPED	0.000 s
20	And Approve icon from Reviewer End	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
21	Then Enter remark and submit Record	SKIPPED	0.000 s
22	Given Launch Azentio Checker Url	SKIPPED	0.000 s
23	Then Click the Security management	SKIPPED	0.001 s
24	And Click the open pool Note icon	SKIPPED	0.000 s
25	Then Claim the record from Checker	SKIPPED	0.000 s
26	And Checker Notification icon	SKIPPED	0.000 s
27	Then Action Icon from claimed record	SKIPPED	0.000 s
28	And Press Approve icon	SKIPPED	0.000 s
29	Then Submit Record from Checker	SKIPPED	0.000 s
30	Given Navigate the Maker Url	SKIPPED	0.000 s
31	Then Choose Second Segmant Icon	SKIPPED	0.000 s
32	And fixed Asset Module	SKIPPED	0.001 s
33	Then Asset Revaluvation submodule Eye Icon	SKIPPED	0.000 s
34	And Click search icon button	SKIPPED	0.001 s
35	Then Give the Asset Referance Number	SKIPPED	0.000 s
36	When capture Asset Grid view List	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Alter the Value of an existing asset (de-allocation)	
(F) Check the functionality of Asset Revaluation	

≡ 🌐 Kastle Universal Banking (Beta) 04-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ▣ 👤 ANANT

Finance ▾

🛠   🚏   📋

Welcome, anant

- ⊙ Business partner setup
- ⊙ General ledger configuration
- ⊙ Accounting setup
- ⊙ Expense/AR & AP configurati...
- ⊙ Budget configuration
- ⊙ Fixed assets configuration
- ⊙ Inventory maintenance
- ⊙ Bank recon
- ⊙ Petty cash configuration

22 Appro... ✕   11 Messa... ✕

▦ Home   ➤ Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Alter the Value of an existing asset (de-allocation)	
(F) Check the functionality of Asset Revaluation	

≡ 🌐 Kastle Universal Banking (Beta) 04-Oct-2022 English ▾ Azentio Software ▾ (AZENTMAIN) 🔔 ▣ 👤 ANANT

Finance ▾

🛠   🚏   📋

Welcome, anant

- ⊙ General ledger transaction
- ⊙ Budget
- ⊙ Accounts payable
- ⊙ Adjustments (AR and AP)
- ⊙ Accounts receivable
- ⊙ Fixed assets
- ⊙ Inventory management
- ⊙ Petty cash
- ⊙ Bank recon

22 Appro... ✕   11 Messa... ✕

▦ Home   ➤ Preference

|	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Alter the Value of an existing asset (de-allocation)	
(F) Check the functionality of Asset Revaluation	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Alter the Value of an existing asset (de-allocation)	
(F) Check the functionality of Asset Revaluation	