

Cucumber Report

Dec 31, 2021, 7:24:55 PM

Start : Dec 31, 7:24:34.352 PM

End : Dec 31, 7:24:54.167 PM

Duration : 19.815 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 11

FAILED - 1

SKIPPED - 0







#	Feature Name	T	P	F	S	Duration
1	<u>To check BudgetDefinition moduel feature</u>	1	0	1	0	19.815 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To check BudgetDefinition moduel feature</u>	<u>To verify maker can able to create budget code with invalid details</u>	12	11	1	0	19.808 s



(F)- To check BudgetDefinition moduel feature



FAILED	DURATION - 19.815 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 12 Pass - 11 Fail - 1 Skip - 0	
/ 7:24:34.352 PM // 7:24:54.167 PM /					



(S)- To verify maker can able to create budget code with invalid details


<div>FAILED</div> <div>DURATION - 19.808 s</div>			<div>Steps</div> <div>Total - 12</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 0</div>	
/ 7:24:34.359 PM // 7:24:54.167 PM /				
To check BudgetDefinition moduel feature				
@Validation_Message				

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	9.958 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		
			
2	Then click on budget configuration Menu	PASSED	0.309 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.199 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	And click on budget definition sub menu and click on eye icon	PASSED	0.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot 		
4	And click on add icon	PASSED	0.154 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.304 s
	screenshot 		
5	Then enter budget code which is already exist	PASSED	0.108 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
	screenshot 		
6	And enter budget type	PASSED	0.256 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.205 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then system should display validation message for budget code	PASSED	2.036 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.126 s
	screenshot		
			
8	And enter warning percentage grater than hundread	PASSED	0.116 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.174 s
	screenshot		
			
9	And enter budget name	PASSED	0.098 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.200 s
	screenshot		
			
10	Then system should display validation message for warning percentage	PASSED	0.014 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.157 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
11	Then give remark	PASSED	0.097 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.167 s
	screenshot		
			
12	When try to click on save button button should be in disable state	FAILED	1.190 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [a7e748954060053e72aa403c71721b22, clickElement {id=e2e9e69f-5c53-4a19-aecb-9f071c8a8a4c}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\l\NINDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:57482}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se.cdp: ws://localhost:57482/devtoo..., se.cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (a7e748954060053e72aa403c71721b22)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: a7e748954060053e72aa403c71721b22</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.BUDGET_BudgetCreationWithInvalidDetails. try_to_click_on_save_button_button_should_be_in_disable_state(BUDGET_BudgetCreationWithInvalidDetails.java:60) at ?.try to click on save button button should be in disable state(file:///C:/Users/inindc00076/git/ AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:204) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.105 s
	screenshot		
			

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to create
budget code with invalid details


(F) To check BudgetDefinition module
feature



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to create
budget code with invalid details

(F) To check BudgetDefinition module
feature



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to create
budget code with invalid details

















(F) To check BudgetDefinition moduel
feature

Kastle Universal Banking

21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

Budget Definition View

Actions	Budget Code	Budget Name	Budget Type	Status	Created By	Create date	Modified By
 	BGD9528001	Test	YEARLY	Active	1002437	29-Dec-2021	1002437
 	BGD9501	Test	YEARLY	Active	1002437	29-Dec-2021	1002437
 	BGD98791	Test	YEARLY	Active	1002437	29-Dec-2021	1002437
 	BUD98709	Test	YEARLY	Active	1002437	29-Dec-2021	1002437
 	Budg123456	bud102	YEARLY	Active	1002437	21-Dec-2021	1002437
 	BUD_21	BUD_21	MONTHLY	Active	1002437	21-Dec-2021	1002437
 	bud12345	budget	MONTHLY	Active	1002437	14-Dec-2021	1002437
 	BUD234	BUD234	YEARLY	Active	1002437	14-Dec-2021	1002437

58 total

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to create
budget code with invalid details

(F) To check BudgetDefinition moduel
feature

Kastle Universal Banking

21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

Budget Definition

* Budget Code * Budget Type * Warning Percentage

* Budget Name Remark

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to create
budget code with invalid details

(F) To check BudgetDefinition moduel
feature

Kastle Universal Banking

21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

Budget Definition

* Budget Code BUD001

* Budget Type Yearly

* Warning Percentage

* Budget Name

Remark

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to create
budget code with invalid details

(F) To check BudgetDefinition moduel
feature

Kastle Universal Banking

21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

Budget Definition

* Budget Code BUD001

* Budget Type Yearly

* Warning Percentage

* Budget Name

Remark

22 Appro... 11 Messa...

Home Preference

Budget Code is already exist !!!!

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to create
budget code with invalid details

(F) To check BudgetDefinition moduel
feature

Kastle Universal Banking 21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

Budget Definition

* Budget Code BUD001 * Budget Type YEARLY * Warning Percentage

* Budget Name Remark

Budget Code is already exist !!!!

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to create
budget code with invalid details

(F) To check BudgetDefinition moduel
feature

Kastle Universal Banking 21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

Budget Definition

* Budget Code BUD001 * Budget Type YEARLY * Warning Percentage 300

* Budget Name Remark

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to create
budget code with invalid details

(F) To check BudgetDefinition moduel
feature

The screenshot shows the 'Budget Definition' form in the Kastle Universal Banking application. The form has a left sidebar with a menu of configuration options: Business partner setup, Accounting setup, General ledger configuration, Expense/AR & AP configurati..., Budget configuration (selected), Budget definition (active), Fixed assets configuration, Inventory maintenance, Bank recon, and Petty cash configuration. The main form area contains fields for Budget Code (BUD001), Budget Type (YEARLY), Warning Percentage, Budget Name (Test), and Remark. A red validation message at the bottom states: 'Please select between 0 to 100!!!'. The top navigation bar includes the date (21-Oct-2021), language (English), software version (Azentio Software), user (ANANT), and a home button.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to create
budget code with invalid details

(F) To check BudgetDefinition moduel
feature

This screenshot is identical to the one above, showing the 'Budget Definition' form with the same validation error: 'Please select between 0 to 100!!!'. The form fields and sidebar menu are consistent with the previous image.

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to create
budget code with invalid details

(F) To check BudgetDefinition moduel
feature

Kastle Universal Banking 21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

Budget Definition

* Budget Code BUD001 * Budget Type YEARLY * Warning Percentage

* Budget Name Test Remark OK

22 Appro... 11 Messa...

Please select between 0 to 100!!!

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify maker can able to create
budget code with invalid details

(F) To check BudgetDefinition moduel
feature

Kastle Universal Banking 21-Oct-2021 English Azentio Software (AZENT-MAIN) ANANT

Finance

Budget Definition

* Budget Code BUD001 * Budget Type YEARLY * Warning Percentage

* Budget Name Test Remark OK

22 Appro... 11 Messa...

Please select between 0 to 100!!!