# Cucumber Report

| Start : Jan 13, 2:51:27.354 PM | End : Jan 13, 2:51:49.242 PM | Duration : 21.888 s |
|---|---|---|
| Features | Scenarios | Steps |
| PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 0<br>FAILED - 1<br>SKIPPED - 0 | PASSED - 9<br>FAILED - 1<br>SKIPPED - 24 |

| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|
| 1 | To check BudgetDefinition moduel feature | 1 | 0 | 1 | 0 | 21.888 s |

| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|---|---|---|---|---|---|---|
| 1 | To check BudgetDefinition moduel feature | To verify checker can approve the record which is approved by reviewer | 34 | 9 | 1 | 24 | 21.881 s |

## (F)- To check BudgetDefinition moduel feature

| FAILED | DURATION - 21.888 s | Scenarios | | Steps | |
|---|---|---|---|---|---|
| / 2:51:27.354 PM // 2:51:49.242 PM / | | Total - 1<br>Pass - 0<br>Fail - 1<br>Skip - 0 | 1 | Total - 34<br>Pass - 9<br>Fail - 1<br>Skip - 24 | 34 |

## (S)- To verify checker can approve the record which is approved by reviewer

| FAILED | DURATION - 21.881 s | | Steps | |
|---|---|---|---|---|
| / 2:51:27.361 PM // 2:51:49.242 PM / | | | Total - 34 | |
| To check BudgetDefinition moduel feature | | | Pass - 9<br>Fail - 1 | 34 |
| @Checker_MultiAuth | | | Skip - 24 | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 1 | Given navigate to URL and login as a maker and choose finance option | PASSED | 11.042 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.235 s |
| | screenshot | | |
| |  | | |
| 2 | Then click on budget configuration Menu | PASSED | 0.621 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.288 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 3 | And click on budget definition sub menu and click on eye icon | PASSED | 0.341 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.241 s |
| | screenshot | | |
| |  | | |
| 4 | And click on add icon | PASSED | 0.193 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.331 s |
| | screenshot | | |
| |  | | |
| 5 | Then enter budget code | PASSED | 0.184 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.142 s |
| | screenshot | | |
| |  | | |
| 6 | And enter budget type | PASSED | 0.358 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.202 s |
| | screenshot | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| |  | | |
| 7 | And enter warning percentage | PASSED | 0.070 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.239 s |
| | screenshot | | |
| |  | | |
| 8 | And enter budget name | PASSED | 0.151 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.250 s |
| | screenshot | | |
| |  | | |
| 9 | Then give remark | PASSED | 0.078 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.232 s |
| | screenshot | | |
| |  | | |
| 10 | Then click on save button | FAILED | 1.115 s |
| | org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1413, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons>   (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os. | | |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| | name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e6424a681956f28d35baba6151bb3a23, clickElement {id=93f5bb64-03ed-4362-b625-c10daf1b68ca}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:65505}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65505/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (e6424a681956f28d35baba6151bb3a23)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: e6424a681956f28d35baba6151bb3a23<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)<br>  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)<br>  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)<br>  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)<br>  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)<br>  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)<br>  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)<br>  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)<br>  at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)<br>  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)<br>  at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)<br>  at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)<br>  at java.base/java.lang.reflect.Method.invoke(Method.java:568)<br>  at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)<br>  at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)<br>  at stepdefinitions.BUDGET_BudgetDefinition.click_on_save_button(BUDGET_BudgetDefinition.java:135)<br>  at ?.click on save button(file:///C:/Users/inindc00076/git/AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:117)<br>* Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)<br><br>screenshot<br><br> | PASSED | 0.141 s |

| # | Step / Hook Details | Status | Duration |
|---|---|---|---|
| 11 | Then Click on notification icon | SKIPPED | 0.000 s |
| 12 | And select the first record | SKIPPED | 0.000 s |
| 13 | Then click on submit button | SKIPPED | 0.001 s |
| 14 | And enter remark in alert tab | SKIPPED | 0.000 s |
| 15 | And click on submit | SKIPPED | 0.000 s |
| 16 | When click on submit button save the reviewer id | SKIPPED | 0.000 s |
| 17 | Given navigate to URL and login as a reviewer | SKIPPED | 0.000 s |
| 18 | Then click on notification icon | SKIPPED | 0.000 s |
| 19 | When click on notification icon to check reviewer can get a record which is submited by maker | SKIPPED | 0.001 s |
| 20 | And click on action button | SKIPPED | 0.000 s |
| 21 | Then verify the budget record is matched with maker submited record | SKIPPED | 0.000 s |
| 22 | And approve the record in reviewer stage | SKIPPED | 0.000 s |
| 23 | Then enter remark then submit | SKIPPED | 0.000 s |
| 24 | Given navigate to URL and login as a checker | SKIPPED | 0.001 s |
| 25 | Then click on security management menu | SKIPPED | 0.000 s |
| 26 | And click on Action icon in security management | SKIPPED | 0.000 s |
| 27 | Then clime the record | SKIPPED | 0.000 s |
| 28 | And click on notification icon in checker stage | SKIPPED | 0.000 s |
| 29 | When checker click on notification icon record might be showed in notification area | SKIPPED | 0.000 s |
| 30 | And click on action button in checker stage | SKIPPED | 0.000 s |
| 31 | Then validate the budget record | SKIPPED | 0.000 s |
| 32 | Then click on approve in checker stage | SKIPPED | 0.000 s |
| 33 | And Write remark in alert | SKIPPED | 0.000 s |
| 34 | And Submit the record from checker | SKIPPED | 0.000 s |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) To verify checker can approve the record which is approved by reviewer | |
| (F) To check BudgetDefinition moduel feature | |

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) To verify checker can approve the record which is approved by reviewer | |
| (F) To check BudgetDefinition moduel feature | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)<br><br>(S) To verify checker can approve the record which is approved by reviewer<br><br>(F) To check BudgetDefinition moduel feature |  |
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)<br><br>(S) To verify checker can approve the record which is approved by reviewer<br><br>(F) To check BudgetDefinition moduel feature |  |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) To verify checker can approve the record which is approved by reviewer | |
| (F) To check BudgetDefinition moduel feature | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) To verify checker can approve the record which is approved by reviewer | |
| (F) To check BudgetDefinition moduel feature | |

| | |
|---|---|
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) To verify checker can approve the record which is approved by reviewer | |
| (F) To check BudgetDefinition moduel feature | |
| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) |  |
| (S) To verify checker can approve the record which is approved by reviewer | |
| (F) To check BudgetDefinition moduel feature | |

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) To verify checker can approve the
record which is approved by reviewer

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)



(S) To verify checker can approve the
record which is approved by reviewer

(F) To check BudgetDefinition moduel
feature