Cucumber Report

| Start : Jan 11, 1:21:02.510 PM	End : Jan 11, 1:21:30.788 PM	Duration : 28.278 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 22 FAILED - 1 SKIPPED - 0

Features: 1

Scenarios: 1

Steps: 23

Pass % (Features): 0 %

Pass % (Scenarios): 0 %

Pass % (Steps): 95 %

#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	28.278 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	To verify reviewer can able to reject the budget code which is submitted by maker	23	22	1	0	28.273 s

(F)- To check BudgetDefinition moduel feature

| FAILED	DURATION - 28.278 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 23 Pass - 22 Fail - 1 Skip - 0	
/ 1:21:02.510 PM // 1:21:30.788 PM /			①		23

(S)- To verify reviewer can able to reject the budget code which is submitted by maker

| FAILED	DURATION - 28.273 s		Steps Total - 23 Pass - 22 Fail - 1 Skip - 0	
/ 1:21:02.515 PM // 1:21:30.788 PM /				23
To check BudgetDefinition moduel feature				
@Multiauth_reviewer_rejectBudgetCode				

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.036 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.439 s
	screenshot		
2	Then click on budget configuration Menu	PASSED	0.134 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.234 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click on budget definition sub menu and click on eye icon	PASSED	0.165 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.475 s
	screenshot		
4	And click on add icon	PASSED	0.180 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.268 s
	screenshot		
5	Then enter budget code	PASSED	0.162 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		
6	And enter budget type	PASSED	0.211 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	And enter warning percentage	PASSED	0.074 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.132 s
	screenshot		
8	And enter budget name	PASSED	0.084 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
9	Then give remark	PASSED	0.074 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.164 s
	screenshot		
10	Then click on save button	PASSED	0.066 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.311 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then Click on notification icon	PASSED	0.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.326 s
	screenshot		
12	And select the first record	PASSED	0.139 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
	screenshot		
13	Then click on submit button	PASSED	0.127 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.255 s
	screenshot		
14	And enter remark in alert tab	PASSED	0.708 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		

| #	Step / Hook Details	Status	Duration
15	And click on submit	PASSED	0.066 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.189 s
	screenshot 		
16	When click on submit button save the reviewer id	PASSED	1.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot 		
17	Given navigate to URL and login as a reviewer	PASSED	5.940 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.171 s
	screenshot 		
18	Then click on notification icon	PASSED	0.129 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot		

#	Step / Hook Details	Status	Duration
19	When click on notification icon to check reviewer can get a record which is submited by maker	PASSED	0.103 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.125 s
	screenshot		
20	And click on action button	PASSED	0.066 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.257 s
	screenshot		
21	Then verify the budget record is matched with maker submited record	PASSED	0.080 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.150 s
	screenshot		
22	And reject the record in reviewer stage	PASSED	0.046 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.185 s
	screenshot		

#	Step / Hook Details	Status	Duration
23	**Then enter remark then submit in reviewer stage**	FAILED	0.124 s

	java.lang.NullPointerException: Cannot read field "NegativeRemarks" because "this.commentsfromapprover" is null
	    at stepdefinitions.KUBS_reviewer.enter_remark_then_submit_in_reviewer_stage(KUBS_reviewer.java:117)
	    at ?.enter remark then submit in reviewer stage(file:///C:/Users/inindc00076/git/AzentioAutomationFramework2/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:168)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.170 s
	screenshot 		

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify reviewer can able to reject the budget code which is submitted by maker (F) To check BudgetDefinition moduel feature	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) To verify reviewer can able to reject the budget code which is submitted by maker (F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify reviewer can able to reject
the budget code which is submitted by
maker

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) To verify reviewer can able to reject
the budget code which is submitted by
maker

(F) To check BudgetDefinition moduel
feature

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify reviewer can able to reject the budget code which is submitted by maker

(F) To check BudgetDefinition moduel feature

| | Kastle Universal Banking | | | 21-Oct-2021 | English | (AZENT-MAIN) | SARVESH |

← Inbox

No Module Mapped

Actions	referenceId	eventCode	stageCode	roleCode	employeeName	eventDesc	workflowDesc
✏	345	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✏	342	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✏	340	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✏	339	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✏	337	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT

29 total |◀ ◀ **1** 2 3 4 5 ▶ ▶|

22 Appro... ⊗   11 Messa... ⊗

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify reviewer can able to reject the budget code which is submitted by maker

(F) To check BudgetDefinition moduel feature

| | Kastle Universal Banking | | | 21-Oct-2021 | English | (AZENT-MAIN) | SARVESH |

← Inbox

No Module Mapped

Actions	referenceId	eventCode	stageCode	roleCode	employeeName	eventDesc	workflowDesc
✏	345	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✏	342	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✏	340	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✏	339	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT
✏	337	BUDGET_REGISTER	REVIEWER	REVIEWER	12345	Budget Defination	LIMIT

29 total |◀ ◀ **1** 2 3 4 5 ▶ ▶|

22 Appro... ⊗   11 Messa... ⊗

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) To verify reviewer can able to reject the budget code which is submitted by maker	
(F) To check BudgetDefinition moduel feature	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) To verify reviewer can able to reject the budget code which is submitted by maker

(F) To check BudgetDefinition moduel feature