Cucumber Report

| Start : Jan 27, 2:24:08.038 pm	End : Jan 27, 2:24:34.171 pm	Duration : 26.133 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 11 FAILED - 1 SKIPPED - 1

#	Feature Name	T	P	F	S	Duration
1	Check The Azentio UAT functionaliy	1	0	1	0	26.133 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check The Azentio UAT functionaliy	budget for Budgetcode type monthly	13	11	1	1	26.129 s

(F)- Check The Azentio UAT functionaliy

FAILED	DURATION - 26.133 s	Scenarios		Steps	
		Total - 1		Total - 13	
/ 2:24:08.038 pm // 2:24:34.171 pm /		Pass - 0	1	Pass - 11	13
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 1	

(S)- budget for Budgetcode type monthly

FAILED	DURATION - 26.129 s		Steps	
/ 2:24:08.042 pm // 2:24:34.171 pm /			Total - 13	
Check The Azentio UAT functionaliy			Pass - 11	13
@KUBS_UAT_Monthly_KUBS_BP_UAT_002_001			Fail - 1	
			Skip - 1	

#	Step / Hook Details	Status	Duration
1	Given Navigate to the Azentio Url	PASSED	12.381 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.136 s
	screenshot		
2	Then click the Two Direction Icon	PASSED	0.259 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.153 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	And click to the Budget	PASSED	0.124 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.166 s
	screenshot		
4	Then click on the Budget Sub module Budget Request and Allocation Near Eye Icon	PASSED	0.181 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.372 s
	screenshot		
5	And click on the Add icon in Request and Allocation	PASSED	0.235 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.212 s
	screenshot		
6	Then select the Budget Code	PASSED	0.302 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot		

| #	Step / Hook Details	Status	Duration
7	And select the Budget Year	PASSED	0.168 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
	screenshot		
8	Then click on the Branch	PASSED	0.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.223 s
	screenshot		
9	And select to one Branch	PASSED	0.086 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.128 s
	screenshot		
10	Then click on the Branch ok button	PASSED	0.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.368 s
	screenshot		

#	Step / Hook Details	Status	Duration
11	Then select one currency we need	PASSED	0.164 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.161 s
	screenshot		
12	And Enter the Amount for Monthly Budget type	FAILED	2.316 s

	org.openqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=97.0.4692.71) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os. version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c26fdb5b7b619e9a4e84fd431e1d244e, sendKeysToElement {id=db49c8bc-8fd0-4510-b8e2-8d9eb0bcec4b, value=[Ljava.lang. CharSequence;@143413cd]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 97.0.4692.71, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:53436}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:53436/devtoo..., se:cdpVersion: 97.0.4692.71, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (c26fdb5b7b619e9a4e84fd431e1d244e)] -> xpath: //datatable-body-cell[3]/div/input[@id='5']] Session ID: c26fdb5b7b619e9a4e84fd431e1d244e
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	  at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	  at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	  at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	  at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	  at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	  at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	  at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:107)		

#	Step / Hook Details	Status	Duration
	at jdk.internal.reflect.GeneratedMethodAccessor5.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source) at stepdefinitions.Budget_BudgetRequestandAllocation_UAT. enter_the_amount_for_monthly_budget_type(Budget_BudgetRequestandAllocation_UAT.java:367) at ?.Enter the Amount for Monthly Budget type(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/BUDGET_BudgetRequestandAllocation_UAT.feature:15) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.104 s
13	And click on the save button	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) budget for Budgetcode type monthly

(F) Check The Azentio UAT functionaliy

☰ 🌐 Kastle Universal Banking (Beta)   01-Oct-2022 English ▾   Azentio Software ▾   (AZENTMAIN) 🔔 ⌨ 👤 ANANT

Finance   ▾

🔧   ⬛   📋

Welcome, anant

⊙ Business partner setup
⊙ General ledger configuration
⊙ Accounting setup
⊙ Expense/AR & AP configurati...
⊙ Budget configuration
⊙ Fixed assets configuration
⊙ Inventory maintenance
⊙ Bank recon
⊙ Petty cash configuration

22 Appro... ✕   11 Messa... ✕   ⠿   ➤
                                         Home   Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) budget for Budgetcode type monthly

(F) Check The Azentio UAT functionaliy

☰ 🌐 Kastle Universal Banking (Beta)   01-Oct-2022 English ▾   Azentio Software ▾   (AZENTMAIN) 🔔 ⌨ 👤 ANANT

Finance   ▾

🔧   ⬛   📋

Welcome, anant

⊙ General ledger transaction
⊙ Budget
⊙ Accounts payable
⊙ Adjustments (AR and AP)
⊙ Accounts receivable
⊙ Fixed assets
⊙ Inventory management
⊙ Petty cash
⊙ Bank recon

22 Appro... ✕   11 Messa... ✕   ⠿   ➤
                                         Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) budget for Budgetcode type monthly

(F) Check The Azentio UAT functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) budget for Budgetcode type monthly

(F) Check The Azentio UAT functionaliy

Budget Creation View

Actions		Budget Code	Budget Name	Budget Year	Budget Type	Total Budget Amount	Status
👁 ✏		BDG004	Printing & Statiionary	2022-2023	YEARLY	2000000	Active
👁 ✏		BUD8898	Yerly printing budget	2022-2023	YEARLY	250000000	Active
👁 ✏		BDG004	Printing & Statiionary	2022-2023	YEARLY	10000000	Active
👁 ✏		BDG001	Head Office And Branch R	2022-2023	MONTHLY	257000000	Active
👁 ✏		BDG001	Head Office And Branch R	2022-2023	MONTHLY	101700000	Active
👁 ✏		BDG0013	Computer and Laptops Bu	2022-2023	MONTHLY	120000000	Active
👁 ✏		BDG0231	Building purchase & Maint	2022-2023	YEARLY	100000000	Active
👁 ✏		BDG0231	Building purchase & Maint	2022-2023	YEARLY	500000000	Active

52 total |◁ <   **1** 2 3 4 5 > ▷|

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) budget for Budgetcode type monthly

(F) Check The Azentio UAT functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) budget for Budgetcode type monthly

(F) Check The Azentio UAT functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) budget for Budgetcode type monthly	
(F) Check The Azentio UAT functionaliy	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) budget for Budgetcode type monthly	
(F) Check The Azentio UAT functionaliy	

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) budget for Budgetcode type monthly

(F) Check The Azentio UAT functionaliy

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) budget for Budgetcode type monthly

(F) Check The Azentio UAT functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) budget for Budgetcode type monthly

(F) Check The Azentio UAT functionaliy

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) budget for Budgetcode type monthly

(F) Check The Azentio UAT functionaliy