

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Checking the Supplementary Budget UAT functionality	1	1	0	0	37.063 s

SCENARIOS SUMMARY -- 3 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Checking the Supplementary Budget	System should allocate more requested amount for the	8	8	0	0	37.060 s
	UAT functionality	inputted budget code					

DETAILED SECTION -- 4 --

## (F)- Checking the Supplementary Budget UAT functionality

PASSED	DURATION - 37.063 s	Scenarios		Steps	
		Total - 1		Total - 8	
/ 10:41:40.290 P	M // 10:42:17.353 PM /	Pass - 1	1	Pass - 8	8
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

## (S)- System should allocate more requested amount for the inputted budget code


PASSED DURATION - 37.060 s	15 -	 									Steps		
/ 10:41:40.293 PM // 10:42:17.353 PM /	40 -					!			!		Total - 8		
Checking the Supplementary Budget UAT functionality	5 -	 	- <u>-</u>  -				- +			-	Pass - 8 Fail - 0	8	
@SupplementaryBudget_KUBS_BP_UAT_005_00-2	0 -	 1	<u></u>	3	<u> </u>	4	5	6	7	8	Skip - 0		

#	Step / Hook Details	Status	Duration
1	Given maker should navigate to the url and login with valid credentials	PASSED	15.795 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		
	# 1000   1000		
2	And maker should navigate to the budget module	PASSED	3.249 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.454 s
	screenshot		


3 And maker click on budget field PASSED 1.182 s  AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  Screenshot  The standard of the standard o
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)  screenshot  PASSED  0.340 s
screenshot
F   O CO TO
4 When maker click on budget supplementary eye icon PASSED 1.004 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.133 s
screenshot
5 And click on add button on budget supplementary view page 2.217 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.187 s
screenshot
6 Then fill the input fields PASSED 1.012 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.117 s
screenshot

#	Step / Hook Details	Status	Duration
	Part of light to the later of t		
7	Then fill apportion amount and save the record	PASSED	2.471 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.090 s
	screenshot		
	Part   Section   Part		
8	Then validate maker can submit the record	PASSED	6.398 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.079 s
	screenshot		
	### OF THE PROPERTY OF THE PRO		


EXPANDED SECTION -- 7



EXPANDED SECTION -- 8 --



EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --

