


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	40.291 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP	Verify cancelling Debit Note is not allowed if the same has	43	15	1	27	40.280 s
	Module	been adjusted at payment settlement					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 40.291 s	Scenarios		Steps	
		Total - 1		Total - 43	
/ 4:56:54.846	6 pm // 4:57:35.137 pm /	Pass - 0	1	Pass - 15	43
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 27	

(S)- Verify cancelling Debit Note is not allowed if the same has been adjusted at payment settlement

FAILED	DURATION - 40.280 s	15	1					-		Ė				-		-		Steps			
/ 4:56:54.85	7 pm // 4:57:35.137 pm /	10	╢							١								Total - 43			
	nctionality of AR/AP Module	5								١								Pass - 15		43	
		- 0	_	l				_					<u>.</u>	_				Skip - 27	N.		
@KUBS_AR_ 	_AP_UAT_003_006_TC_05			1 2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	11.611 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.151 s
	screenshot		
	The Control of the Co		
2	Then Choose the second Tab Segment	PASSED	0.326 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
	screenshot		

3 And Click On Main module Accounts Receivable AFTER_STEP - stepdefinitions.HooksClass addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 4 Then Click on Accounts Receivable Debit Note Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) DASSED O.284 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 Then Click on Accounts Receivable Debit Note Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinition		Comparison		
Screenshot Then Click on Accounts Receivable Debit Note Eye Icon AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.	3	And Click On Main module Accounts Receivable	PASSED	0.113 s
4 Then Click on Accounts Receivable Debit Note Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.281 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.227 s Then Enter Active Value In Debit Not Status PASSED O.284 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.215 s
4 Then Click on Accounts Receivable Debit Note Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) passed AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Enter Active Value In Debit Not Status PASSED 0.284 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then Enter Active Value In Debit Not Status PASSED 0.281 s 0.281 s 0.281 s		The state of the		
screenshot And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Enter Active Value In Debit Not Status PASSED 0.143 s 0.227 s	4	Then Click on Accounts Receivable Debit Note Eye Icon	PASSED	0.388 s
5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Enter Active Value In Debit Not Status PASSED 0.143 s PASSED 0.227 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.281 s
5 And Click On Search Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Enter Active Value In Debit Not Status PASSED 0.143 s 0.227 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 Then Enter Active Value In Debit Not Status 0.227 s		> Single Control of Co		
Screenshot Then Enter Active Value In Debit Not Status PASSED 0.284 s	5	And Click On Search Icon	PASSED	0.143 s
6 Then Enter Active Value In Debit Not Status PASSED 0.284 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.227 s
6 Then Enter Active Value In Debit Not Status PASSED 0.284 s		screenshot		
AFTER OTER standardistriction Hardwood After an address of the control of the con	6	Then Enter Active Value In Debit Not Status	PASSED	0.284 s
AFTER_STEP - stepdefinitions.HooksClass.addScreensnot(io.cucumber.java.Scenario) PASSED 0.195 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
screenshot		screenshot		

#	Step / Hook Details	Status	Duration
	See 1 Section 1		
	Then Click on Table Row First Eye Icon	PASSED	0.161 s
1	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.472 s
5	screenshot		
8 /	And Get The Bp Name and Debit Number Store It	PASSED	14.118 s
5	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.106 s
9 /	And Click On Main module Accounts payable	PASSED	0.095 s
5	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.160 s
10	Then Click sub module Payment settlement Eye Icon	PASSED	0.159 s
/	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.375 s
Γ,	screenshot]	
9 /	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED PASSED PASSED	0.106 s 0.095 s 0.160 s

And Click Add icon button	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 12 Then Enter payment option AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - s		□ transmit 0 1		
Screenshot	11	And Click Add icon button	PASSED	0.230 s
Then Enter payment option PASSED 0.336 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Give stored Business partner Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AATTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) APASSED 0.289 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTION TO BE STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTIO		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.213 s
12 Then Enter payment option PASSED 0.336 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And Give stored Business partner Name PASSED 0.289 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 Then Choose value date as System current date PASSED 0.289 s PASSED 0.178 s PASSED 0.178 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And Give stored Business partner Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 Then Choose value date as System current date D.168 s 0.168 s		Name 0 0 0 0 0 0 0 0 0		
Screenshot 13 And Give stored Business partner Name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 Then Choose value date as System current date PASSED 1.904 s	12	Then Enter payment option	PASSED	0.336 s
13 And Give stored Business partner Name PASSED 0.289 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot Then Choose value date as System current date PASSED 1.904 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Choose value date as System current date PASSED 0.178 s PASSED 1.904 s		** O	_	
Screenshot Then Choose value date as System current date PASSED 1.904 s	13	And Give stored Business partner Name	PASSED	0.289 s
14 Then Choose value date as System current date PASSED 1.904 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.178 s
14 Then Choose value date as System current date PASSED 1.904 s		screenshot		
,		Nonemark 0		
	14	Then Choose value date as System current date	PASSED	1.904 s
AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario)		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.137 s
screenshot		screenshot		


#	Step / Hook Details	Status	Duration
	### OF THE PART OF		
15	And find the Debit reference number for Active Debit is availabe at the billing queue	PASSED	2.426 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.134 s
	screenshot]	
	Section Sect		
16	Then Click the Debit Note Checkbox As Tick	FAILED	0.017 s
	org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"xpath", "selector":"//div[contains(text(),'1 NV-32-122021)]//ancestor::datatable-body-cell/preceding-sibiling::datatable-body-cell/ground-into-into-into-into-into-into-into-into		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable. click_the_debit_note_checkbox_as_tick(ARAP_AccountsReceivable_AccountsPayable.java:1506) at ?.Click the Debit Note Checkbox As Tick(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/ARAP_AccountsReceivable_AccountsPayable.feature:428) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
	screenshot		
17	When Enter the Description value	SKIPPED	0.001 s
18	And Save The Payment settlement Record	SKIPPED	0.000 s
19	Then Click the Alert message as Yes	SKIPPED	0.000 s
20	Then Goto The Notification Icon	SKIPPED	0.000 s
21	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
22	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
23	Given Navigate as a Reviewer	SKIPPED	0.000 s
24	Then click on Notify icon	SKIPPED	0.000 s
25	And Click First record Action icon	SKIPPED	0.000 s
26	Then Approve the record in Reviewer	SKIPPED	0.000 s
27	And Give Remark and Submit	SKIPPED	0.000 s
28	Given Navigate as a Checker	SKIPPED	0.000 s
29	Then Click module security management	SKIPPED	0.000 s
30	And Claim the Record in Checker	SKIPPED	0.000 s
31	Then Goto the Checker notification Icon	SKIPPED	0.000 s
32	And Click the First Action Icon	SKIPPED	0.000 s
33	Then Approve the Record in checker stage	SKIPPED	0.000 s
34	And Give the Remark and Submit it	SKIPPED	0.001 s
35	Given Navigate The Azentio Url	SKIPPED	0.000 s
36	Then Choose the second Tab Segment	SKIPPED	0.000 s
37	Then Open the Adjustment ARAP module	SKIPPED	0.000 s
38	And Click on Adjustment ARAP Eye Icon	SKIPPED	0.001 s


DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
39	And Click Add icon button	SKIPPED	0.000 s
40	Then Give The Business Partner	SKIPPED	0.000 s
41	And Give The Adjustment Type	SKIPPED	0.000 s
42	Then Give the Adjustment Item Type	SKIPPED	0.000 s
43	And Give the Adjustment Ref No and Validate	SKIPPED	0.000 s


EXPANDED SECTION -- 11 --




EXPANDED SECTION




EXPANDED SECTION --- 13 --




EXPANDED SECTION --- 14 --




EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --



EXPANDED SECTION -- 18 --

