

Cucumber Report

Feb 12, 2022, 2:28:33 PM

Start : Feb 12, 2:27:10.485 PM

End : Feb 12, 2:28:30.536 PM

Duration : 1 m 20.051 s

Features


Scenarios

Steps

PASSED - 0
FAILED - 1
SKIPPED - 0


PASSED - 0
FAILED - 1
SKIPPED - 0

PASSED - 11
FAILED - 1
SKIPPED - 10







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Fixed Asset</u>	1	0	1	0	1 m 20.051 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Fixed Asset</u>	<u>Create GRN for the generated PO No.s</u>	22	11	1	10	1 m 20.045 s

(F)- Check the Functionality of Fixed Asset





FAILED	DURATION - 1 m 20.051 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 22 Pass - 11 Fail - 1 Skip - 10	
/ 2:27:10.485 PM // 2:28:30.536 PM /					



(S)- Create GRN for the generated PO No.s

<div>FAILED</div> <div>DURATION - 1 m 20.045 s</div>		<div></div>	<div>Steps</div> <div>Total - 22</div> <div>Pass - 11</div> <div>Fail - 1</div> <div>Skip - 10</div>	<div></div>
<div>/ 2:27:10.491 PM // 2:28:30.536 PM /</div>				
<div>Check the Functionality of Fixed Asset</div>				
<div>@KUBS_FAT_UAT_001_004</div>				

#	Step / Hook Details	Status	Duration
1	Given Navigate to URL and user should login as a maker	PASSED	11.763 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.555 s
	screenshot		
			
2	Then Click on the Finance	PASSED	0.014 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.095 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on the Direction	PASSED	0.360 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot 		
4	Then Click on Accounts Payable	PASSED	0.136 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.135 s
	screenshot 		
5	Then Click on Good Recived Note GRN Eye buutton	PASSED	0.444 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.346 s
	screenshot 		
6	Then Click on Add button	PASSED	0.372 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.356 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Fill the form for GRN	PASSED	1.489 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
	screenshot 		
8	Then Click on save button to save the record	PASSED	4.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.112 s
	screenshot 		
9	Then Click on notification & open record which we created for GRN	PASSED	4.366 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot 		
10	Then Click on Item Details Tab	PASSED	0.699 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.246 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	Then Select PO Number	PASSED	19.388 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.109 s
	screenshot 		
12	Then Add qty received qty approved	FAILED	17.707 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f7213a37d8216e4962f6f0e8b46d4653, findElement {using=xpath, value=//input[@id='row.receivedQty']}]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:52276}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52276/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f7213a37d8216e4962f6f0e8b46d4653</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)</p>		


#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307) at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660) at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656) at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.InventoryManagment.add_qty_received_qty_approved(InventoryManagment.java:627) at ?.Add qty received qty approved(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/FixedAsset.feature:43) * Not displayable characters are replaced by '?'. </pre>		
	<p>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</p> <pre> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f7213a37d8216e4962f6f0e8b46d4653, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\chrome\chromeOptions: {debuggerAddress: localhost:52276}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52276/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f7213a37d8216e4962f6f0e8b46d4653 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42) </pre>	FAILED	12.021 s
13	Then Click on GRN item save button	SKIPPED	0.001 s

#	Step / Hook Details	Status	Duration
14	Then Click on the Notification	SKIPPED	0.000 s
15	Then Select the record which we saved	SKIPPED	0.001 s
16	Then Submit record	SKIPPED	0.000 s
17	Then Open the Reviewer account	SKIPPED	0.000 s
18	Then Click on the Notification	SKIPPED	0.000 s
19	Then Approve the record which we submitted from maker	SKIPPED	0.000 s
20	Then Go to Checker login	SKIPPED	0.000 s
21	Then Clam record	SKIPPED	0.000 s
22	Then Click on the notification and approve the record	SKIPPED	0.000 s
	AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)	FAILED	0.248 s
	<p>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [f7213a37d8216e4962f6f0e8b46d4653, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\L..., goog:chromeOptions: {debuggerAddress: localhost:52276}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52276/devtoo..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: f7213a37d8216e4962f6f0e8b46d4653</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432) at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p>		

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
S


(F) Check the Functionality of Fixed Asset



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.
S

(F) Check the Functionality of Fixed Asset




(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset




(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

The screenshot displays the Kastle Universal Banking (Beta) interface. The top navigation bar shows the date 04-Oct-2022, language English, and user ANANT. The left sidebar contains a menu with options like Finance, General ledger transaction, Budget, Accounts payable, Vendor contracts, Vendor purchase orders, Goods received note (GRN), Invoice booking, Payment settlement, and Payment settlement cancellation. The main area shows the GRN View table with columns: Actions, Branch Code - Name, GRN Number, Business Partner, Date, GRN Status, Create By, and Create Date. The table lists 76 total records, with the first 10 visible. A bottom bar contains Home and Preference buttons.

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Create By	Create Date
	AZENTMAIN - Azentio N	GRN-Agency-8-76-112	Borton Agency	11-Feb-2022	ACTIVE	admin	11-Feb-2022
	AZENTMAIN - Azentio N	GRN-VENDOR-22-75-1	Shisankar Sivanand Lah	11-Feb-2022	ACTIVE	admin	11-Feb-2022
	AZENTMAIN - Azentio N	GRN-VENDOR-22-74-1	Shisankar Sivanand Lah	13-Oct-2022	ACTIVE	admin	09-Feb-2022
	AZENTMAIN - Azentio N	GRN-VENDOR-22-73-1	Shisankar Sivanand Lah	07-Feb-2022	ACTIVE	admin	07-Feb-2022
	AZENTMAIN - Azentio N	GRN-VENDOR-22-72-1	Shisankar Sivanand Lah	21-Jan-2022	ACTIVE	admin	21-Jan-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-71-21	DELUXE 001	21-Jan-2022	ACTIVE	admin	21-Jan-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-70-20	DELUXE 001	20-Jan-2022	ACTIVE	admin	20-Jan-2022
	AZENTMAIN - Azentio N	GRN-Agency-15-69-18	DELUXE 001	18-Jan-2022	ACTIVE	admin	18-Jan-2022

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

The screenshot displays the Kastle Universal Banking (Beta) interface. The top navigation bar shows the date 04-Oct-2022, language English, and user ANANT. The left sidebar contains a menu with options like Finance, General ledger transaction, Budget, Accounts payable, Vendor contracts, Vendor purchase orders, Goods received note (GRN), Invoice booking, Payment settlement, and Payment settlement cancellation. The main area shows the GRN form with fields for BP Name, GRN Number, Invoice Number, Delivery Location, and a section for Upload Delivery challan. The form also includes a DOWNLOAD button and a section for GRN Status and TXT Status. A bottom bar contains Home and Preference buttons.

GRN

* BP Name: 12-Feb-2022

GRN Number: INR

* Invoice Number:

* Delivery Location:

Upload Delivery challan: Choose File No file chosen

DOWNLOAD

GRN Status: Active

TXT Status:

Remark:

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN

* BP Name Bonton Agency x * BP Branch Corporate Branch- Panvel x GRN Number

* Invoice Number asdfgh * GRN Date 12-Feb-2022 GRN Amount INR x

* Delivery Location East Zone x Upload Delivery challan Choose File No file chosen

GRN Status Active TXT Status

Remark

DOWNLOAD

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

GRN

Actions	Branch Code - Name	GRN Number	Business Partner	Date	GRN Status	Created By	Created Date
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A		Bonton Agency	12-Feb-2022	ACTIVE	admin	12-Feb-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A		Bonton Agency	12-Feb-2022	ACTIVE	admin	12-Feb-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A		Bonton Agency	12-Feb-2022	ACTIVE	admin	12-Feb-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A		suvarana Pvt Ltd	12-Feb-2022	ACTIVE	admin	12-Feb-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A		Bonton Agency	12-Feb-2022	ACTIVE	admin	12-Feb-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A		Bonton Agency	12-Feb-2022	ACTIVE	admin	12-Feb-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A		Bonton Agency	12-Feb-2022	ACTIVE	admin	12-Feb-2022
<input checked="" type="checkbox"/>	AZENTMAIN - Azentio A		Bonton Agency	12-Feb-2022	ACTIVE	admin	12-Feb-2022

147 total

1 2 3 4 5

22 Appro... 11 Messa...

Home Preference

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction
Budget
Accounts payable

Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
Payment settlement
Payment settlement cancellation

22 Appro... 11 Messa...

Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	324	GRN_EVENT	MAKER	MAKER	1002435
✓	319	GRN_EVENT	MAKER	MAKER	1002435
✓	146	BUSINESS_PARTNER	MAKER	MAKER	1002435
✓	145	BUSINESS_PARTNER	MAKER	MAKER	1002435
✓	803	ASSET_CREATION	MAKER	MAKER	1002435

620 total

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction
Budget
Accounts payable

Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
Payment settlement
Payment settlement cancellation

22 Appro... 11 Messa...

GRN Item Details

GRN

ViewSummary Submit Cancel

* BP Name Bonton Agency x BP Branch Corporate Branch- Panvel x GRN Number

* Invoice Number asdfgh x * GRN Date 12-Feb-2022 x GRN Amount INR x

* Delivery Location East Zone x Upload Delivery challan Choose File No file chosen

GRN Status Active x TXT Status

Remark

DOWNLOAD

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Create GRN for the generated PO No.

S

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

General ledger transaction
Budget
Accounts payable

Vendor contracts
Vendor purchase orders
Goods received note (GRN)
Invoice booking
Payment settlement
Payment settlement cancellation

22 Appro... 11 Messa...

GRN

* BP Name
3-Agency-8-PO-3
No items found
12-Feb-2022

GRN Number
GRN Amount
INR

* Invoice Number
* Delivery Location

Upload Delivery challan Choose File No file chosen DOWNLOAD

GRN Status
Active
TXT Status

Remark

Home Preference