Cucumber Report

| *Start : Apr 01, 10:46:41.567 AM*	*End : Apr 01, 10:47:08.018 AM*	*Duration : 26.451 s*
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 8 FAILED - 1 SKIPPED - 65

#	Feature Name	T	P	F	S	Duration
1	To check the asset return module	1	0	1	0	26.451 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check the asset return module	Check if the ammendent asset can be returned to its vendor	74	8	1	65	26.447 s

(F)- To check the asset return module

FAILED	DURATION - 26.451 s		Scenarios		Steps	
			Total - 1		Total - 74	
/ 10:46:41.567 AM // 10:47:08.018 AM /			Pass - 0	1	Pass - 8	74
			Fail - 1		Fail - 1	
			Skip - 0		Skip - 65	

(S)- Check if the ammendent asset can be returned to its vendor

FAILED	DURATION - 26.447 s		Steps	
			Total - 74	
/ 10:46:41.571 AM // 10:47:08.018 AM /			Pass - 8	74
To check the asset return module			Fail - 1	
@AmmendentAssetReturn			Skip - 65	

#	Step / Hook Details	Status	Duration
1	Given Navigate to KUBS URL and login with maker credentials	PASSED	12.426 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.546 s
	screenshot		
2	And click on fixed asset main module	PASSED	0.447 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.198 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then goto ammendent asset module	PASSED	0.484 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
	screenshot		
4	And click on Add Icon	PASSED	0.223 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.292 s
	screenshot		
5	Then Enter Asset Referance Number in ammendent asset	PASSED	0.664 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.122 s
	screenshot		
6	And Enter Asset Item Number	PASSED	0.234 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.191 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Choose Modification Type Which need	PASSED	0.363 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
8	And Enter Asset Life Value	PASSED	0.259 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.236 s
	screenshot		
9	Then Save the Asset Record	FAILED	1.242 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" class="ion-color ion-color-primary md button button-clear in-toolbar ion-activatable ion-focusable hydrated button-disabled" ng-reflect-disabled="true" aria-disabled="true" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os. name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c76e58d8270e3f1d4b5badd85fb08124, clickElement {id=fcdb4f63-ceff-4dcb-b677-5bd7bb49bbc7}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:61362}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:61362/devtoo..., se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (c76e58d8270e3f1d4b5badd85fb08124)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: c76e58d8270e3f1d4b5badd85fb08124 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)		

| #	Step / Hook Details	Status	Duration
	at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source) at stepdefinitions.FIXEDASSET_AssetAmendment.save_the_asset_record(FIXEDASSET_AssetAmendment.java:182) at ?.Save the Asset Record(file:///C:/Users/inindc00076/git/AzentioAutomationFrameworkMasterNew/AzentioAutomationFramework/src/test/java/features/FIXEDASSET_AssetReturnUAT.feature:127) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.123 s
10	Then click on notification button	SKIPPED	0.000 s
11	Then choose first record in the notification record	SKIPPED	0.000 s
12	And click on Submit button	SKIPPED	0.000 s
13	Then enter remark in confirmation alert	SKIPPED	0.000 s
14	Then click on submit button in alert	SKIPPED	0.000 s
15	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
16	Then logout from maker	SKIPPED	0.000 s
17	And login with reviewer credentials	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
18	Then click on notification button	SKIPPED	0.000 s
19	And select our record in notification records using reference ID	SKIPPED	0.001 s
20	Then Approve the record from reviewer	SKIPPED	0.000 s
21	And enter the remark in alert	SKIPPED	0.000 s
22	Then click on submit in alert	SKIPPED	0.000 s
23	Then verify the approval status of the record	SKIPPED	0.001 s
24	And logout from reviewer	SKIPPED	0.000 s
25	Then login as a checker	SKIPPED	0.000 s
26	And click on security management menu in checker	SKIPPED	0.000 s
27	Then click on action button under security management menu	SKIPPED	0.000 s
28	And select our record and clime using reference ID	SKIPPED	0.000 s
29	Then click on Notification button	SKIPPED	0.000 s
30	Then select our record in notification records by the help of reference ID	SKIPPED	0.000 s
31	And click on approve button in checker stage	SKIPPED	0.000 s
32	Then give alert remark	SKIPPED	0.001 s
33	Then click on submit button on alert	SKIPPED	0.000 s
34	And verify the record got approved from checker	SKIPPED	0.001 s
35	Then logout from checker	SKIPPED	0.000 s
36	And login with Maker ID	SKIPPED	0.000 s
37	And click on fixed asset main module	SKIPPED	0.000 s
38	Then goto ammendent asset module	SKIPPED	0.000 s
39	Then check the approved record is displayed in ammendent asset	SKIPPED	0.000 s
40	And click on view button nearby asset return module	SKIPPED	0.001 s
41	And click on Add Icon	SKIPPED	0.000 s
42	And choose asset reference number of ammendent asset	SKIPPED	0.000 s
43	And choose item number for the asset	SKIPPED	0.000 s
44	Then click on Save after fill all the asset	SKIPPED	0.000 s
45	Then click on notification button	SKIPPED	0.001 s
46	Then choose first record in the notification record	SKIPPED	0.000 s
47	And click on Submit button	SKIPPED	0.000 s
48	Then enter remark in confirmation alert	SKIPPED	0.000 s
49	Then click on submit button in alert	SKIPPED	0.000 s
50	And capture the reviewer ID in pop up which is open when we submit our record in maker stage	SKIPPED	0.000 s
51	Then logout from maker	SKIPPED	0.000 s

#	Step / Hook Details	Status	Duration
52	And login with reviewer credentials	SKIPPED	0.000 s
53	Then click on notification button	SKIPPED	0.001 s
54	And select our record in notification records using reference ID	SKIPPED	0.000 s
55	Then Approve the record from reviewer	SKIPPED	0.000 s
56	And enter the remark in alert	SKIPPED	0.000 s
57	Then click on submit in alert	SKIPPED	0.000 s
58	Then verify the approval status of the record	SKIPPED	0.003 s
59	And logout from reviewer	SKIPPED	0.000 s
60	Then login as a checker	SKIPPED	0.000 s
61	And click on security management menu in checker	SKIPPED	0.000 s
62	Then click on action button under security management menu	SKIPPED	0.000 s
63	And select our record and clime using reference ID	SKIPPED	0.000 s
64	Then click on Notification button	SKIPPED	0.000 s
65	Then select our record in notification records by the help of reference ID	SKIPPED	0.000 s
66	And click on approve button in checker stage	SKIPPED	0.000 s
67	Then give alert remark	SKIPPED	0.001 s
68	Then click on submit button on alert	SKIPPED	0.000 s
69	And verify the record got approved from checker	SKIPPED	0.000 s
70	Then logout from checker	SKIPPED	0.000 s
71	And login with Maker ID	SKIPPED	0.000 s
72	And click on fixed asset main module	SKIPPED	0.000 s
73	And click on view button nearby asset return module	SKIPPED	0.001 s
74	Then check the approved record is displayed in list view of returned asset	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the ammendent asset can be returned to its vendor

(F) To check the asset return module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the ammendent asset can be returned to its vendor

(F) To check the asset return module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the ammendent asset can be returned to its vendor

(F) To check the asset return module

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Check if the ammendent asset can be returned to its vendor

(F) To check the asset return module

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the ammendent asset can be returned to its vendor	
(F) To check the asset return module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the ammendent asset can be returned to its vendor	
(F) To check the asset return module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the ammendent asset can be returned to its vendor	
(F) To check the asset return module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Check if the ammendent asset can be returned to its vendor	
(F) To check the asset return module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Check if the ammendent asset can be returned to its vendor

(F) To check the asset return module