

Duration : 26.851 s Start: Jan 12, 6:19:37.665 PM End: Jan 12, 6:20:04.516 PM Scenarios **Features** Steps PASSED - 0 PASSED - 0 PASSED - 16 SKIPPED - 0 SKIPPED - 0 SKIPPED - 7 24 40 50 60 40 50 60 40 50 60 30 Pass % 30 Pass % 70 30 Pass % 70 20 20 20 80 80 80 90 90 10 66 % 100 100

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	0	1	0	26.851 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To verify system display the modification history of created	24	16	1	7	26.838 s
	feature	budget record and the records are shouldnot be modifiable					

DETAILED SECTION -- 4 --

(F)- To check BudgetDefinition moduel feature

FAILED	DURATION - 26.851 s	Scenarios		Steps	
		Total - 1		Total - 24	
/ 6:19:37.665 PI	M // 6:20:04.516 PM /	Pass - 0	1	Pass - 16	24
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 7	

(S)- To verify system display the modification history of created budget record and the records are shouldnot be modifiable

FAILED DURATION - 26.838 s	10	-	-	÷								- ;				- ÷ -		Steps			
/ 6:19:37.678 PM // 6:20:04.516 PM /	8	╢	-	÷										-				Total - 24			
7 0.13.37.0707 W // 0.20.04.310 T W/	6	╫	-	i				-;	÷-	-;		- ;				- - -		Pass - 16		24	
To check BudgetDefinition moduel feature	2			1]			Ī					_ [1		Fail - 1	-	24	
@Auto_auth_ModificationHistory	0		<u>.</u> .	<u> </u>		<u> </u>		<u>.</u>	<u> </u>	<u> </u>	_	_		Skip - 7	1						
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	15				

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	10.445 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.560 s
	screenshot		
	# Of the Control of t		
2	Then click on budget configuration Menu	PASSED	0.082 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.222 s
	screenshot		

#	Step / Hook Details	Status	Duration
	Print to space Annables of the Control of the Contr		
3	And click on budget definition sub menu and click on eye icon	PASSED	0.147 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.443 s
	screenshot		
	The continues of the		
4	And click on add icon	PASSED	0.196 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.270 s
5	Then enter budget code	PASSED	0.140 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.140 s
6	And enter budget type	PASSED	0.232 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.152 s
1	screenshot	7	
	Then enter budget code AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot And enter budget type	PASSED	0.140 s 0.232 s


#	Step / Hook Details	Status	Duration
	Prince Space Analysis and Space		
7	And enter warning percentage	PASSED	0.069 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.154 s
	screenshot		
	PARTY NAME OF TAXABLE		
8	And enter budget name	PASSED	0.126 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Texation of the state of t	PASSED	0.168 s
9	Then give remark	PASSED	0.080 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Ten_Step - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)* **Ten_Step - step	PASSED	0.159 s
10	Then click on save button	PASSED	3.133 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot	PASSED	0.129 s

The Click on notification toon PASSED 0.107 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 12 And select the first record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 Then click on approve button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Creenshot 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Creenshot 6 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 6 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 And enter remark in alert tab 7 And enter remark in alert tab 8 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AFTER_STEP -		10 10 10 10 10 10 10 10		
Screenshot Scr	11	Then Click on notification icon	PASSED	0.107 s
Add select the first record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot ACTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Add enter remark in alert tab Add enter remark in alert tab Add enter remark in alert tab ACTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) ACTER_STEP - stepdefinitions. HooksClass.ad		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
Add select the first record PASSED 0.351 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 Then click on approve button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 And enter remark in alert tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.316 s 0.316 s 0.797 s 0.208 s 0.208 s				
screenshot Then click on approve button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And enter remark in alert tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.251 s PASSED 0.272 s	12	And select the first record	PASSED	0.351 s
Then click on approve button AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And enter remark in alert tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.251 s PASSED 0.272 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.316 s
Then click on approve button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And enter remark in alert tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.208 s PASSED O.251 s PASSED O.251 s PASSED O.272 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And enter remark in alert tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.208 s PASSED 0.208 s 0.208 s		© Marriadores / 10 30 00000000000000000000000000000000		
Screenshot 14 And enter remark in alert tab AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.251 s 0.272 s	13	Then click on approve button	PASSED	0.797 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.251 s O.272 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.208 s
14 And enter remark in alert tab AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.251 s 0.272 s]	
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.272 s		© manufactures (
	14	And enter remark in alert tab	PASSED	0.251 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
		screenshot]	


#	Step / Hook Details	Status	Duration
	The Control of Control		
15	And click on submit	PASSED	0.064 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
	screenshot		
	© Normalization (Control of the Control of the Con		
16	Then check the approval status form alert message	PASSED	0.633 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		
	© Section Control of		
17	And Find the budet code in the list	FAILED	2.989 s
	org.openqa.selenium.StaleElementReferenceException: stale element reference: element is not attached to the page document (Session info: chrome=96.0.4664.45) For documentation on this error, please visit: https://selenium.dev/exceptions/#stale_element_reference Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [2e4fd2d37c79ad5ef66e2114ca787dcf, clickElement {id=8f3f049e-1bd6-4bc6-8d3d-6c2cd941979c}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:54963}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:54963/devtoo, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (2e4fd2d37c79ad5ef66e2114ca787dcf)] -> xpath: //datatable-pager[1]/ul[1]/li[8]/a[1]/i[1]] Session ID: 2e4fd2d37c79ad5ef66e2114ca787dcf at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)		

# Step / Hook Details	Status	Duration
at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at jdk.internal.reflect.GeneratedMethodAccessor4.invoke(Unknown Source) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.%Proxy46.click(Unknown Source) at stepdefinitions.BUDGET_BudgetCreation.find_the_budet_code_in_the_list(BUDGET_BudgetCreation.java:297) at ?.Find the budet code in the list(file://lC:/Users/inindc00076/git/AzentioAutomationFramework/Z/AzentioAutomationFramework/src/test/java/features/KUBS_BudgetDefinition.feature:531) * Not displayable characters are replaced by '?'.		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot **Texage: The content of the con	ASSED	0.174 s
18 Then verify system should display the status of the record SK	KIPPED	0.000 s
19 And verify system should display the name or id who created the record SK	KIPPED	0.001 s
20 And verify system should display record created date SK	KIPPED	0.000 s
21 And verify system should display the name or id who made changes the record at last	KIPPED	0.000 s
22 And verify system should display record modified date	(IPPED	0.000 s
And verify system should display record modified date	NIPPED	0.000 5
		0.000 s


EXPANDED SECTION -- 10 --




EXPANDED SECTION -- 11 --





EXPANDED SECTION -- 12 --




EXPANDED SECTION -- 13 --







EXPANDED SECTION -- 16 --



EXPANDED SECTION -- 17 --

