


FEATURES SUMMARY -- 2 --



| # | Feature Name | T | P | F | S | Duration |
|---|---|---|---|---|---|--------------|
| 1 | Checking accountsPayable and accounts Receivable module | 1 | 0 | 1 | 0 | 26 m 4.937 s |



| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------------|---|----|---|---|----|--------------|
| 1 | Checking accountsPayable and | Verify cancelling Advance To employee is not allowed if the | 40 | 8 | 1 | 31 | 26 m 4.931 s |
| | accounts Receivable module | same has been adjusted at payment settlement | | | | | |

DETAILED SECTION -- 4 --

(F)- Checking accounts Payable and accounts Receivable module

| FAILED | DURATION - 26 m 4.937 s | Scenarios | | Steps | |
|-----------------|-------------------------|-----------|---|------------|------|
| | | Total - 1 | | Total - 40 | |
| / 6:09:02.490 P | M // 6:35:07.427 PM / | Pass - 0 | 1 | Pass - 8 | 40 🗂 |
| | | Fail - 1 | | Fail - 1 | |
| | | Skip - 0 | | Skip - 31 | |

(S)- Verify cancelling Advance To employee is not allowed if the same has been adjusted at payment settlement

| FAILED DURATION - 26 m 4.931 s | 1,500 Steps | |
|---------------------------------------|-------------------------------------|----|
| / 6:09:02.496 PM // 6:35:07.427 PM / | 1,000 - Total - 40 | |
| Checking accountsPayable and accounts | 500 | 40 |
| Receivable module | Fail-1 | |
| @KUBS_AR_AP_UAT_003_008_TC_03 | Skip - 31 | |
| | 1 2 3 4 5 0 / 0 9 10 11 12 13 14 15 | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given Navigate to KUBS URL and login with maker credentials | PASSED | 19.462 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.176 s |
| | screenshot | | |
| | ■ © Marindanian National Spain Control Spai | | |
| 2 | And Goto accounts receivable advances module | PASSED | 1.427 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.329 s |
| | screenshot | | |

| The Click on search | # | Step / Hook Details | Status | Duration |
|--|---|--|--------|----------|
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 4 And select the advance to employee active record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 5 And go to aaccunts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) pASSED AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.287 s PASSED 0.198 s | | Compared Compared | | |
| screenshot And select the advance to employee active record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.287 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 1.287 s | 3 | Then click on search | PASSED | 0.100 s |
| And select the advance to employee active record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) screenshot And go to accounts payable module AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) ARTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 1.287 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.198 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.398 s |
| And select the advance to employee active record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Socieenshot And go to accounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Socieenshot APASSED APASSED | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And go to accounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Go to payment settlement module And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) ARTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AND GO to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.287 s PASSED 0.198 s | | Comparison Com | | |
| screenshot And go to aacounts payable module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.287 s PASSED 0.198 s | 4 | And select the advance to employee active record | PASSED | 0.640 s |
| And go to aacounts payable module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot And Go to payment settlement module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.287 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.207 s |
| 5 And go to aacounts payable module PASSED 0.405 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.209 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.287 s PASSED 0.198 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 1.287 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.209 s 0.209 s | | O | | |
| Screenshot 6 And Go to payment settlement module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s | 5 | And go to aacounts payable module | PASSED | 0.405 s |
| 6 And Go to payment settlement module AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s | | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.209 s |
| 6 And Go to payment settlement module AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s | | screenshot | | |
| AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.198 s | | Company | | |
| | 6 | And Go to payment settlement module | PASSED | 1.287 s |
| screenshot | | | PASSED | 0.198 s |
| | | screenshot | | |


| # | Step / Hook Details | Status | Duration |
|---|---|--------|--------------|
| | ** ** ** ** ** ** ** * | | |
| 7 | And click on Add Icon | PASSED | 0.380 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.404 s |
| | screenshot | | |
| | | | |
| 8 | And fill the form for settlement | PASSED | 8.568 s |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | PASSED | 0.201 s |
| | screenshot | | |
| | 10 10 10 10 10 10 10 10 | | |
| 9 | And Save the form | FAILED | 25 m 7.440 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e633ec83ce293e31ade6805f1890c272, findElement {using=xpath, value=//span[contains(text(),'Yes')]}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:UserslNINDC~1\AppDatalL}, goog:chromeOptions: {debuggerAddress: localhost:50960}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:50960/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e633ec83ce293e31ade6805f1890c272 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:480) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |

| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) | | |
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162) | | |
| | at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373) | | |
| | at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70) | | |
| | at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39) | | |
| | at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.elementlfVisible(ExpectedConditions.java:307) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293) | | |
| | at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290) | | |
| | at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208) | | |
| | at helper.WaitHelper.waitForElementVisible(WaitHelper.java:60) | | |
| | at stepdefinitions.ACCOUNTSPAYABLE_PaymentSettlement.Save_the_form(ACCOUNTSPAYABLE_PaymentSettlement.java:373) | | |
| | at ?.Save the form(file:///C:/Users/inindc00076/git/AzentioAutomationFrameworkAnandh/Anandh_AzentioAutomationFramework1/src/test/ | | |
| | java/features/ACCOUNTSPAYABLE_ACCOUNTSRECEIVABLE.feature:349) | | |
| | * Not displayable characters are replaced by '?'. | | |
| | AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) | FAILED | 12.674 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', | | |
| | revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', | | |
| | java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e633ec83ce293e31ade6805f1890c272, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: {chromedriverVersion: | | |
| | 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:50960}, | | |
| | javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: | | |
| | Proxy(), se:cdp: ws://localhost:50960/devtoo, se:cdpVersion: 99.0.4844.82, setWindowRect: true, strictFileInteractability: false, timeouts: | | |
| | {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, | | |
| | webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: e633ec83ce293e31ade6805f1890c272 | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) | | |
| | at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) | | |
| | at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) | | |
| | at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) | | |
| | at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) | | |
| | at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) | | |
| | at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) | | |
| | | | |


| # | Step / Hook Details | Status | Duration |
|----|---|---------|----------|
| | at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) | | |
| | at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) | | |
| | at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:40) | | |
| 10 | And click notification button | SKIPPED | 0.001 s |
| 11 | Then choose first record in the notification record | SKIPPED | 0.000 s |
| 12 | And click on Submit button | SKIPPED | 0.019 s |
| 13 | Then enter remark in confirmation alert | SKIPPED | 0.001 s |
| 14 | Then click on submit button in alert | SKIPPED | 0.001 s |
| 15 | And capture the reviewer ID in pop up which is open when we submit our record in maker stage | SKIPPED | 0.000 s |
| 16 | Then logout from maker | SKIPPED | 0.001 s |
| 17 | And login with reviewer credentials | SKIPPED | 0.000 s |
| 18 | Then click on notification button | SKIPPED | 0.001 s |
| 19 | And select our record in notification records using reference ID | SKIPPED | 0.000 s |
| 20 | Then Approve the record from reviewer | SKIPPED | 0.000 s |
| 21 | And enter the remark in alert | SKIPPED | 0.000 s |
| 22 | Then click on submit in alert | SKIPPED | 0.000 s |
| 23 | Then verify the approval status of the record | SKIPPED | 0.000 s |
| 24 | And logout from reviewer | SKIPPED | 0.001 s |
| 25 | Then login as a checker | SKIPPED | 0.000 s |
| 26 | And click on security management menu in checker | SKIPPED | 0.001 s |
| 27 | Then click on action button under security management menu | SKIPPED | 0.000 s |
| 28 | And select our record and clime using reference ID | SKIPPED | 0.000 s |
| 29 | Then click on Notification button | SKIPPED | 0.000 s |
| 30 | Then select our record in notification records by the help of reference ID | SKIPPED | 0.001 s |
| 31 | And click on approve button in checker stage | SKIPPED | 0.010 s |
| 32 | Then give alert remark | SKIPPED | 0.000 s |
| 33 | Then click on submit button on alert | SKIPPED | 0.001 s |
| 34 | And verify the record got approved from checker | SKIPPED | 0.001 s |
| 35 | Then logout from checker | SKIPPED | 0.000 s |
| 36 | And login with Maker ID | SKIPPED | 0.000 s |
| 37 | And goto arap adjustment main module | SKIPPED | 0.016 s |
| 38 | Then go to ar ap adjustment module | SKIPPED | 0.000 s |

| # | Step / Hook Details | Status | Duration |
|----|--|---------|----------|
| 39 | And click on Add Icon | SKIPPED | 0.000 s |
| 40 | Then check the settlement completed advance can be cancelled | SKIPPED | 0.000 s |
| | AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario) | FAILED | 4.120 s |
| | org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=99.0.4844.82) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014584', ip: '10.1.47.109', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: Je633ec83ce293e31ade6805f1890c272, close (J. Capabilities (acceptinsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.82, chrome: (chromedriverVersion: 99.0.4844.51 (d537ec02474b5, userDataDir: C:\Users\ININDC-1\AppData\L | | |


EXPANDED SECTION -- 10 --



EXPANDED SECTION



EXPANDED SECTION -- 12 --



EXPANDED SECTION -- 13 --

