

Cucumber Report

10-Mar-2022, 4:11:36 pm

Start : Mar 10, 4:11:17.857 pm

End : Mar 10, 4:11:35.023 pm

Duration : 17.166 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 3


FAILED - 1

SKIPPED - 14







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	1	0	1	0	17.166 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of AR/AP Module</u>	<u>Verify accounting entries post receipt cancellation</u>	18	3	1	14	17.159 s



(F)- Check the Functionality of AR/AP Module


FAILED	DURATION - 17.166 s	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 18 Pass - 3 Fail - 1 Skip - 14	
/ 4:11:17.857 pm // 4:11:35.023 pm /					

(S)- Verify accounting entries post receipt cancellation

<div><div>FAILED</div><div>DURATION - 17.159 s</div></div>			<div>Steps</div> <div>Total - 18</div> <div>Pass - 3</div> <div>Fail - 1</div> <div>Skip - 14</div>	
/ 4:11:17.864 pm // 4:11:35.023 pm /				
Check the Functionality of AR/AP Module				
@KUBS_AR_AP_UAT_011_001_TC_03				

#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	12.044 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
			
2	Then Choose the second Tab Segment	PASSED	0.330 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.160 s
	screenshot		


#	Step / Hook Details	Status	Duration
			
3	And Click On Main module Accounts Receivable	PASSED	0.118 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.188 s
	screenshot 		
4	Then Click on the Receipt Reveals Eye Icon	FAILED	1.074 s
	<p>org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button routerlinkactive="active" color="medium" class="menuicons ion-color ion-color-medium md button button-small button-clear ion-activatable ion-focusable hydrated" ng-reflect-color="medium" tabindex="0" ng-reflect-router-link-active="active" ng-reflect-router-direction="root" ng-reflect-router-link="/tabs/list/datagrid-view/210" ng-reflect-query-params="[object Object]">...</ion-button> is not clickable at point (195, 708). Other element would receive the click: <ion-label _ngcontent-rie-c278="" class="sc-ion-label-md-h sc-ion-label-md-s md hydrated">...</ion-label> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os: name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [dcf72e7efd4a23e48dbe207c331cc4f6, clickElement {id=b9d6de6a-ec0a-4ac0-9337-a3edef030054}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:56318}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:56318/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (dcf72e7efd4a23e48dbe207c331cc4f6)] -> xpath: //ion-button[@ng-reflect-router-link='/tabs/list/datagrid-view/210']] Session ID: dcf72e7efd4a23e48dbe207c331cc4f6</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p>		

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) at stepdefinitions.ARAP_AccountsReceivable_AccountsPayable. click_on_the_receipt_reverels_eye_icon(ARAP_AccountsReceivable_AccountsPayable.java:2226) at ?.Click on the Receipt Reverels Eye Icon(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/ features/ARAP_AccountsReceivable_AccountsPayable.feature:762) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.099 s
	screenshot		
			
5	And Click On Search Icon	SKIPPED	0.000 s
6	Then Enter Receipt type as Wire	SKIPPED	0.000 s
7	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
8	And Get The Txn Receipt Number	SKIPPED	0.001 s
9	Then Third Segment report Icon	SKIPPED	0.000 s
10	And Choose Enquiry Module	SKIPPED	0.000 s
11	Then Click Note iCon near by financial transction	SKIPPED	0.000 s
12	And choose branch code	SKIPPED	0.000 s
13	And click on transaction from date in calender	SKIPPED	0.000 s
14	Then Select from date in calender	SKIPPED	0.000 s
15	And click on transaction to date in calender icon	SKIPPED	0.001 s
16	Then Select To date in calender	SKIPPED	0.000 s
17	And Click View HyperLink	SKIPPED	0.001 s
18	Then Verify Accounting entries post receipt recording	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt
cancellation


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt
cancellation


(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt
cancellation

(F) Check the Functionality of AR/AP
Module



(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Verify accounting entries post receipt
cancellation

(F) Check the Functionality of AR/AP
Module

