

FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel feature	1	1	0	0	15.124 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To check BudgetDefinition moduel	To verify user can able to see modification history of	11	11	0	0	15.115 s
	<u>feature</u>	updated budget code					

DETAILED SECTION --

(F)- To check BudgetDefinition moduel feature

PASSED	DURATION - 15.124 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 6:12:03.308 PM	/ // 6:12:18.432 PM /	Pass - 1	1	Pass - 11	11
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- To verify user can able to see modification history of updated budget code

PASSED	DURATION - 15.115 s	10	7			-	-	-	-						Steps	
/ 6·12·03 31	7 PM // 6:12:18.432 PM /	8				- +	-	- +	-	- +	-		-		Total - 11	
		4				- +		- +	-		-				Pass - 11	11
To check Bud	lgetDefinition moduel feature	2					-								Fail - 0	
@Modification	n history	0	-	_	<u> </u>	<u> </u>	<u></u>	<u> </u>	<u> </u>	<u> </u>		<u> </u>	<u> </u>		Skip - 0	
G G G				1	2	3	4	5	6	7	8	9	10	11		

#	Step / Hook Details	Status	Duration
1	Given navigate to URL and login as a maker and choose finance option	PASSED	9.464 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.346 s
	screenshot		
2	Then click on budget configuration Menu	PASSED	0.312 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		


After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) And Find the budet code in the list After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After Step - step definitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) After S	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 And Find the budet code in the list AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 5 Then verify system should display the status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 4 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then verify system should display the status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.252 s 0.252 s 0.252 s 0.203 s 0.203 s 0.203 s 0.203 s 0.203 s 0.204 s 0.204 s 0.205 s 0.206 s 0.207 s 0.208 s		Management		
screenshot 4 And Find the budet code in the list AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then verify system should display the status of the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.021 s	3		PASSED	0.355 s
And Find the budet code in the list And Find the budet code in the list AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then verify system should display the status of the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.021 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.138 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.252 s
4 And Find the budet code in the list AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot Then verify system should display the status of the record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java. Scenario) PASSED 0.021 s PASSED 0.138 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then verify system should display the status of the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AND APTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.021 s PASSED 0.138 s		This is a state of the control of		
screenshot Then verify system should display the status of the record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) And verify system should display the name or id who created the record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.021 s PASSED 0.138 s	4	And Find the budet code in the list	PASSED	0.035 s
5 Then verify system should display the status of the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And verify system should display the name or id who created the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.021 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.138 s			PASSED	0.203 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 6 And verify system should display the name or id who created the record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.186 s 0.186 s PASSED 0.188 s		Part		
Screenshot 6 And verify system should display the name or id who created the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.021 s PASSED 0.138 s	5	Then verify system should display the status of the record	PASSED	0.047 s
6 And verify system should display the name or id who created the record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.021 s 0.138 s			PASSED	0.186 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.138 s		1		
	6	And verify system should display the name or id who created the record	PASSED	0.021 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.138 s
screenshot		screenshot]	

7 And verify system should display record created date AFTER_STEP - stepdefinitions HooksClass addScreenshot(io.cucumber.java.Scenario) 9 And verify system should display the name or id who made changes the record at last AFTER_STEP - stepdefinitions HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And verify system should display record modified date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And verify system should display record modified date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.029 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.139 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.149 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.068 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.149 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8		## OF THE PROPERTY OF THE PRO		
screenshot 8 And verify system should display the name or id who made changes the record at last AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And verify system should display record modified date AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 And verify system should display record modified date AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) 9 PASSED 0.139 S 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.068 S AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.149 S	7	And verify system should display record created date	PASSED	0.031 s
8 And verify system should display the name or id who made changes the record at last AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And verify system should display record modified date AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.029 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.088 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.068 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.106 s
8 And verify system should display the name or id who made changes the record at last AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And verify system should display record modified date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And verify system should display record modified date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.068 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.149 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And verify system should display record modified date AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.111 s 0.111 s		# Option Part Part		
Screenshot 9 And verify system should display record modified date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.068 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.149 s	8	And verify system should display the name or id who made changes the record at last	PASSED	0.026 s
9 And verify system should display record modified date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.068 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.149 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.111 s
9 And verify system should display record modified date AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.029 s 0.139 s 0.139 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.139 s 0.139 s 0.139 s		## OF STATE AND PROPERTY OF STATE AND PROPE		
Screenshot 10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber.java. Scenario) PASSED 0.068 s 0.149 s	9	And verify system should display record modified date	PASSED	0.029 s
10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions. Hooks Class. add Screenshot (io. cucumber. java. Scenario) PASSED 0.149 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
10 Then verify system should display name or id of the authorized person of that record AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.068 s 0.149 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.149 s		State Stat		
	10	Then verify system should display name or id of the authorized person of that record	PASSED	0.068 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.149 s
		screenshot		


DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	## OF THE PROPERTY OF THE PRO		
11	And verify system should diplay the authorized date	PASSED	0.053 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.139 s
	screenshot		
	© Construction Construction Co		


EXPANDED SECTION -- 8 --




EXPANDED SECTION



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

