


FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of AR/AP Module	1	0	1	0	25.845 s




7	# Feature Name	Scenario Name	T	P	F	S	Duration
	Check the Functionality of AR/AP	Verify Cancelled Debit Note is not available for adjustment	15	14	1	0	25.835 s
	Module	at Payment Settlement screen					

DETAILED SECTION -- 4 --

(F)- Check the Functionality of AR/AP Module

FAILED	DURATION - 25.845 s	Scenarios		Steps	
		Total - 1		Total - 15	
7:03:17.794 pr	m // 7:03:43.639 pm /	Pass - 0	1	Pass - 14	15
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

(S)- Verify Cancelled Debit Note is not available for adjustment at Payment Settlement screen



#	Step / Hook Details	Status	Duration
1	Given Navigate The Azentio Url	PASSED	13.291 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.141 s
	screenshot		
	** ** ********************************		
2	Then Choose the second Tab Segment	PASSED	0.356 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		

#	Step / Hook Details	Status	Duration
	■ © Controlled Section (Controlled Section (C		
3	And Click On Main module Accounts Receivable	PASSED	0.137 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.193 s
	screenshot		
	** ** ** ** ** ** ** ** ** ** ** ** **		
4	Then Click on Accounts Receivable Debit Note Eye Icon	PASSED	0.387 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.312 s
	screenshot * *** ******************************	_	
5	And Click On Search Icon	PASSED	0.145 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.260 s
	screenshot		
6	Then Enter Cancelled Value In Debit Not Status	PASSED	0.356 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.168 s
	screenshot		


7 Then Click on Table Row First Eye Icon AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 8 And Store The Business partner and Invoice Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.105 s PASSED 0.105 s PASSED 0.100 s	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 8 And Store The Business partner and Invoice Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot		© 1 cm 1 cm 2 cm		
Screenshot 8 And Store The Business partner and Invoice Number AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.197 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.105 s AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 0.180 s	7	Then Click on Table Row First Eye Icon	PASSED	0.124 s
8 And Store The Business partner and Invoice Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.197 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.180 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.459 s
8 And Store The Business partner and Invoice Number AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED O.085 s 0.197 s 0.198 s 0.198 s PASSED O.105 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.105 s O.180 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.197 s 0.105 s PASSED 0.105 s 0.180 s		© 10-20 10-		
9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.105 s 0.180 s	8	And Store The Business partner and Invoice Number	PASSED	0.085 s
9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot The step of the step o		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.197 s
9 And Click On Main module Accounts payable AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.105 s 0.180 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot O.180 s		P		
screenshot	9	And Click On Main module Accounts payable	PASSED	0.105 s
The state of the s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.180 s
1				
10 Then Click sub module Payment settlement Eye Icon PASSED 0.157 s	10	Then Click sub module Payment settlement Eye Icon	PASSED	0.157 s
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.290 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.290 s
screenshot		screenshot		


11 And Click Add icon button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario) 22 Then Enter payment option AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber java.Scenario) Screenshot	#	Step / Hook Details	Status	Duration
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 12 Then Enter payment option AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And Enter Business partner AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And Enter Business partner AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 O.334 S PASSED 0.314 S 0.190 S				
Screenshot 12 Then Enter payment option AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And Enter Business partner AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And Enter Business partner AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 0.159 s 0.159 s 0.159 s	11	And Click Add icon button	PASSED	0.254 s
12 Then Enter payment option PASSED 0.374 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And Enter Business partner AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And Enter Business partner AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 14 On 190 S		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.238 s
12 Then Enter payment option AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 13 And Enter Business partner AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.374 s 0.159 s 0.159 s 0.314 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 0.314 s 0.319 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 13 And Enter Business partner AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.159 s 0.159 s 0.159 s		Name 0 1		
Screenshot 13 And Enter Business partner AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot PASSED 0.314 s 0.190 s	12	Then Enter payment option	PASSED	0.374 s
13 And Enter Business partner AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.314 s 0.190 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.159 s
13 And Enter Business partner AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot PASSED 0.314 s 0.190 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 0.190 s		Company Comp		
screenshot	13	And Enter Business partner	PASSED	0.314 s
■ © Non-International Community (1997) 1997 19		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.190 s
IN CONTRIBUTION STORMS OF CONTRIBUTION STORMS		screenshot		
		© North Nort		
14 Then Choose value date as System current date PASSED 1.993 s	14	Then Choose value date as System current date	PASSED	1.993 s
		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
		screenshot		

org.op '4.0.0- versio [e6b9: brows C:\Usc netwo ws://lc pageL webau (e6b9: at ja at ja		FAILED	1.070 s
org.op '4.0.0- versio [e6b9: brows C:\Usc netwo ws://lc pageL webau (e6b9: at ja at ja	penqa.selenium.ElementNotInteractableException: element not interactable (Session info: chrome=99.0.4844.51) Build info: version: bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os. on: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: b86e38685e5f4062fa897d7990b14, clickElement {id=1a467fbd-9669-4d49-ac7f-639599fbc171}] Capabilities {acceptInsecureCerts: false, oserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: osers\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:59152}, javascriptEnabled: true, orkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ocalhost:59152/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, Load: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS]]	FAILED	1.070 s
'4.0.0- versio [e6b9: brows C:\Use netwo ws://lo pageL webau (e6b9: at ja at ja	D-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.name: 'Windows 10', os.arch: 'amd64', os. on: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: '886e38685e5f4062fa897d7990b14, clickElement {id=1a467fbd-9669-4d49-ac7f-639599fbc171}] Capabilities {acceptInsecureCerts: false, serName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8, userDataDir: sers\ININDC~1\AppData\L}, goog:chromeOptions: {debuggerAddress: localhost:59152}, javascriptEnabled: true, orkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ocalhost:59152/devtoo, se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, Load: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS]		
at ja at ja at c at	java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstanceO(Native Method) java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) org.openqa.selenium.remote.odec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) org.openqa.selenium.remote.Service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251) org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:251) org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77) jdk.internal.reflect.GeneratedMethodAccessor6.invoke(Unknown Source) java.base/java.lang.reflect.Method.invoke(Method.java:568) org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) jdk.proxy2/jdk.proxy2.\$Proxy46.click(Unknown Source) stepdefinitions.ARAP_CancellationOfGRN. the_invoice_reference_number_for_cancelled_debitnote_is_availabe_at_the_billing_queue(ARAP_CancellationOfGRN.java:710) ?find the invoice_reference_number_for_cancelled_DebitNote is availabe at_the_billing_queue(Alexarion) ath_Azentio_AutomationFramework/src/test/java/features/ARAP_GrnCancellation.feature:1.07)		
* Not	displayable characters are replaced by '?'.		


#	Step / Hook Details	Status	Duration
	screenshot		

EXPANDED SECTION -- 10 --







EXPANDED SECTION --- 12 --




EXPANDED SECTION --- 13 --



EXPANDED SECTION -- 14 --



EXPANDED SECTION -- 15 --



EXPANDED SECTION -- 16 --

