Cucumber Report

Start : Mar 24, 5:22:07.642 pm	End : Mar 24, 5:22:30.378 pm	Duration : 22.736 s
Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 9 FAILED - 1 SKIPPED - 20

#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	1	0	1	0	22.736 s

| #	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of the GL2 Module	Create an accounting base templet for accounting book for legal entity	30	9	1	20	22.729 s

(F)- Check the Functionality of the GL2 Module

FAILED	DURATION - 22.736 s	Scenarios		Steps	
/ 5:22:07.642 pm // 5:22:30.378 pm /		Total - 1 Pass - 0 Fail - 1 Skip - 0	1	Total - 30 Pass - 9 Fail - 1 Skip - 20	30

(S)- Create an accounting base templet for accounting book for legal entity

FAILED	DURATION - 22.729 s		Steps	
/ 5:22:07.649 pm // 5:22:30.378 pm /			Total - 30 Pass - 9 Fail - 1 Skip - 20	30
Check the Functionality of the GL2 Module				
@KUBS_GL_UAT_001_001				

#	Step / Hook Details	Status	Duration
1	Given Navigate to Azentio Kubs	PASSED	12.367 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.176 s
	screenshot		
2	And Click on Accounting Setup module	PASSED	0.122 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.196 s
	screenshot		

#	Step / Hook Details	Status	Duration
3	Then Click sub module Accounting book definition	PASSED	0.400 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.286 s
	screenshot		
4	And Click on Add icon	PASSED	0.269 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.272 s
	screenshot		
5	Then Choose the Template Type of Base Template	PASSED	0.344 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.142 s
	screenshot		
6	And Enter Book Name	PASSED	0.242 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.183 s
	screenshot		

#	Step / Hook Details	Status	Duration
7	Then Select system date as Effective date	PASSED	1.554 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.169 s
	screenshot 		
8	And Choose the Book Type what you Need	PASSED	0.371 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.172 s
	screenshot 		
9	Then Enter the Remark	PASSED	0.307 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.220 s
	screenshot 		
10	And Save the Record	FAILED	1.204 s
	org.openqa.selenium.ElementClickInterceptedException: element click intercepted: Element <ion-button color="primary" ng-reflect-color="primary" ng-reflect-disabled="true" aria-disabled="true" class="ion-color ion-color-primary md button button-clear in-toolbar button-disabled ion-activatable ion-focusable hydrated" disabled="">...</ion-button> is not clickable at point (1414, 88). Other element would receive the click: <ion-buttons slot="end" class="buttons-last-slot sc-ion-buttons-md-h sc-ion-buttons-md-s md hydrated">...</ion-buttons> (Session info: chrome=99.0.4844.51) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014547', ip: '10.1.47.111', os.		

| #	Step / Hook Details	Status	Duration

	name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [e7aff7dc5cd2682e79b0b4d815c99ea4, clickElement {id=f1efe7e9-d119-4d22-b0ef-93d84b04807a}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 99.0.4844.51, chrome: {chromedriverVersion: 98.0.4758.80 (7f0488e8ba0d8..., userDataDir: C:\Users\ININDC~1\AppData\L...}, goog:chromeOptions: {debuggerAddress: localhost:64765}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:64765/devtoo..., se:cdpVersion: 99.0.4844.51, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Element: [[ChromeDriver: chrome on WINDOWS (e7aff7dc5cd2682e79b0b4d815c99ea4)] -> xpath: //div[1]/ion-header[1]/ion-toolbar[1]/ion-buttons[2]/ion-button[1]] Session ID: e7aff7dc5cd2682e79b0b4d815c99ea4
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)
	    at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)
	    at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)
	    at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)
	    at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)
	    at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)
	    at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)
	    at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)
	    at org.openqa.selenium.remote.RemoteWebElement.execute(RemoteWebElement.java:251)
	    at org.openqa.selenium.remote.RemoteWebElement.click(RemoteWebElement.java:77)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
	    at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77)
	    at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
	    at java.base/java.lang.reflect.Method.invoke(Method.java:568)
	    at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52)
	    at jdk.proxy2/jdk.proxy2.$Proxy46.click(Unknown Source)
	    at stepdefinitions.GL1_Accounting_Book_Definition.save_the_record(GL1_Accounting_Book_Definition.java:138)
	    at ?.Save the Record(file:///C:/Users/inindc00075/git/repository/Arshath_Azentio_AutomationFramework/src/test/java/features/GL1_Accounting_Setup.feature:13)
	* Not displayable characters are replaced by '?'.		

	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 	PASSED	0.294 s

#	Step / Hook Details	Status	Duration
11	Then Goto The Notification Icon	SKIPPED	0.000 s
12	And Store the Referance Id and Open the Record	SKIPPED	0.000 s
13	Then Click submit button and Enter Remark submit it	SKIPPED	0.000 s
14	Given Navigate as a Reviewer	SKIPPED	0.000 s
15	Then click on Notify icon	SKIPPED	0.000 s
16	And Click First record Action icon	SKIPPED	0.000 s
17	Then Approve the record in Reviewer	SKIPPED	0.000 s
18	And Give Remark and Submit	SKIPPED	0.000 s
19	Given Navigate as a Checker	SKIPPED	0.000 s
20	Then Click module security management	SKIPPED	0.000 s
21	And Claim the Record in Checker	SKIPPED	0.000 s
22	Then Goto the Checker notification Icon	SKIPPED	0.000 s
23	And Click the First Action Icon	SKIPPED	0.000 s
24	Then Approve the Record in checker stage	SKIPPED	0.000 s
25	And Give the Remark and Submit it	SKIPPED	0.000 s
26	Given Navigate to Azentio Kubs	SKIPPED	0.000 s
27	And Click on Accounting Setup module	SKIPPED	0.001 s
28	Then Click sub module Accounting book definition	SKIPPED	0.001 s
29	Then Click on Table Row First Eye Icon	SKIPPED	0.000 s
30	And System should Generate unique code	SKIPPED	0.000 s

| (Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an accounting base templet for accounting book for legal entity	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an accounting base templet for accounting book for legal entity	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create an accounting base templet for accounting book for legal entity

(F) Check the Functionality of the GL2 Module

| Kastle Universal Banking (Beta) | | | | 04-Nov-2022 English ▾ | Azentio Software ▾ | (AZENTMAIN) | ANANT |

Finance

Accounting template grid view

Actions	Legal Entity Name	Accounting Book Name	Code	Book Type	Template Type	Txn Date	Created By
👁 ✏	Azentio Software	Modify_02	ACCBOOK-019	IFRS Book	CUSTOM_TEMPLATE	02-Jan-2023	1002435
👁 ✏	Azentio Software	Testing_07	ACCBOOK-018	IFRS Book	Base Template	02-Jan-2023	1002435
👁 ✏	Azentio Software	Testing_06	ACCBOOK-017	IFRS Book	Base Template	02-Jan-2023	1002435
👁 ✏	Azentio Software	Modify_00	ACCBOOK-016	IFRS Book	Base Template	21-Mar-2022	1002435
👁 ✏	Azentio Software	Testing_05	ACCBOOK-015	IFRS Book	Base Template	02-Jan-2023	1002435
👁 ✏	Azentio Software	Testing_02	ACCBOOK-014	IFRS Book	Base Template	02-Jan-2023	1002435
👁 ✏	Azentio Software	test-d2	ACCBOOK-013	IFRS Book	Base Template	21-Mar-2022	1002435
👁 ✏	Azentio Software	Custom	ACCBOOK-012	GAAP	CUSTOM_TEMPLATE	21-Mar-2022	1002435

23 total |◁ ◁ **1** 2 3 ▷ ▷|

Business partner setup
General ledger configurat...
Accounting setup
- Accounting book definition
- Account Category
- Chart of accounts definition
- Accounting scheme definition
- Accounting scheme event mapping
- Financial statements configuration

22 Appro... ✕   11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)

(S) Create an accounting base templet for accounting book for legal entity

(F) Check the Functionality of the GL2 Module

| Kastle Universal Banking (Beta) | | | | 04-Nov-2022 English ▾ | Azentio Software ▾ | (AZENTMAIN) | ANANT |

Finance

Accounting Template

* Template Type
* Book Name
*Effective Date
24-Mar-2022

* Book Type
* Remarks

Business partner setup
General ledger configurat...
Accounting setup
- Accounting book definition
- Account Category
- Chart of accounts definition
- Accounting scheme definition
- Accounting scheme event mapping
- Financial statements configuration

22 Appro... ✕   11 Messa... ✕

Home   Preference

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an accounting base templet for accounting book for legal entity	
(F) Check the Functionality of the GL2 Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an accounting base templet for accounting book for legal entity	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an accounting base templet for accounting book for legal entity	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Create an accounting base templet for accounting book for legal entity	
(F) Check the Functionality of the GL2 Module	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Create an accounting base templet for accounting book for legal entity (F) Check the Functionality of the GL2 Module	
(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario) (S) Create an accounting base templet for accounting book for legal entity (F) Check the Functionality of the GL2 Module	