

Cucumber Report

9 Jan 2023, 5:47:25 PM

Start : Jan 09, 5:47:10.139 PM

End : Jan 09, 5:47:23.250 PM

Duration : 13.111 s

Features

Scenarios

Steps

PASSED - 0

FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 0

PASSED - 0


FAILED - 1

SKIPPED - 14







#	Feature Name	T	P	F	S	Duration
1	AR_AP Module	1	0	1	0	13.111 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR_AP Module	Login as Maker	15	0	1	14	13.098 s


(F)- AR_AP Module

FAILED	DURATION - 13.111 s	Scenarios		Steps	
/ 5:47:10.139 PM // 5:47:23.250 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 15 Pass - 0 Fail - 1 Skip - 14	

(S)- Login as Maker

<div> <div>FAILED</div> <div>DURATION - 13.098 s</div> </div>		<div>Steps</div> <div>Total - 15</div> <div>Pass - 0</div> <div>Fail - 1</div> <div>Skip - 14</div>
<div>/ 5:47:10.152 PM // 5:47:23.250 PM /</div>		
<div>AR_AP Module</div>		
<div>@KUBS_AR_AP_UAT_008_002_TC_01_4</div>		

#	Step / Hook Details	Status	Duration
1	<div>Given User should go to the kubs url and login as a maker user</div> <div>org.openqa.selenium.WebDriverException: unknown error: net::ERR_CONNECTION_REFUSED (Session info: chrome=108.0.5359.125) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'DESKTOP-PSK9T3U', ip: '10.200.4.150', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.4.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [979c36871f15052b5e4eef3a0db5a5b4, get {url=http://172.27.78.245:6080/kubs-qc/}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 108.0.5359.125, chrome: {chromedriverVersion: 108.0.5359.71 (1e0e3868ee06..., userDataDir: C:\Users\NINDC~1\AppData\Local\Temp\chrome-win-108.0.5359.71\userDataDir\Default-Content-Set\chromedriver.exe}, goog:chromeOptions: {debuggerAddress: localhost:52702}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:52702/devtools, se:cdpVersion: 108.0.5359.125, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: 979c36871f15052b5e4eef3a0db5a5b4 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</div>	FAILED	7.482 s

#	Step / Hook Details	Status	Duration
	<pre> at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.get(RemoteWebDriver.java:326) at stepdefinitions.ACCOUNTSPAYABLE_VendorContracts. user_should_go_to_the_kubs_url_and_login_as_a_maker_user(ACCOUNTSPAYABLE_VendorContracts.java:48) at ?.User should go to the kubs url and login as a maker user(file:///C:/Users/ININDC00075/git/Arshath_Excel_AzentioAutomationFramework/ AzentioAutomationFramework_ARAP_Excel_Arshath/src/test/java/features/ArAp2.feature:839) * Not displayable characters are replaced by '?'. </pre>		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.458 s
	screenshot		
			
2	And click on arap configuration main menu	SKIPPED	0.002 s
3	And click on payment file generation setup sub menu	SKIPPED	0.000 s
4	And user update the Excel sheet testdata for online payment	SKIPPED	0.000 s
5	And verify payment file download format is in Bank wise wise	SKIPPED	0.002 s
6	And click on accounts Payable module	SKIPPED	0.000 s
7	When click on eye button of manual payout	SKIPPED	0.000 s
8	Then click on search	SKIPPED	0.000 s
9	And search the transfer as payment mode	SKIPPED	0.000 s
10	And goto payment file download module	SKIPPED	0.008 s
11	And enter branch name	SKIPPED	0.002 s
12	And click on calendar in the payment file download module	SKIPPED	0.000 s
13	And enter the payout date	SKIPPED	0.000 s
14	And click on go button	SKIPPED	0.001 s
15	And download the payment file	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.
HooksClass.addScreenshot(io.cucumber.
java.Scenario)

(S) Login as Maker

(F) AR_AP Module



This site can't be reached

172.27.78.245 refused to connect.

Try:

- Checking the connection
- [Checking the proxy and the firewall](#)

ERR_CONNECTION_REFUSED

Reload

Details