

# Cucumber Report

Feb 11, 2022, 6:14:38 PM

Start : Feb 11, 6:12:50.854 PM

End : Feb 11, 6:14:35.994 PM

Duration : 1 m 45.140 s

Features


Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0


PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 10  
FAILED - 1  
SKIPPED - 6







#	Feature Name	T	P	F	S	Duration
1	<u>Check the Functionality of Fixed Asset</u>	1	0	1	0	1 m 45.140 s






#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Check the Functionality of Fixed Asset</u>	<u>Create the asset limit</u>	17	10	1	6	1 m 45.127 s

**(F)- Check the Functionality of Fixed Asset**

<b>FAILED</b>	<b>DURATION - 1 m 45.140 s</b>	Scenarios		Steps	
/ 6:12:50.854 PM // 6:14:35.994 PM /		Total - 1		Total - 17	
		Pass - 0		Pass - 10	
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 6	


**(S)- Create the asset limit**

<div>FAILED</div> <div>DURATION - 1 m 45.127 s</div>			<div>Steps</div> <div>Total - 17</div> <div>Pass - 10</div> <div>Fail - 1</div> <div>Skip - 6</div>	
/ 6:12:50.867 PM // 6:14:35.994 PM /				
Check the Functionality of Fixed Asset				
@KUBS_FAT_UAT_002_001 @multiauth				

#	Step / Hook Details	Status	Duration
1	Given Navigate to kubs URL and user should login as a maker	PASSED	12.177 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.420 s
	screenshot		
			
2	Then Click on the Finance	PASSED	0.004 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.386 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
3	Then Click on the Direction	PASSED	0.360 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.195 s
	screenshot		
			
4	Then Click on Fixed Asset	PASSED	0.173 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.182 s
	screenshot		
			
5	Then Click on Asset Creation Eye Button	PASSED	0.399 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.355 s
	screenshot		
			
6	Then Click on the add button to add new record	PASSED	0.343 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.376 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
7	Then Fill Form	PASSED	4.553 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.127 s
	screenshot 		
8	Then Save the filled form	PASSED	0.120 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.269 s
	screenshot 		
9	Then Click on the Notification	PASSED	0.433 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.508 s
	screenshot 		
10	Then Select the record which we saved	PASSED	0.543 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.354 s
	screenshot		

#	Step / Hook Details	Status	Duration
			
11	<p><b>Then Submit record</b></p> <pre>org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVADP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c4377826b3aced659011564c1a071be1, findElement {using=xpath, value=//*[@id="ion-overlay-18"]/div[2]/app-remarks/ion-content/ion-infinite-scroll/ion-row[2]/ion-col/ion-button}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\Google\Chrome\User Data\Default\Profile 1\Extensions\pfnldbfapknckanffpjggakfapfmnfga}, goog:chromeOptions: {debuggerAddress: localhost:65072}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65072/devtools, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c4377826b3aced659011564c1a071be1     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)     at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)     at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)     at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)     at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)     at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)     at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)     at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)     at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)     at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)     at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)     at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:60)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:381)     at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:373)     at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)     at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)     at jdk.proxy2/jdk.proxy2.\$Proxy46.isDisplayed(Unknown Source)     at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:307)     at org.openqa.selenium.support.ui.ExpectedConditions.access\$000(ExpectedConditions.java:40)     at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:293)     at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)     at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:660)     at org.openqa.selenium.support.ui.ExpectedConditions\$23.apply(ExpectedConditions.java:656)     at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:208)</pre>	FAILED	1 m 7.213 s

#	Step / Hook Details	Status	Duration
	at helper.WaitHelper.waitForElement(WaitHelper.java:79) at stepdefinitions.FixedAsset.submit_record(FixedAsset.java:171) at ?.Submit record(file:///C:/Users/inindc00082/git/repository2/Tushar_AzentioFramework/src/test/java/features/FixedAsset.feature:18) * Not displayable characters are replaced by '?'.		
	<b>AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)</b> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c4377826b3aced659011564c1a071be1, screenshot {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45 (76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local\..., goog:chromeOptions: {debuggerAddress: localhost:65072}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65072/devtools, se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c4377826b3aced659011564c1a071be1 at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method) at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45) at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53) at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606) at org.openqa.selenium.remote.RemoteWebDriver.getScreenshotAs(RemoteWebDriver.java:347) at stepdefinitions.HooksClass.addScreenshot(HooksClass.java:42)	FAILED	12.018 s
12	Then Open the Reviewer account	SKIPPED	0.000 s
13	Then Click on the Notification	SKIPPED	0.000 s
14	Then Approve the record which we submitted from maker	SKIPPED	0.000 s
15	Then Go to Checker login	SKIPPED	0.000 s
16	Then Clam record	SKIPPED	0.001 s
17	Then Click on the notification and approve the record	SKIPPED	0.000 s
	<b>AFTER - stepdefinitions.HooksClass.TearDown(io.cucumber.java.Scenario)</b> org.openqa.selenium.WebDriverException: chrome not reachable (Session info: chrome=96.0.4664.45) Build info: version: '4.0.0-rc-1', revision: 'bc5511cbda' System info: host: 'INMUVDAP014667', ip: '10.1.47.117', os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '17.0.1' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [c4377826b3aced659011564c1a071be1, close {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 96.0.4664.45, chrome: {chromedriverVersion: 96.0.4664.45	FAILED	0.246 s




#	Step / Hook Details	Status	Duration
	<p>(76e4c1bb2ab46..., userDataDir: C:\Users\ININDC~1\AppData\Local..., goog:chromeOptions: {debuggerAddress: localhost:65072}, javascriptEnabled: true, networkConnectionEnabled: false, pageLoadStrategy: normal, platform: WINDOWS, platformName: WINDOWS, proxy: Proxy(), se:cdp: ws://localhost:65072/devtools..., se:cdpVersion: 96.0.4664.45, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:virtualAuthenticators: true} Session ID: c4377826b3aced659011564c1a071be1</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance0(Native Method)</p> <p>at java.base/jdk.internal.reflect.NativeConstructorAccessorImpl.newInstance(NativeConstructorAccessorImpl.java:77)</p> <p>at java.base/jdk.internal.reflect.DelegatingConstructorAccessorImpl.newInstance(DelegatingConstructorAccessorImpl.java:45)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:499)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:480)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:164)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:139)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:547)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:602)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:606)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.close(RemoteWebDriver.java:432)</p> <p>at stepdefinitions.HooksClass.TearDown(HooksClass.java:52)</p>		

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create the asset limit


(F) Check the Functionality of Fixed Asset



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create the asset limit


(F) Check the Functionality of Fixed Asset



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create the asset limit


(F) Check the Functionality of Fixed Asset



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset



(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta)

04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Welcome, anant

General ledger transaction  
Budget  
Accounts payable  
Adjustments (AR and AP)  
Accounts receivable  
Fixed assets

Asset creation  
Asset transfer  
Asset undertaking  
Asset sale  
Asset allocation

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta)

04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Fixed Asset Creation

\* Branch Code Branch Discription Depreciation Applicable

Depreciation Period \* Asset code Asset Description

GRN Reference No Asset Reference Number Bill Reference No

External Ref No Rounding Method \* Asset Life Unit

Depreciation Period

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Fixed Asset Creation

* Branch Code	Branch Discription	Depreciation Applicable
AZENTMAIN x	Azentio Main Branch	Current Business Day
Depreciation Period	* Asset code	Asset Description
Yearly	MACHINARY-GENERATOR-UPS x	UPS Systems
GRN Reference No	Asset Reference Number	Bill Reference No
		INV-105-22022 x
External Ref No	Rounding Method	* Asset Life Unit
	Bank	Month x
Depreciation Period		
SYD		

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta) 04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Fixed Asset Creation

* Branch Code	Branch Discription	Depreciation Applicable
AZENTMAIN x	Azentio Main Branch	Current Business Day
Depreciation Period	* Asset code	Asset Description
Yearly	MACHINARY-GENERATOR-UPS x	UPS Systems
GRN Reference No	Asset Reference Number	Bill Reference No
		INV-105-22022 x
External Ref No	Rounding Method	* Asset Life Unit
	Bank	Month x
Depreciation Period		
SYD		

22 Appro... 11 Messa...

Home Preference

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta)

04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inbox

Actions

No data to display

0 total

FixedAssetCreation created successfully.

Asset creation Asset transfer Asset undertaking Asset sale Asset allocation

22 Appro... 11 Messa...

(Step) AFTER\_STEP - stepdefinitions.  
HooksClass.addScreenshot(io.cucumber.  
java.Scenario)

(S) Create the asset limit

(F) Check the Functionality of Fixed Asset

Kastle Universal Banking (Beta)

04-Oct-2022 English Azentio Software (AZENTMAIN) ANANT

Finance

Inbox

Actions	Reference Id	Event Code	Stage Code	Role Code	Employee Name
✓	750	ASSET_CREATION	MAKER	MAKER	1002435
✓	495	FIXED_ASSET_SALE	MAKER	MAKER	1002435
✓	478	FIXED_ASSET_IMPAIRWO	MAKER	MAKER	1002435
✓	476	FIXED_ASSET_IMPAIRWO	MAKER	MAKER	1002435

602 total

1 2 3 4 5

success

Asset creation Asset transfer Asset undertaking Asset sale Asset allocation

22 Appro... 11 Messa...