



FEATURES SUMMARY -- 2 --



#	Feature Name	T	P	F	S	Duration
1	AR/AP Module	1	1	0	0	1 m 32.489 s

SCENARIOS SUMMARY -- 3 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	AR/AP Module	Verify GRN Report post approval of GRN	11	11	0	0	1 m 32.480 s

DETAILED SECTION -- 4 --

(F)- AR/AP Module

PASSED	DURATION - 1 m 32.489 s	Scenarios		Steps	
		Total - 1		Total - 11	
/ 12:05:54.864 Pl	M // 12:07:27.353 PM /	Pass - 1	1	Pass - 11	11
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

(S)- Verify GRN Report post approval of GRN




#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	56.335 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.124 s
	screenshot		
	TABLE TO A STATE OF THE STATE O		
2	Then Click on the Direction	PASSED	2.643 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.613 s
	screenshot		
	TOTAL STATE OF THE PROPERTY OF		


AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) FASSED New York	#	Step / Hook Details	Status	Duration
screenshot 4 Then Click on Report Tab AFTER_STEP_Stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 5 Then Click on GRN Edit button AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Creenshot AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.520 s 0.523 s 0.523 s 7 Then Select Vendor or Employee name AFTER_STEP_stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.544 s	3	Then Third Segment report Icon	PASSED	1.193 s
4 Then Click on Report Tab AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((o.cucumber java.Scenario)) 5 Then Click on GRN Edit button AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((o.cucumber java.Scenario)) 5 Then Click on GRN Edit button AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((o.cucumber java.Scenario)) 5 Then Undate data set ld for GRN Report AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((o.cucumber.java.Scenario)) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((o.cucumber.java.Scenario)) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((o.cucumber.java.Scenario)) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((o.cucumber.java.Scenario)) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((o.cucumber.java.Scenario)) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((o.cucumber.java.Scenario)) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((o.cucumber.java.Scenario)) AFTER_STEP_stepdefinitions.HooksClass.addScreenshot((o.cucumber.java.Scenario)) PASSED 0.501 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.289 s
4 Then Click on Report Tab PASSED 0.502 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.456 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.004 s PASSED 0.004 s PASSED 0.023 s Then Select Vendor or Employee name PASSED 0.671 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.671 s		screenshot		
AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then Click on GRN Edit button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Then Select Vendor or Employee name AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED 0.671 s PASSED 0.544 s		AZENTO Water Digit : Annichase - 2000 to 2:		
Screenshot Then Click on GRN Edit button AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot Then update data set Id for GRN Report AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) Screenshot Then update data set Id for GRN Report AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.671 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.671 s AFTER_STEP - stepdefinitions. HooksClass. addScreenshot(io.cucumber.java.Scenario) PASSED O.544 s	4	Then Click on Report Tab	PASSED	0.502 s
5 Then Click on GRN Edit button AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 6 Then update data set Id for GRN Report AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.004 s PASSED 0.323 s 7 Then Select Vendor or Employee name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.671 s PASSED 0.544 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.343 s
5 Then Click on GRN Edit button PASSED 0.456 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.520 s 6 Then update data set Id for GRN Report PASSED 0.004 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.323 s 7 Then Select Vendor or Employee name PASSED 0.671 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.671 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.544 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot Then update data set Id for GRN Report AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then Select Vendor or Employee name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.520 s 0.520 s 0.520 s		ASSITIO **BUSTO Bight: datablase: SERVER © 0 0 1000 **Commercy		
Then update data set Id for GRN Report AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 7 Then Select Vendor or Employee name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.671 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.674 s	5	Then Click on GRN Edit button	PASSED	0.456 s
6 Then update data set Id for GRN Report PASSED 0.004 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then Select Vendor or Employee name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.671 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.544 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.520 s
6 Then update data set ld for GRN Report PASSED 0.004 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) Screenshot 7 Then Select Vendor or Employee name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.671 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.671 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) screenshot 7 Then Select Vendor or Employee name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.323 s PASSED 0.671 s AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) 0.323 s				
Screenshot 7 Then Select Vendor or Employee name AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.671 s PASSED 0.544 s	6	Then update data set Id for GRN Report	PASSED	0.004 s
7 Then Select Vendor or Employee name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.671 s 0.544 s		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.323 s
7 Then Select Vendor or Employee name AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.671 s 0.544 s		screenshot		
AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario) PASSED 0.544 s		ASSITTO WAS JOST BIGHT AND ADDRESS BIGHT AND ADDRESS DEPARTMENT OF THE PROPERTY OF THE PROPER		
	7	Then Select Vendor or Employee name	PASSED	0.671 s
screenshot		AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.544 s
		screenshot		

#	Step / Hook Details	Status	Duration
	SECUTION WENCH Signs - Annihome - Annema C		
8	Then Select Date	PASSED	7.204 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.339 s
	screenshot		
	SECULO STATE OF THE PROPERTY O		
9	Then Select GRN Status	PASSED	5.540 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.412 s
	screenshot		
	### CAST Company Compa		
10	Then Click on View buttonT	PASSED	0.373 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.512 s
	screenshot		
	TABLE OF THE PROPERTY OF THE P		
11	Then close the report	PASSED	1.678 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.277 s
	screenshot		
	Particular Section Control of the Co		


EXPANDED SECTION -- 7




EXPANDED SECTION -- 8 --




EXPANDED SECTION -- 9 --



EXPANDED SECTION -- 10 --



EXPANDED SECTION -- 11 --



EXPANDED SECTION -- 12 --

