Cucumber Report

9 Jan 2023, 8:48:26 PM

Start : Jan 09, 8:47:20.170 PM	End : Jan 09, 8:48:23.712 PM	Duration : 1 m 3.542 s

Features	Scenarios	Steps
PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 0 FAILED - 1 SKIPPED - 0	PASSED - 5 FAILED - 1 SKIPPED - 3









#	Feature Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	1	0	1	0	1 m 3.542 s



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Check the Functionality of Inventory	Unique Inventory item code should be created	9	5	1	3	1 m 3.535 s

(F)- Check the Functionality of Inventory

FAILED	DURATION - 1 m 3.542 s	Scenarios		Steps	
/ 8:47:20.170 PM // 8:48:23.712 PM /		Total - 1 Pass - 0 Fail - 1 Skip - 0		Total - 9 Pass - 5 Fail - 1 Skip - 3	

(S)- Unique Inventory item code should be created

FAILED	DURATION - 1 m 3.535 s		Steps
/ 8:47:20.177 PM // 8:48:23.712 PM /			Total - 9 Pass - 5 Fail - 1 Skip - 3
Check the Functionality of Inventory			
@KUBS_INV_MGMT_UAT_002_003_01 @Item_Code			

#	Step / Hook Details	Status	Duration
1	Given User should go to the kubs url and login as a maker user	PASSED	44.149 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.070 s
	screenshot		
2	Then Click on Inventory Maintenance	PASSED	0.986 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.303 s
	screenshot		
			

#	Step / Hook Details	Status	Duration
3	Then Click on Inventory Item Master Eye Icon	PASSED	1.159 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	1.233 s
	screenshot 		
4	Then Click on Inventory Maintenance Add button	PASSED	0.596 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.632 s
	screenshot 		
5	And user update the data set ID for Inventory item code	PASSED	0.005 s
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.317 s
	screenshot 		
6	Then Fill Inventory Item Mandatory fields	FAILED	1.654 s
	java.lang.IllegalArgumentException: Keys to send should be a not null CharSequence at org.openqa.selenium.remote.RemoteWebElement.sendKeys(RemoteWebElement.java:92) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method) at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:77) at java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43) at java.base/java.lang.reflect.Method.invoke(Method.java:568) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:52) at jdk.proxy2/jdk.proxy2.$Proxy46.sendKeys(Unknown Source) at stepdefinitions.InventoryMaintenance.fill_inventory_item_mandatory_fields(InventoryMaintenance.java:144) at ?.Fill Inventory Item Mandatory fields(file:///C:/Users/ININDC00089/git/AzentioAutomationFramework/ArAp/AzentioAutomationFramework_ARAP_Excel/src/test/java/features/InventoryManageMent_Testing.feature:45) * Not displayable characters are replaced by '?'.		
	AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	PASSED	0.262 s

#	Step / Hook Details	Status	Duration
	screenshot 		
7	Then Click on Inventory Item Save button	SKIPPED	0.000 s
8	Then Click on Inventory Item Notification	SKIPPED	0.000 s
9	And Select and Submit the record	SKIPPED	0.000 s

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions.HooksClass.addScreenshot(io.cucumber.java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Check the Functionality of Inventory	

(Step) AFTER_STEP - stepdefinitions. HooksClass.addScreenshot(io.cucumber. java.Scenario)	
(S) Unique Inventory item code should be created	
(F) Check the Functionality of Inventory	